
Foundation for Cross-Connection Control and Hydraulic Research

List of Approved Backflow Prevention Assemblies

The List is dated April 08, 2016

Additions to the List after April 08, 2016 may be found on the USC Foundation's website fccchr.usc.edu






The List of Approved Backflow Preventions Assemblies is published by the Foundation for Cross-Connection Control and Hydraulic Research a Division of the University of Southern California

> 2016 © University of Southern California All Rights Reserved

Table of Contents

Legend	4
Notices	5
Orientation of Assemblies	6
Shutoff Valve Designation	7
Detector Assembly Meters	11
Special Notices	12
AVB	13
DC	14
DCDA	213
DCDA-II	347
PVB	351
RP	366
RPDA	563
RPDA-II	610
SVB	612
Manufacturers of Approved Backflow Prevention Assemblies	615

Legend



Notices

NOTICE REGARDING RENEWALS:

The original Certificate of Approval-identified by the Edition of the Manual and the Approved date shown in this list-is valid as of the date of this list, only if the original or renewal date shown hereon is within three (3) years of the date of this list. The responsibility to request a renewal of an Approval is that of each manufacturer. The USC Foundation retains the right of determining the extent of re-evaluation required before renewal is granted. Certificates of Approval are not recalled for the purpose of updating the effective date. This revision of date is only published via the current *List of Approved Backflow Prevention Assemblies*.

NOTICE REGARDING INSTALLATION:

Unless otherwise specified by the manufacturer all assemblies are to be installed on cold potable water applications - below 110°F. Also all of the assemblies listed are Approved for the **INDICATED ORIENTATION(S) ONLY** (Please see the legend page 6). Rotation of assemblies on either axis will invalidate the USC Foundation's Approval. Use of spare parts other than those of the original manufacturer invalidates the Approval. Rotation of shutoff valves of one bolt hole only is permitted only for the 2 1/2" and larger flanged assemblies.


NOTICE REGARDING LEAD CONTENT:

In order to determine if backflow preventers comply with lead-free requirements of several states and the Safe Drinking Water Act, USC Foundation Approved assemblies which comply with the \leq 0.25% lead requirement are indicated by a Y in the column \leq 0.25% Pb.

NOTICE REGARDING LIST UPDATES

The List of Approved Assemblies is printed annually in the first quarter of the year. Update notices are printed and sent to USC Foundation Members quarterly. The most recent changes to the List may be found on the USC Foundation's website. The web version of the List is updated each time a change is made.

Orientation of Assemblies



(a) American Figure 1-QT (bb) American Figure 17-NR RW (c) American Figure 75-QSV RW (d) Apollo Series 78-QT (d) Apollo Series 78-QT (e) AVK Series 25-NRS (f) AVK Series 25-NRS (f) AVK Series 25-NRS (f) AVK Series 25-NRS (f) Clow R/W Model 2640 (Fx7) - NRS (f) Clow R/W Model 2640 (Fx7) - NRS (f) Fortune Series 620/633 (C64400 Bronze) (Formerly Figure 601) (f) Fortune Series 620/633 (C64400 Bronze) (Formerly Figure 601) (f) Fortune Series 620/633 (C64400 Bronze) (Formerly Figure 601) (f) Kennedy Ken Seal I-NRS	(00)	American Figure 1 OT
(cc) American Figure 3700SY RW (dd) Apollo Series 7B-QT (ee) AVK Series 25-NR (f) AVK Series 25-NRS (f) AVK Series 25-OSY (Nibco F607RW OSY) (gg) Clow R/W Model 2640 (FxF) - NRS (f) AVK Series 25-OSY (Nibco F607RW OSY) (gg) Clow R/W Model 2640 (FxF) - NS (f) MYK Model 2640 (FxF) - OSY (f) Fortune Series 520/523 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (jj) Kennedy Ken Seal I-NRS (kk) Kennedy Ken Seal I-NRS (mm) Kennedy Model KS-FW Figure 968 (FxF) - OS		
(dd) Apollo Series 78-QT (ee) AVK Series 25-NRS (ff) AVK Series 25-OSY (Nibco F607RW OSY) (gg) Clow R/W Model 2640 (FxF) - NRS (formerly Clow R/W F6102-NRS) (formerly Clow R/W F6102-NRS) (h) Clow R/W Model 2640 (FxF) - OSY (formerly Clow R/W F6102-NRS) (formerly Clow R/W F6102-NRS) (li) Fortune Series 620/632 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (jj) Kennedy Ken Seal -NRS (kk) Kennedy Kodel KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") (formerly Kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-FW Figure 8568 (FxF) - OSY (4 " - 10") (formerly Kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-FW Figure 8068 (FxF) - OSY (4 " - 10") (formerly Kennedy Ken Seal II-NS) (mm) Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4 " - 10") (formerly Kennedy Ken Seal II-NS) (mm) Kennedy Ken Seal II-NS) (mm) Kennedy Ken Seal II-NS) (mm) Kennedy Ken Seal II-NS)	. ,	
(ee) AVK Series 25-NRS (ff) AVK Series 25-OSY (Nibco F607RW OSY) (gg) Clow R/W Model 2&40 (FK) - NRS (formerly Clow R/W F6102-NRS) (formerly Clow R/W F6136-OSY) (for methy Clow R/W F6136-OSY) (formerly Clow R/W F6136-OSY) (ii) Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (iji) Kennedy Ken Seal I-NRS (kk) Kennedy Ken Seal I-NS (kk) Kennedy Ken Seal I-NS (li) Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10") (formerly Kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10") (formerly Kennedy Ken Seal II-OSY) (formerly Kennedy Ken Seal II-OSY) (form V Kennedy Ken Seal II-OSY) (form Watt 405-FWW (qq) Muller R/W HP NRS (rr) Mueller R/W HP OSY (ss) Toro.Orion Integral Ball Valve-QT (tt) American Flow Control (Waterous Series 500-NRS (uu) American Flow Control (Waterou		
(If) AVK Series 25-OSY (Nibco F607RW OSY) (gg) Clow R/W Model 2640 (FxF) - NRS (formerly Clow R/W F6136-05N) (formerly Clow R/W F6136-OSY) (ii) Fortune Series 620/523 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (ij) Kennedy Ken Seal I-NRS (kk) Kennedy Ken Seal-OSY (li) Kennedy Ken Seal-OSY (lii) Kennedy Ken Seal-NRS (kk) Kennedy Ken Seal-NRS (kk) Kennedy Ken Seal-INRS (kk) Kennedy Ken Seal I-NRS (lii) Kennedy Ken Seal I-NRS (mm) Kennedy Ken Seal I-NRS (formerly kennedy Ken Seal I-I-NRS) (formerly kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-FW Figure Bo68 (FxF) - OSY (2 1/2" - 10") (formerly kennedy Ken Seal II-OSY) (formerly kennedy Ken Seal II-OSY) (n) Lee Brass-QT (oo) Watts 405-RW (qu) Mueller R/W HP NRS (rr) Mueller R/W HP NRS (rr) Mueller R/W HP OSY (ss)	. ,	
(gg) Clow R/W Model 2640 (FxF) - NRS (formerly Clow R/W F6102-NRS) (hh) Clow R/W Model 2640 (FxF) - OSY (formerly Clow R/W F6136-OSY) (formerly Clow R/W F6136-OSY) (ii) Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (jj) Kennedy Ken Seal I-NRS (kk) Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-RW Figure 7561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-RW Figure 7561 (FxF) - NRS (2 1/2" - 10") (formerly Kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-RW Figure 7068 (FxF) - OSY (2 1/2" - 10") Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10") (formerly Kennedy Ken Seal II-OSY) (nn) Lee Brass-QT (oo) Watts 405-RW (g) Mueller R/W HP NRS (rr) Mueller R/W HP NRS (rr) Mueller R/W HP OSY (s) Toro.Orin Integral Ball Valve-QT (wi) American Flow Control (Waterous) Series 500-NSS (wi) Watts 64000FDA-QT (wii) Watts G4000FDA-QT	. ,	
(formerly Clow R/W F6102-NRS) (Ih) Clow R/W Model 2640 (FxF) - OSY (formerly Clow R/W F6136-OSY) (ii) Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (ij) Kennedy Ken Seal I-NRS (kk) Kennedy Ken Seal -OSY (ll) Kennedy Ken Seal -OSY (ll) Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-FW Figure 756 (FxF) - NRS (4" - 10") Kennedy Model KS-FW Figure 7068 (FxF) - OSY (2 1/2" - 10") Kennedy Model KS-FW Figure 7068 (FxF) - OSY (2 1/2" - 10") Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10") (formerly Kennedy Ken Seal II-OSY) (nn) Lee Brass-QT (oo) Watts 408-OSY (qa) Mueller R/W HP NRS (rr) Mueller R/W HP NRS (rr) Mueller R/W HP OSY (wi) American Flow Control (Waterous Series 500-NSY) (wi) Matrix G4000FDA-QT (ww) Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT] (ww) Watts Series 6080 (& 6080-E)-QT (ww)		
(hh) Clow R/W Model 2640 (FxF) - OSY (formerly Clow R/W F6136-OSY) Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (jj) Kennedy Ken Seal I-NRS Kennedy Ken Seal I-NRS (kk) Kennedy Ken Seal I-NRS Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-RW Figure 7561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-RW Figure 7068 (FxF) - OSY (2 1/2" - 10") (mm) Kennedy Model KS-RW Figure 7068 (FxF) - OSY (2 1/2" - 10") Kennedy Model KS-RW Figure 7068 (FxF) - OSY (2 1/2" - 10") (n) Lee Brass-QT (formerly Kennedy Ken Seal II-OSY) (mm) (n) Lee Brass-QT (du) Mueller R/W HP NRS (rr) Mueler R/W HP NRS (rr) Mueler R/W HP NRS (rr) Mueler R/W HP NRS (mu) American Flow Control (Waterous) Series 500-NRS (uu) American Flow Control (Waterous Series 500-NRS (mu) Matco-Nora 10FW (NRS) (vv) Watts 5608 (& 6080-E)-QT (vv) Watts 5608 (& 6080-E)-QT (vv) Watts Series 500 (& 6080-E)-QT M	(gg)	
(formerly Clow R/W F636-OSY)(ii)Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601)Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins(ij)Kennedy Ken Seal I-NRS(kk)Kennedy Ken Seal I-NRS(kk)Kennedy Ken Seal -OSY(ll)Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10")Kennedy Model KS-RW Figure 7561 (FxF) - NRS (2 1/2" - 10")(formerly Kennedy Ken Seal II-NRS)(mm)Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10")Kennedy Model KS-RW Figure 7068 (FxF) - 0SY (4" - 10")(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP NRS(rr)Mueller R/W HP NS(rr)Mueller R/W HP OSY(ss)Toro.Orton Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-OSY)(ww)Watts 4400-OFDA-QT(xx)Watts G400-OFDA-QT(xx)Watts G400-FDA-QT(xx)Watts G400-FDA-QT(xz)Matco-Norca 10RW (NRS)(zz)Matco-Norca 10RW (NRS)(zz)Matco-Norca 10SU (OSY)(aaa)American Flow Control Series 5200-OSY(bbb)American Flow Control Series 5200-OSY(cc)M8H Model 4067-02 (NRS)(dd)M8H Model 4067-02 (NRS)		(formerly Clow R/W F6102-NRS)
(ii) Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (jj) Kennedy Ken Seal I-NRS (kk) Kennedy Ken Seal-OSY (ll) Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-RW Figure 7561 (FxF) - NRS (4" - 10") (formerly Kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10") (mm) Kennedy Model KS-FW Figure 7068 (FxF) - OSY (2 1/2" - 10") (mm) Kennedy Model KS-FW Figure 7068 (FxF) - OSY (2 1/2" - 10") (mm) Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10") (nm) Kennedy Ken Seal II-OSY) (nn) Lee Brass-QT (oo) Watts 408-OSY (qq) Mueller R/W HP NRS (rr) Mueller R/W HP NSS (rr) Mueller R/W HP NS (rr) Mueller R/W HP NS (ww) American Flow Control (Waterous Series 500-NRS (uu) American Flow Control (Waterous Series 500-NSY (ww) Watts G4000FDA-QT (ww) Watts G4000FDA-QT (ww) <	(hh)	Clow R/W Model 2640 (FxF) - OSY
Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins(ij)Kennedy Ken Seal I-NRS(kk)Kennedy Ken Seal-OSY(ll)Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10")Kennedy Model KS-RW Figure 7561 (FxF) - NRS (4" - 10")(formerly Kennedy Ken Seal II-NRS)(mm)Kennedy Model KS-RW Figure 7068 (FxF) - OSY (2 1/2" - 10")Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10")(formerly Kennedy Ken Seal II-NRS)(mn)Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10")(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts 64000FDA-QT(xx)Watts 6680 (& 6080-E)-QT(yy)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-OSY(bbb)American Flow Control Series 2500-OSY(cc)M&H Model 4067-02 (NRS)(cz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(dd)M&H Model 4068-02(OSY)		(formerly Clow R/W F6136-OSY)
 (ji) Kennedy Ken Seal I-NRS (kk) Kennedy Ken Seal-OSY (ll) Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-RW Figure 7561 (FxF) - NRS (4" - 10") (formerly Kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-FW Figure 8668 (FxF) - OSY (2 1/2" - 10") Kennedy Model KS-RW Figure 7068 (FxF) - OSY (2 1/2" - 10") Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10") (formerly Kennedy Ken Seal II-OSY) (nn) Lee Brass-QT (oo) Watts 405-RW (op) Watts 408-OSY (qq) Mueller R/W HP NRS (rr) Mueller R/W HP OSY (ss) Toro.Orion Integral Ball Valve-QT (tt) American Flow Control (Waterous) Series 500-NRS (uu) American Flow Control (Waterous Series 500-OSY) (ww) Watts 64000FDA-QT (xx) Matco-Norca 10FW (NRS) (zz) Matco-Norca 10SU (OSY) (aaa) American Flow Control Series 2500-NRS (bbb) American Flow Control Series 2500-NRS (aba) American Flow Control Series 2500-NRS (abb) American Flow Control Series 2500-NRS (bbb) American Flow Control Series 2500-NRS (abb) American Flow Control Series 2500-NRS (bbb) American Flow Control Series 2500-NRS (abb) American Flow Control Series 2500-NRS (bbb) American Flow Control Series 2500-SY 	(ii)	Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601)
JosKennedy Ken Seal-OSY(ll)Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10")(ll)Kennedy Model KS-FW Figure 7561 (FxF) - NRS (4" - 10")(formerly Kennedy Ken Seal II-NRS)(mm)Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10")Kennedy Model KS-FW Figure 7068 (FxF) - OSY (4" - 10")(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 405-RW(pp)Watts 405-RW(qq)Mueller R/W HP NRS(rr)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous) Series 500-OSY)(vv)Watts Series 6080 (& 6080-E)-QT(vy)Matco-Norca 10FW (NRS)(zz)Matco-Norca 10FW (NRS)(zz)Matco-Intol Series 2500-OSY(bbb)American Flow Control Series 2500-OSY(cc)M&H Model 4067-02 (NRS)(dd)M&H Model 4068-02(OSY)		Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins
(II) Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-RW Figure 7561 (FxF) - NRS (4" - 10") (formerly Kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10") Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10") (formerly Kennedy Ken Seal II-OSY) (nn) Lee Brass-QT (oo) Watts 405-RW (pp) Watts 405-SW (qq) Mueller R/W HP NRS (rr) Mueller R/W HP OSY (ss) Toro.Orion Integral Ball Valve-QT (tt) American Flow Control (Waterous) Series 500-NRS (uu) American Flow Control (Waterous Series 500-OSY) (ww) Watts 608-CB-QT (wy) Watts 6400-CPA-QT (wy) Watts 6400-CPA-QT (yy) Matco-Norca 10RW (NRS) (zz) Matco-Norca 10SU (OSY) (aaa) American Flow Control Series 2500-OSY (bbb) American Flow Control Series 2500-OSY (ddd) M&H Model 4067-02 (NRS)	(jj)	Kennedy Ken Seal I-NRS
Kennedy Model KS-RW Figure 7561 (FxF) - NRS (4" - 10")(formerly Kennedy Ken Seal II-NRS)(mm)Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10")Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10")(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 405-RW(pp)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 105U (OSY)(aa)American Flow Control Series 2500-NRS(daa)American Flow Control Series 2500-NRS(dd)M&H Model 4067-02 (NRS)	(kk)	Kennedy Ken Seal-OSY
(formerly Kennedy Ken Seal II-NRS)(mm)Kennedy Model KS-FW Figure 8o68 (FxF) - OSY (2 1/2" - 10")Kennedy Model KS-RW Figure 7o68 (FxF) - OSY (4" - 10")(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 405-RW(pp)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 105U (OSY)(aa)American Flow Control Series 2500-NRS(aa)American Flow Control Series 2500-NRS(dd)M&H Model 4067-02 (NRS)	(ll)	Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10")
(mm)Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10")Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10")(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 405-RW(pp)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 105U (OSY)(aa)American Flow Control Series 2500-NRS(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(dd)M8H Model 4068-02(OSY)		Kennedy Model KS-RW Figure 7561 (FxF) - NRS (4" - 10")
Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10")(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 405-RW(pp)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vw)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-OSY(bbb)American Flow Control Series 2500-NRS(dd)M&H Model 4068-02(OSY)		(formerly Kennedy Ken Seal II-NRS)
(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 405-RW(pp)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts Series 6080 (& 6080-E)-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-NRS(dd)M&H Model 4067-02 (NRS)	(mm)	Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10")
(nn)Lee Brass-QT(oo)Watts 405-RW(pp)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-OSY(bbb)American Flow Control Series 2500-OSY(cc)M&H Model 4067-02 (NRS)(dd)M&H Model 4068-02(OSY)		Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10")
(oo)Watts 405-RW(pp)Watts 408-0SY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts Series 6080 (& 6080-E)-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-OSY(bbb)American Flow Control Series 2500-OSY(dd)M&H Model 4067-02 (NRS)		(formerly Kennedy Ken Seal II-OSY)
(pp)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 10SU (OSY)(aaa)American Flow Control Series 2500-OSY(bbb)American Flow Control Series 2500-OSY(dd)M&H Model 4067-02 (NRS)	(nn)	Lee Brass-QT
(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 10SU (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(ccd)M&H Model 4068-02(OSY)	(00)	Watts 405-RW
(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(w)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(dd)MAtedel 4068-02(OSY)	(pp)	Watts 408-OSY
(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(dd)M&H Model 4068-02(OSY)	(qq)	Mueller R/W HP NRS
(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(w)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(ddd)M&H Model 4068-02(OSY)	(rr)	Mueller R/W HP OSY
(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(dd)M&H Model 4068-02(OSY)	(ss)	Toro.Orion Integral Ball Valve-QT
(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(dd)M&H Model 4068-02(OSY)	(tt)	American Flow Control (Waterous) Series 500-NRS
(ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(ddd)M&H Model 4068-02(OSY)	(uu)	American Flow Control (Waterous Series 500-OSY)
(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(ddd)M&H Model 4068-02(OSY)	(vv)	Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT]
(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(ddd)M&H Model 4068-02(OSY)	(ww)	Watts G4000FDA-QT
(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(ddd)M&H Model 4068-02(OSY)	(xx)	Watts Series 6080 (& 6080-E)-QT
(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(ddd)M&H Model 4068-02(OSY)	(yy)	Matco-Norca 10RW (NRS)
(bbb) American Flow Control Series 2500-OSY (ccc) M&H Model 4067-02 (NRS) (ddd) M&H Model 4068-02(OSY)	(zz)	Matco-Norca 105U (OSY)
(ccc) M&H Model 4067-02 (NRS) (ddd) M&H Model 4068-02(OSY)	(aaa)	American Flow Control Series 2500-NRS
(ddd) M&H Model 4068-02(OSY)	(bbb)	American Flow Control Series 2500-OSY
	(ccc)	M&H Model 4067-02 (NRS)
(eee) Stockham Model G-610 (OSY)	(ddd)	M&H Model 4068-02(OSY)
	(eee)	Stockham Model G-610 (OSY)

(fff)	Febco Series 620 QT		
(ggg)	Fortune Figure 620U-QT		
(hhh)	Watts Model 5-FBV & 5-FBV-E (1/4" - 1" Ball Valve QT)		
(iii)	Mueller Model A2360-NRS		
(int)	Shutoff Valve is integral part of assembly		
(jjj)	Febco Series 621-QT		
(kkk)	Febco Series 620U-QT		
(III)	Mueller Model R2360-OSY		
(mmm)	Conbraco Series IBVE-125-QT		
(nnn)	Kennedy Model KS-FW Figure 8701 (FxF) - NRS (3" - 10") Post Indicator/Tapping		
	Kennedy Model KS-RW Figure 7701 (FxF) - NRS (4" - 10") Post Indicator/Tapping		
	(formerly Kennedy Ken Seal II Post Indicator/Tapping)		
(000)	Ningbo Ball Valves (Febco 622F & 622FT, Watts Series 855-QT & Wilkins Series 850-QT)(1/4" - 2" Ball Valve QT)		
(ppp)	Clow R/W Model 2639 (GxF) - NRS (2 1/2" - 3")		
	Clow R/W Model 2638 (GxF) - NRS (4" - 10")		
(qqq)	Clow R/W Model 2639 (GxF) - OSY (2 1/2" - 3")		
	Clow R/W Model 2638 (GxF) - OSY (4" - 10")		
	(formerly Clow Series F6138-OSY)		
(rrr)	Apollo Series 7B-308-01 (& 7B-308-31)		
(sss)	Clow R/W Model 2639 (GxG) - NRS (2 1/2" - 3")		
	Clow R/W Model 2638 (GxFG) - NRS (4" - 10")		
	(formerly Clow Series F6104-NRS)		
(ttt)	Clow R/W Model 2639 (GxG) - OSY (2 1/2" - 3")		
	Clow R/W Model 2638 (GxFG) - OSY (4" - 10")		
	(formerly Clow Series F6137-OSY)		
(uuu)	Apollo Series 7H-QT		
(vvv)	Clow R/W Model 2640 (FxF) - OSY Post Indicator/Tapping Valve		
	(formerly Clow R/W F6136-OSY Post Indicator/Tapping Valve)		
(www)	Clow R/W Model 2639 (GxF) - OSY (2 1/2" - 3") Post Indicator/Tapping Valve		
	Clow R/W Model 2640 (GxF) - OSY (4" - 10") Post Indicator/Tapping Valve		
	(formerly Clow R/W F6138-OSY Post Indicator/Tapping Valve)		
(xxx)	Ningbo Union Ball Valves (Febco 622UF & 622UFT & Wilkins 850U-QT)(1/2" - 2" Ball Valve QT)		
(ууу)	Victaulic Series 702 (Butterfly valves)		
(zzz)	Kennedy Model KS-RW Figure 7092ABF (FxG) - OSY		
	(formerly Kennedy Series 7092ABF-OSY)		
(aaaa)	Union Model GV12 (flange by groove)-OSY		
(bbbb)	Enbee Model GV12 (flange by groove)-OSY		
(cccc)	Kennedy Model KS-RW Figure 7092 (FxG) - OSY		
	(formerly Kennedy Series 7092 (GxF) - OSY)		

(dddd)	Kennedy Model KS-RW Figure 7592 (FxG) - NRS		
	(formerly Kennedy Series 7592ABF - NRS)		
(eeee)	Kennedy Model KS-RW Figure 7592PABF (FxG) - NRS Post Indicator/Tapping Valve		
	(formerly Kennedy Series 7592PABF-Post Indicator/Tapping Valve)		
(ffff)	Watts 409RW (FxF)- OSY		
(gggg)	Watts 409RW (FxG)- OSY		
(hhhh)	Watts Figure LF-FBV-QT (1/2"-2")		
(iiii)	Wilkins Series 850XL (850TXL) - QT		
(زززز)	Watts 409 RW 2" - OSY		
(kkkk)	Kennedy Model KS-RW Figure 7093 (GxG) - OSY		
(IIII)	Kennedy Model KS-RW Figure 7593 (GxG) - NRS		
(mmmm)	Kennedy Model KS-RW Figure 7093ABF (GxG) - OSY		
(nnnn)	Kennedy Model KS-RW Figure 7593ABF (GxG) - NRS		
(0000)	Kennedy Model KS-RW Figure 7593PABF (GxG) - NRS Post Indicator		
(pppp)	Watts Figure L-FBV-QT, Ames Figure L-FBV-QT, FEBCO Figure L-FBV-QT		
(qqqq)	Kennedy Figure G300E - Butterfly Valve (4",6")		
(rrrr)	Kennedy Figure 02G - Butterfly Valve (8")		
(ssss)	Wilkins Model 48 (GXF) - NRS (2-1/2" - 12")		
(tttt)	Wilkins Model 48 (FXF) - NRS (2-1/2" - 12")		
(uuuu)	Wilkins Model 48 (GXG) - NRS (2-1/2" - 12") Post Indicator/Tapping Valve		
(vvvv)	Wilkins Model 48 (GXF) - NRS (2-1/2" - 12") Post Indicator/Tapping Valve		
(wwww)	Wilkins Model 48 (FXF) - NRS (2-1/2" - 12") Post Indicator/Tapping Valve		
(xxxx)	Wilkins Model 48 (GXG) - OSY (2-1/2" - 12")		
(уууу)	Wilkins Model 48 (GXF) - OSY (2-1/2" - 12")		
(zzzz)	Wilkins Model 48 (FXF) - OSY (2-1/2" - 12")		
(aaaaa)	Wilkins Model 48 (GXG) - NRS (2-1/2" - 12")		
(bbbbb)	Milwaukee BB-SC100 - Butterfly Valve		
(ccccc)	Milwaukee BB-SCS02 - Butterfly Valve (with gearbox)		
(ddddd)	Flomatic Model NRS		
(eeeee)	Watts Model FBV-FP (FBV-E-FP)-QT		
(fffff)	Watts L-FBV-QT (2 1/2" - 4")		
(ggggg)	Wilkins Model 850MSS		
(hhhhh)	Fortune Series 620/623 (c89520 unleaded bronze)		
(iiiii)	Apollo Series 77B-100 and 77C-100 - QT		
(jjjjj)	Apollo Series 77BLF-100 and 77CLF-100 - QT		
(kkkkk)	Wilkins Model 49 (GXF) - (2 1/2" - 10")		
(1111)	Wilkins Model 49 (GXG) - (2 1/2" - 10")		
(mmmmm)	Wilkins 850UXL (850TUXL) -QT		
(nnnnn)	Watts Model 405 (2 1/2" - 10" NRS-RW FxG)		

(00000)	ARI HC260 and HC262 Ball Valves - QT	
(ppppp)	Febco Model LF622UF & LF622UFT (1/2" - 2" Ball Valve QT)	
(qqqqq)	Febco Model LF622F & LF622FT (1/2" - 2" Ball Valve QT)	
(rrrrr)	Watts Model LFFBV-FRG & LFFBV-E-FRG (1/2" - 2" Ball Valve QT)	
(sssss)	Apollo Series 91B and 91C-QT (1/2"-2")	
(ttttt)	Apollo Series 91BLF and 91CLF-QT (1/2"-2")	
(uuuuu)	Apollo Model 77B-LFU and 77C-LFU Union Ball Valves - QT (1/2")	
(vvvv)	Apollo Series 91BLF-U and 91CLF-U-QT (3/4"-2")	
(wwww)	Apollo Series 91B-U and 91C-U-QT (3/4"-2")	
(xxxxx)	Apollo Model GV (FXG) - NRS (2-1/2" - 10")	
(ууууу)	Apollo Model GV (GXG) - NRS (2-1/2" - 10")	
(zzzzz)	Apollo Model GV (FXG) - OSY (2-1/2" - 10")	
(aaaaaa)	Apollo Model GV (GXG) - OSY (2-1/2" - 10")	
(bbbbbb)	Apollo Model GV (FXF) - NRS (2-1/2" - 10")	
(cccccc)	Apollo Model GV (FXF) - OSY (2-1/2" - 10")	
-	1	

Detector Assembly Meters

The Detector Assemblies contained herein have been evaluated with a specific meter as the detector element of the assembly. That specific meter is coded by a parenthetic letter shown in the "meters" column. The coding of meters is shown in this Section. Other meters having similar performance characteristics to permit the assembly to meet the Standard are shown immediately after the original evaluation meter. The use of any other meter or modified bypass piping invalidates the Approval.

Some of the detector assemblies use a line-size assembly, which is not a standard stock Approved assembly. Increased load are required in these line-size units to allow the assembly to accurately record low flow rates in the bypass meter. Therefore, various 'off the shelf' components can not be assembled and expected to perform satisfactorily. The bypass backflow preventer Approved with the detector assembly is listed under the 'bypass' column. This is only for verification purposes. Should replacement parts or complete bypass be needed, the model number of the complete detector assembly should be used in ordering these components.

А	Hersey Model F-F 5/8" x 3/4"
В	Carlon 5/8" x 3/4"
С	Dandé Model D-3 5/8" x 3/4"
D	Gamon-Calmet 5/8"
E	Hays Acumeter 5/8" x 3/4"
F	Arad 5/8" x 3/4" (Master Meter)
G	Schlumberger 5/8" x 3/4" Model MBRF
Н	Rockwell (Sensus) SR-II 5/8" x 3/4"
1	Hersey Model 430 - 5/8"
J	Elster AMCO Model C700 5/8"x3/4" (Formerly Kent, ABB)
К	Precision 5/8"
L	Neptune Trident 8 5/8"
М	Neptune T-10 5/8" (Lead free compliant version identified with NSF61 mark on meter)
N	Badger Model 25 3/4"
0	Badger 5/8" x 3/4" Model 25 (Lead free compliant version identified with NSF61 mark on meter)
Р	Hersey Model 430 Series II 5/8"
Q	Hersey Model MVR-30 3/4"
R	Neptune T-10 1"
S	Neptune T-10 1 1/2"

Special Notices

From time to time the Foundation issues Special Notices when specific information needs to be brought before the Members of the Foundation. A copy of the notices are sent to Foundation Members as they are published.

Notices are summarized as follows.

Notice 96-001

This notice lists Ames assemblies which have been reported with low check valve readings. Corrections to the problem are discussed.

Notice 97-001

This Notice discusses changes in the Wilkins 975 8" and 10" reduced pressure principle assemblies. A change in the retaining cup in the relief valve stem.

Notice 97-002

This notice identifies Ames 2000SS, 3000SS, and 4000SS series assemblies were discovered to have unapproved components.

Notice 97-003

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 98-001

This notice advises members of certain action in the Federal Register regarding cross-connection control programs.

Notice 98-002

This notice advises members of Wilkins 950 series and 975 series modifications.

Notice 99-001

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 99-002

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 99-003

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 01-001

Discuss silicon parts in certain Febco relief valves

Notice 01-002/Revised Notice 01-002-R1

This notice discusses some check valves not approved in certain Ames and Watts assemblies

Notice 01-003

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 02-001

This notice explains there are some specific Febco assemblies with unapproved check valve retainers.

Notice 03-001

This notice explains there are some improper markings of model designations on some Wilkins assemblies

Notice 03-002

This notice explains there is the possibility of the interference of the check valves on some Ames and Watts assemblies

Notice 04-001

This notice identifies some Febco 825YA assemblies sold with a dimensional variation

Notice 05-001

This Notice identifies some Ames and Watts assemblies sold with unapproved disc material.

Notice 06-001

This notice identifies unapproved guides found in certain Febco assemblies

Notice 06-002

This notice identifies a change in the design of the Flomatic PVBs

Notice o6-oo3

Notice regarding Cash-Acme Assemblies

Notice 07-001

Out of tolerance springs on Conbraco assemblies

Notice 09-001

Unapproved Third party components are being distributed

Notice 13-001

Modifications to guiding surfaces of the check valves on Wilkins assemblies

Notice 14-001

Clarifies the Approval status of Apollo/Conbraco backflow prevention assemblies

Notice 14-002

Clarifies the method in which the model designation is indicated on the Wilkins 3/4" 950XLD and 975XLD assemblies

Notice 15-001

This notice has been prepared to review Special Notice 14-002 and clarify the USC Approval Status of Wilkins Reduced Pressure Principle Detector Assemblies (RPDAs).

Type: AVB	Manufacturer: Ames	Model: A100
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Nov-1991	Renewed: 01-Nov-2015	Bypass:
Type: AVB	Manufacturer: Ames	Model: A100
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Nov-1991	Renewed: 01-Nov-2015	Bypass:
Type: AVB	Manufacturer: Ames	Model: A100
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1991	Renewed: 27-Sep-2015	Bypass:
Type: AVB	Manufacturer: Ames	Model: A100
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Aug-1991	Renewed: 21-Aug-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Aug-1991	Renewed: 12-Aug-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1991	Renewed: 27-Sep-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Aug-1991	Renewed: 21-Aug-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 2 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1991	Renewed: 10-Sep-2015	Bypass:

Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 3	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-1991	Renewed: 16-Sep-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM5
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Nov-1991	Renewed: 01-Nov-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM5
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Nov-1991	Renewed: 01-Nov-2015	Bypass:
Type: DC	Manufacturer: Ames	Model: 2000-DC
Size: 10	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
	0.25% Pb: No Renewed: 02-Aug-2014	Spare Parts Only: Yes Bypass:
Manual: 7 Approved: 04-Aug-1987 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DC	Renewed: 02-Aug-2014	
Approved: 04-Aug-1987 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,	Renewed: 02-Aug-2014	
Approved: 04-Aug-1987 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DC Type: DC	Renewed: 02-Aug-2014 pp,uu,ccc,ddd,ffff,gggg	Bypass:
Approved: 04-Aug-1987 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DC Type: DC Size: 4	Renewed: 02-Aug-2014 pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames	Bypass: Model: 2000-DCA
Approved: 04-Aug-1987 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DC Type: DC Size: 4 Manual: 7	Renewed: 02-Aug-2014 pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H	Bypass: Model: 2000-DCA Meters:
Approved: 04-Aug-1987 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DC	Renewed: 02-Aug-2014 pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015	Bypass: Model: 2000-DCA Meters: Spare Parts Only: Yes
Approved: 04-Aug-1987 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DC Type: DC Size: 4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,	Renewed: 02-Aug-2014 pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015	Bypass: Model: 2000-DCA Meters: Spare Parts Only: Yes
Approved: 04-Aug-1987 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DC Type: DC Size: 4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DCA Type: DC	Renewed: 02-Aug-2014 pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015 pp,uu,ccc,ddd,ffff,gggg	Bypass: Model: 2000-DCA Meters: Spare Parts Only: Yes Bypass:
Approved: 04-Aug-1987 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DC Type: DC Size: 4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DCA Type: DC Size: 6	Renewed: 02-Aug-2014 pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015 pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames	Bypass: Model: 2000-DCA Meters: Spare Parts Only: Yes Bypass: Model: 2000-DCA
Approved: 04-Aug-1987 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DC Type: DC Size: 4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DCA	Renewed: 02-Aug-2014 pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015 pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H	Bypass: Model: 2000-DCA Meters: Spare Parts Only: Yes Bypass: Model: 2000-DCA Meters:
Approved: 04-Aug-1987 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DC Type: DC Size: 4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DCA Type: DC Size: 6 Manual: 7	Renewed: 02-Aug-2014 pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015 pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015	Bypass: Model: 2000-DCA Meters: Spare Parts Only: Yes Bypass: Model: 2000-DCA Meters: Spare Parts Only: Yes

Size: 8 Manual: 7 Approved: 11-Jan-1988 Shutoffs: tt,ee,ff,gg,hh,ll,r Notes: formerly Model DCA Type: DC Manufacturer: Ames

Type: DC

Size: 10 Orientation: H Manual: 7 0.25% Pb: No Approved: 04-Aug-1987 Renewed: 04-Aug-2014 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DC

Type: DC Size: 4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DCA

Type: DC Manufacturer: Ames Size: 6 Orientation: H 0.25% Pb: No Manual: 7 Renewed: 11-Jan-2015 Approved: 11-Jan-1988 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DCA

Type: DC Manufacturer: Ames Size: 8 Orientation: H Manual: 7 0.25% Pb: No Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DCA

Type: DC Size: 1/2 Manual: 8 Approved: 06-Dec-1983 **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Upgraded to 9th Ed.

Manufacturer: Ames **Orientation:** H 0.25% Pb: No Renewed: 06-Dec-2013 Meters: Spare Parts Only: Yes **Bypass:**

Model: 2000-G-DCA Meters: Spare Parts Only: Yes Bypass:

Model: 2000-G-DCA Meters: Spare Parts Only: Yes Bypass:

Model: 2000B Meters:

Spare Parts Only: No

Bypass:

Model: 2000-DCA Meters: Spare Parts Only: Yes Bypass:

Model: 2000-G-DC

Spare Parts Only: Yes

Model: 2000-G-DCA

Meters:

Bypass:

Orientation: H
0.25% Pb: No
Renewed: 11-Jan-2015
mm,oo,pp,uu,ccc,ddd,ffff,gggg

Manufacturer: Ames

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Type: DC Manufacturer: Ames Model: 2000B Size: 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 16-Jun-1997 Renewed: 16-Jun-2015 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Previous 8th Ed. Approval Type: DC Manufacturer: Ames Model: 2000B **Size:** 1/2 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 16-Jun-1997 Renewed: 16-Jun-2015 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Model: 2000B Type: DC Manufacturer: Ames Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Renewed: 05-Apr-2014 Approved: 05-Apr-1993 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Manufacturer: Ames Model: 2000B Size: 3/4 Orientation: VU Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 27-Aug-1996 Renewed: 27-Aug-2014 **Bypass: Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Manufacturer: Ames Model: 2000B Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Renewed: 26-Feb-2015 Approved: 26-Feb-1991 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Upgraded to 9th Ed. Type: DC Manufacturer: Ames Model: 2000B Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 18-May-1998 Renewed: 18-May-2013 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Notes: Previous 8th Ed. Approval

Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-May-1998	Renewed: 18-May-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1 1/4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1994	Renewed: 24-May-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-1996	Renewed: 11-Mar-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Jun-1992	Renewed: 30-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Mar-1996	Renewed: 08-Mar-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC Size: 3/4 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: DC Size: 1 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: DC Size: 1 1/4 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: DC Size: 1 1/2 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: DC Size: 2 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: DC Size: 3/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 3/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 27-Mar-2015 Model: 2000B-FP Meters: Spare Parts Only: No Bypass:

Model: 2000BM3 Meters: Spare Parts Only: No Bypass:

Model: 2000BM3 Meters: Spare Parts Only: No Bypass:

T		
Type: DC	Manufacturer: Ames	Model: 2000BM3-FP
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1982	Renewed: 15-Jan-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	JU,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-1996	Renewed: 11-Mar-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	JU,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb : No	Spare Parts Only: No
Approved: 18-May-1982	Renewed: 18-May-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	Ju,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 6	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	JU,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Jul-1981	Renewed: 06-Jul-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	JU,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 8	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:

Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eee

Size: 10Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 16-Mar-1983Renewed: 16-Mar-2016Bypass:Shutoffs: (oo).gg.hh.ll.mm.pp.tt.uu.eeeBypass:Type: DCManufacturer: AmesModel: 2000CIVSize: 10Orientation: VUMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 05-Dec-1996Renewed: 05-Dec-2014Bypass:Shutoffs: (oo).gg.hh.ll.mm.pp.tt.uu.eeeBypass:Shutoffs: (oo).gg.hh.ll.mm.pp.tt.uu.eeeType: DCManufacturer: AmesModel: 2000SESize: 21/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (mm).ee.ff.gg.hh.ll.mm.oo.pp.tt.uu.ecc.ddd.ffff.ggggSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 2000SESize: 3Size: 3Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 22-Nov-1993Renewed: 22-Nov-2014Bypass:Shutoffs: tt.ee.ff.gg.hh.ll.mm.oo.pp.uu.coc.ddd.ffff.ggggType: DCManufacturer: AmesModel: 2000SESize: 8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt.ee.ff.gg.hh.ll.mm.oo.pp.uu.coc.ddd.ffff.ggggType: DCManufacturer: AmesModel: 2000SESize: 34Orientation: HMeters: <td< th=""><th>Type: DC</th><th>Manufacturer: Ames</th><th>Model: 2000CIV</th></td<>	Type: DC	Manufacturer: Ames	Model: 2000CIV
Approved:16-Mar-1983Renewed:16-Mar-2016Bypass:Shutoffs:(o),gg,hh,II,mm,pp,tt,uu,eeeType:DCManufacturer:AmesModel:2000CIVSize:10Orientation:'UMeters:Manufacturer:Manual:80.25% Pb: NoSpare Parts Only: NoApproved:05-Dec-1996Renewed:05-Dec-2014Bypass:Shutoffs:(o),gg,hh,II,mm,pp,tt,uu,eeeModel:2000SEType:DCManufacturer:AmesModel:2000SESize:2.1/2Orientation:HMeters:Manual:80.25% Pb: NoSpare Parts Only: NoApproved:10-Sep-1996Approved:10-Sep-1996Renewed:10-Sep-2014Bypass:Shutoffs:(mm),ee,ff,gg,hh,II,mm,oo,pp,tt,uu,coc,ddd,ffff,ggggBypass:Shutoffs:10-Sep-1996Type:DCManufacturer:AmesModel:2000SESize:6Orientation:HMeters:Manual:80.25% Pb: NoSpare Parts Only: YesApproved:22-Nov-1993Renewed:22-Nov-2014Bypass:Shutoffs:It.en,ff,gg,hh,II,mm,oo,pp,uu,ccc.ddd,ffff,ggggSpare Parts Only: YesSize:8Orientation:HMeters:Manual:80.25% Pb: NoSpare Parts Only: YesApproved:05-Sep-1992Renewed:05-Sep-2013Bypass:Shutoffs:It.en,ff,gg,hh,II,mm,oo,pp,uu,ccc.ddd,ffff,ggggSpare Parts Only:			Meters:
Approved:16-Mar-1983Renewed:16-Mar-2016Bypass:Shutoffs:(oo),gg,hh,II,mm,pp,tt,uu,eeeYppe:DCManufacturer:AmesModel:Size:10Orientation:YUMeters:Manual:80.25% Pb: NoSpare Paris Only: NoApproved:05-Dec-1996Renewed:05-Dec-2014Shutoffs:(oo),gg,hh,II,mm,pp,tt,uu,eeeBypass:Type:DCManufacturer:AmesModel:2000SESpare Paris Only: NoApproved:10-Sep-1996Renewed:05-Sep-2014Bypass:Shutoffs:(mm),ee,ff,gg,hh,II,mm,op,pt,tuu,coc,ddd.fff,ggggType:DCManufacturer:Model:Manual:80.25% Pb: NoSpare Paris Only: YesApproved:22-Nov-1993Renewed:22-Nov-2014Bypass:Shutoffs:theters:Manual:80.25% Pb: NoSpare Paris Only: YesApproved:22-Nov-1993Renewed:22-Nov-2014Bypass:Shutoffs:theters:Manual:80.25% Pb: NoSpare Paris Only: YesApproved:09-Sep-1992Renewed:09-Sep-2013Shutoffs:tt.ee,ff,gg,hh,II,mm,oo,pp,uu,ccc,ddd,fff,ggggSpare Paris Only: YesType:DCManufacturer:AmesManual:80.25% Pb: NoSpare Paris Only: YesApproved:05-May-1995Renewed:05-May-2013Size:34Orientation: HMeters: </th <th>Manual: 6</th> <th>0.25% Pb: No</th> <th>Spare Parts Only: No</th>	Manual: 6	0.25% Pb: No	Spare Parts Only: No
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eee Type: DC Manufacturer: Ames Model: 2000ClV Size: 10 Orientation: VU Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 05-Dec-1996 Renewed: 05-Dec-2014 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eee Model: 2000SE Size: 2 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 10-Sep-1996 Renewed: 10-Sep-2014 Bypass: Shutoffs: (mn),ee,ff,gg,hh,ll,mm,oo,pp,tt,uu,ccc,ddd,fff,gggg Model: 2000SE Size: 6 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 22-Nov-1993 Renewed: 22-Nov-2014 Bypass: Shutoffs: (t,e,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,gggg Type: DC Manufacturer: Ames Model: 2000SE Size: 8 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 09-Sep-1992 Renewed: 09-Sep-2013 Bypass: Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,gggg Type: DC Manufacturer: Ames Model: 2000SE Size: 8 Orientation: H <t< th=""><th>Approved: 16-Mar-1983</th><th>Renewed: 16-Mar-2016</th><th></th></t<>	Approved: 16-Mar-1983	Renewed: 16-Mar-2016	
Size: 10Orientation: VUMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 05-Dec-1996Renewed: 05-Dec-2014Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eeeBypass:Type: DCManufacturer: AmesModel: 2000SESize: 2 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (mm),ee,ff,gg,hh,ll,mm,oo,pp,tt,uu,ecc,ddd,ffft,ggggType: DCManufacturer: AmesModel: 2000SESize: 6Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 22-Nov-1993Renewed: 22-Nov-2014Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggType: DCManufacturer: AmesModel: 2000SESize: 6Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggType: DCManufacturer: AmesModel: 2000SESize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 30.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-M		uu,eee	
Size: 10Orientation: VUMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 05-Dec-1996Renewed: 05-Dec-2014Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eeeBypass:Type: DCManufacturer: AmesModel: 2000SESize: 2 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (mm),ee,ff,gg,hh,ll,mm,oo,pp,tt,uu,ecc,ddd,ffft,ggggType: DCManufacturer: AmesModel: 2000SESize: 6Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 22-Nov-1993Renewed: 22-Nov-2014Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggType: DCManufacturer: AmesModel: 2000SESize: 6Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggType: DCManufacturer: AmesModel: 2000SESize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 30.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-M		Manufacturer Amos	
Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 05-Dec-1996Renewed: 05-Dec-2014Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eeeBypass:State 2000SEType: DCManufacturer: AmesModel: 2000SESize: 2 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (mm),ee,ff,gg,hh,ll,mm,oo,pp,tt,uu,ccc,ddd,fff,ggggBypass:Type: DCManufacturer: AmesModel: 2000SESize: 6Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 22-Nov-1993Renewed: 22-Nov-2014Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggSpare Parts Only: YesApproved: 22-Nov-1993Renewed: 22-Nov-2014Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,ggggSpare Parts Only: YesApproved: 02-Sep-1992Renewed: 03-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,ggggSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,dd,fff,ggggSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,ggggSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 05-May-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,ggggSpare Parts Only: YesApproved: 05-May-1995R	••		
Approved: 05-Dec-1996Renewed: 05-Dec-2014Bypass:Shutoffs: (no),gg,hh,ll,mm,pp,tt,uu,eeeType: DCManufacturer: AmesModel: 2000SESize: 2 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (mm),ee,ff,gg,hh,ll,mm,oo,pp,tt,uu,ccc,ddd,ffff,ggggBypass:Type: DCManufacturer: AmesModel: 2000SESize: 6Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 22-Nov-1993Renewed: 22-Nov-2014Bypass:Shutoffs: tt.ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggSpare Parts Only: YesType: DCManufacturer: AmesModel: 2000SESize: 8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt.ee, ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,ggggSpare Parts Only: YesType: DCManufacturer: AmesModel: 2000SESize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiTTType: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: ii			
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eee Type: DC Manufacturer: Ames Model: 2000SE Size: 2 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 10-Sep-1996 Renewed: 10-Sep-2014 Bypass: Shutoffs: (mm),ee,ff,gg,hh,ll,mm,oo,pp,tt,uu,ccc,ddd,ffff,gggg Type: DC Manufacturer: Ames Model: 2000SE Size: 6 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 22-Nov-1993 Renewed: 22-Nov-2014 Bypass: Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,gggg Type: DC Manufacturer: Ames Model: 2000SE Size: 8 Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 22-Nov-1993 Renewed: 09-Sep-2013 Bypass: Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,gggg Model: 2000SE Size: 8 Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 09-Sep-1992 Renewed: 09-Sep-2013 Bypass: Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,ggggg Type: DC Manufacturer: Ames Model: 2000SS Size: 3/4 Orientation: H Met			
Jack Size: 2 1/2Orientation: HMeters: Spare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (mm),ee,ff,gg,hh,ll,mm,oo,pp,tt,uu,ccc,ddd,ffff,ggggBypass:Type: DCManufacturer: AmesModel: 2000SESize: 6Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 22-Nov-1993Renewed: 22-Nov-2014Bypass:Shutoffs: tt,ee,if,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggBypass:Shutoffs:Type: DCManufacturer: AmesModel: 2000SESize: 8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,if,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,if,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,if,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggSpare Parts Only: YesApproved: 06-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 06-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiTType: DCManufacturer: AmesShutoffs: iiSpare Parts Only: YesAp			Dypass.
Jack Size: 2 1/2Orientation: HMeters: Spare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (mm),ee,ff,gg,hh,ll,mm,oo,pp,tt,uu,ccc,ddd,ffff,ggggBypass:Type: DCManufacturer: AmesModel: 2000SESize: 6Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 22-Nov-1993Renewed: 22-Nov-2014Bypass:Shutoffs: tt,ee,if,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggBypass:Shutoffs:Type: DCManufacturer: AmesModel: 2000SESize: 8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,if,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,if,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,if,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggSpare Parts Only: YesApproved: 06-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 06-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiTType: DCManufacturer: AmesShutoffs: iiSpare Parts Only: YesAp		Managéra da ma	
Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (mm),ee,ff,gg,hh,ll,mm,oo,pp,tt,uu,ccc,ddd,ffff,ggggBypass:Type: DCManufacturer: AmesModel: 2000SESize: 6Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 22-Nov-1993Renewed: 22-Nov-2014Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggBypass:Shutoffs: tt,ee,if,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggType: DCManufacturer: AmesModel: 2000SESize: 8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Size: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: Ye			
Approved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (mm),ee,ff,gg,hh,II,mm,oo,pp,tt,uu,ccc,ddd,ffff,ggggType: DCManufacturer: AmesModel: 2000SESize: 6Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 22-Nov-1993Renewed: 22-Nov-2014Bypass:Shutoffs: tt,ee,ff,gg,hh,II,mm,oo,pp,uu,ccc,ddd,ffff,ggggBypass:Type: DCManufacturer: AmesModel: 2000SESize: 8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,II,mm,oo,pp,uu,ccc,ddd,ffff,ggggSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,II,mm,oo,pp,uu,ccc,ddd,ffff,ggggSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,II,mm,oo,pp,uu,ccc,ddd,ffff,ggggSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: tiType: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: tiType: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual:			
Shutoffs: (mm),ee,ff,gg,hh,ll,mm,oo,pp,tt,uu,ccc,ddd,ffff,gggg Type: DC Manufacturer: Ames Model: 2000SE Size: 6 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 22-Nov-1993 Renewed: 22-Nov-2014 Bypass: Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Type: DC Manufacturer: Ames Model: 2000SE Size: 8 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 09-Sep-1992 Renewed: 09-Sep-2013 Bypass: Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Type: DC Manufacturer: Ames Model: 2000SE Size: 3/4 Orientation: H Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 05-May-1995 Renewed: 05-May-2013 Bypass: Shutoffs: it Type: DC Manufacturer: Ames Model: 2000SS Size: 3/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 05-May-1995 Renewed: 05-May-2013 Bypass: Shutoffs: ii Type: DC Manufacturer: Ames Model: 2000SS Size: 1 Orientation: H			
Type: DCManufacturer: AmesModel: 2000SESize: 6Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 22-Nov-1993Renewed: 22-Nov-2014Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,ggggType: DCManufacturer: AmesModel: 2000SESize: 8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,ggggType: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Size: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:		•	Βύμαςς.
Size: 6Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 22-Nov-1993Renewed: 22-Nov-2014Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,ggggBypass:Type: DCManufacturer: AmesModel: 2000SESize: 8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,ggggType: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 22-Nov-1993Renewed: 22-Nov-2014Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,ggggBydel: 2000SEType: DCManufacturer: AmesModel: 2000SESize: 8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,ggggType: DCManufacturer: AmesManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,g,hh,ll,mm,oo,pp,uu,ccc,ddd,fff,gggggType: DCManufacturer: AmesManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:	Type: DC	Manufacturer: Ames	Model: 2000SE
Approved: 22-Nov-1993Renewed: 22-Nov-2014Bypass:Shutoffs: tt,ee,ff,gg,hh,II,mm,oo,pp,uu,ccc,ddd,ffff,ggggType: DCManufacturer: AmesModel: 2000SESize: 8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,II,mm,oo,pp,uu,ccc,ddd,ffff,ggggType: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Type: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:	Size: 6	Orientation: H	Meters:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Type: DC Manufacturer: Ames Model: 2000SE Size: 8 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 09-Sep-1992 Renewed: 09-Sep-2013 Bypass: Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Type: DC Manufacturer: Ames Model: 2000SS Size: 3/4 Orientation: H Meters: Model: 2000SS Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 05-May-1995 Renewed: 05-May-2013 Bypass: Shutoffs: ii Type: DC Manufacturer: Ames Model: 2000SS Size: 3/4 Orientation: H Meters: Model: 2000SS Shutoffs: ii Type: DC Manufacturer: Ames Model: 2000SS Size: 1 Orientation: H Meters: Model: 2000SS Size: 1 Orientation: H Meters: Manufacturer: Ames Model: 2000SS Size: 1 Orientation: H Meters: Manufacture: Ames Model: 2000SS Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 05-May-1995 Renewed:	Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Type: DCManufacturer: AmesModel: 2000SESize: 8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggType: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:	Approved: 22-Nov-1993	Renewed: 22-Nov-2014	Bypass:
Size: 8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggType: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 3/40.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Approved: 05-May-1995Renewed: 05-May-2013Bypass:	Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,	pp,uu,ccc,ddd,ffff,gggg	
Size: 8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggType: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 3/40.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Approved: 05-May-1995Renewed: 05-May-2013Bypass:	Type: DC	Manufacturer: Ames	Model: 2000SE
Approved: 09-Sep-1992Renewed: 09-Sep-2013Bypass:Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggType: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Approved: 05-May-1995Manufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:		Orientation: H	Meters:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggType: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:	Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Type: DCManufacturer: AmesModel: 2000SSSize: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:	Approved: 09-Sep-1992	Renewed: 09-Sep-2013	Bypass:
Size: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:	Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,	pp,uu,ccc,ddd,ffff,gggg	
Size: 3/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:	Type: DC	Manufacturer: Ames	Model: 2000SS
Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:Shutoffs: iiType: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:			
Approved: 05-May-1995 Shutoffs: iiRenewed: 05-May-2013Bypass:Type: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:	Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Type: DCManufacturer: AmesModel: 2000SSSize: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:	Approved: 05-May-1995	Renewed: 05-May-2013	
Size: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:			
Size: 1Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-May-1995Renewed: 05-May-2013Bypass:	Type: DC	Manufacturer: Ames	Model: 2000SS
Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 05-May-1995 Renewed: 05-May-2013 Bypass:	••		
Approved: 05-May-1995Renewed: 05-May-2013Bypass:			
	Shutoffs: ii	· · · · · · · · · · · ·	<i>.</i>

Type: DC
Size: 1 1/4
Manual: 8
Approved: 14-Jul-1995
Shutoffs: ii

Type: DC Size: 1 1/2 Manual: 8 Approved: 13-Oct-1995 Shutoffs: ii

Type: DC Size: 2 Manual: 8 Approved: 13-Oct-1995 Shutoffs: ii

Type: DC Size: 2 1/2 Manual: 8 Approved: 11-Jul-1991 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd

Type: DC Size: 2 1/2 Manual: 8 Approved: 11-Jul-1991 Shutoffs: II,mm,oo,ffff,gggg

Type: DC Size: 3 Manual: 8 Approved: 11-Jul-1991 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd

Type: DC Size: 3 Manual: 8 Approved: 11-Jul-1991 Shutoffs: II,mm,oo,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jul-2013

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 13-Oct-2013

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 13-Oct-2013

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 11-Jul-2015

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 11-Jul-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 11-Jul-2015

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 11-Jul-2015 Model: 2000SS Meters: Spare Parts Only: Yes Bypass:

Model: 2000SS Meters: Spare Parts Only: Yes Bypass:

Model: 2000SS Meters: Spare Parts Only: Yes Bypass:

Model: 2000SS Meters: Spare Parts Only: No Bypass:

Type: DC Manufacturer: Ames Model: 2000SS Size: 4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: **Shutoffs:** (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Ames Model: 2000SS Size: 4 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Renewed: 11-Jul-2015 Approved: 11-Jul-1991 Bypass: Shutoffs: II,mm,oo,ffff,gggg Type: DC Manufacturer: Ames Model: 2000SS Size: 6 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 09-Sep-1992 Renewed: 09-Sep-2013 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Ames Model: 2000SS Size: 6 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-1992 Renewed: 09-Sep-2013 **Bypass:** Shutoffs: II,mm,oo,ffff,gggg Type: DC Manufacturer: Ames Model: 2000SS Size: 8 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 16-Sep-1996 Renewed: 16-Sep-2014 Bypass: **Shutoffs:** (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Ames Model: 2000SS Size: 8 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 8 Approved: 16-Sep-1996 Renewed: 16-Sep-2014 **Bypass:** Shutoffs: II,mm,oo,ffff,gggg Type: DC Manufacturer: Ames Model: 2000SS Size: 10 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 16-Feb-2001 Renewed: 16-Feb-2016 Bypass: Shutoffs: pp,

Type: DC
Size: 10
Manual: 8
Approved: 16-Feb-2001
Shutoffs: (II),mm,oo

Type: DC Size: 12 Manual: 9 Approved: 22-Jul-2009 Shutoffs: pp,

Type: DC Size: 12 Manual: 9 Approved: 22-Jul-2009 Shutoffs: (II),mm,oo

Type: DC Size: 12 Manual: 9 Approved: 22-Feb-2011 Shutoffs: pp,

Type: DC Size: 12 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (II),mm,oo

 Type: DC
 Manufacturer: Ames

 Size: 4
 Orientation: H

 Manual: 8
 0.25% Pb: No

 Approved: 05-May-1995
 Renewed: 05-May-2013

 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg

Type: DCManufacturer: AmesSize: 6Orientation: HManual: 80.25% Pb: NoApproved: 05-May-1995Renewed: 05-May-2013Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg

Model: 2000SS Meters: Spare Parts Only: No Bypass:

Manufacturer: Ames

Renewed: 16-Feb-2016

Manufacturer: Ames

Renewed: 22-Jul-2015

Manufacturer: Ames

Renewed: 22-Jul-2015

Manufacturer: Ames

Renewed: 22-Feb-2014

Manufacturer: Ames

Renewed: 22-Feb-2014

Orientation: VU

0.25% Pb: Yes

Orientation: VU

0.25% Pb: No

Orientation: H

0.25% Pb: Yes

Orientation: H

0.25% Pb: Yes

Orientation: H

0.25% Pb: No

Model: 2000SS Meters: Spare Parts Only: No Bypass:

Model: 2000SS-M Meters: Spare Parts Only: No Bypass:

Model: 2000SS-M Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Model: 200B
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	rrr	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1/2	Orientation: VD	Model: 2005
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	·	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	-	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	rrr	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	rrrr	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	rrrr	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	rrrr	

Type: DC	Manufacturer: Ames	Model: 200B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffer (way) we and head a pape more		

Page 26 of 615

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	rrrr	
Type: DC	Manufacturer: Ames	Model: 200B-AR10
Size: 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,ı	rrrr	
Type: DC	Manufacturer: Ames	Model: 200B-AR10
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,i	rrrr	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dddd	d,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
		Bypass:

Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 4	Orientation: VU	Meters:
Menual: 0	0.05% Dha Na	On one Barte Only Ma

Manual: 9 Approved: 20-Jul-2004 Shutoffs: (ppp),qqq,nnnnn Orientation: VU 0.25% Pb: No Renewed: 20-Jul-2013

Spare Parts Only: No

Bypass:

Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,IIII,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	าทททท	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ffff	gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	าทททท	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ffff	gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Aug-2004	Renewed: 11-Aug-2013	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nr	Innn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Renewed: 11-Aug-2013	Bypass:

Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2015	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nn	nnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2015	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	g,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size : 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Dec-2014	Renewed:	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	g,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:

Shutoffs: (ppp),fff,qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn,nnnn

Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mm	
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mm	mm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mm	mm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mm	mm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
••	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mm	
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mm	
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:

Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200N

Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (ppp),qqq,nnnn Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: Colt 200N Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: yyy, zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmn	nm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:

Shutoffs: (ppp),qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnn,nnnnn

Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmn	nm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmn	nm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: DC
Size: 4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Jun-1985	Renewed: 14-Jun-2015	Bypass:
Shutoffs: oo,pp,ffff,gggg		
Type: DC	Manufacturer: Ames	Model: DC
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Jun-1985	Renewed: 14-Jun-2015	Bypass:
Shutoffs: oo,pp,ffff,gggg		
Type: DC	Manufacturer: Ames	Model: DC
Size: 8	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1987	Renewed: 04-Aug-2014	Bypass:
Shutoffs: oo,pp,ffff,gggg		
Type: DC	Manufacturer: Ames	Model: DC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 2000-DC	
Type: DC	Manufacturer: Ames	Model: DC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 2000-G-DC

Turney DC	Menufacturen Amos	Model: DCA
Type: DC Size: 4	Manufacturer: Ames Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change		Bypass.
Type: DC	Manufacturer: Ames	Model: DCA
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 2000-G-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 2000-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ged to 2000-G-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ged to 2000-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang		
Type: DC	Manufacturer: Ames	Model: LF2000B
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Sep-2013	Renewed:	Bypass:
		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1 1/4 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1 1/4 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh) Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: Model: LF2000B Meters: Spare Parts Only: No Bypass:

Model: LF2000BM1 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM2 Meters: Spare Parts Only: No Bypass: Type: DC Size: 1 1/2 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1 1/2 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh) Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: VD 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: Model: LF2000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM3 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM3 Meters: Spare Parts Only: No Bypass:

Model: LF200B Meters: Spare Parts Only: No Bypass:

Model: LF200B Meters: Spare Parts Only: No Bypass:

Model: LF200B Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Model: LF200B
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (hhhh)		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (hhhh)		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (hhhh)		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC	Manufacturer: Ames	Model: LF200B
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 1 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2015	Model: LF200B-A Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Ames	Model: LF200B-A
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B-A
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B-A
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shuteffer (m) we are block paper		-, pass.

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1 1/4	Orientation: H	Model: Li 0200B
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	Kenewed. 14-3011-2013	Dypass.
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		-)[
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp)	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 3	Orientation: H	Meters:

Manual: 9 Approved: 20-Jul-2004 Shutoffs: (ppp),qqq,nnnn Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jul-2013 Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:

Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: DC	Manufacturer: Ames
Size: 6	Orientation: H
Manual: 9	0.25% Pb: No
Approved: 11-Aug-2004	Renewed: 11-Aug-2013
Shutoffs: ppp,qqq,aaaa,bbbb,nnn	inn
Type: DC	Manufacturer: Ames
Size: 6	Orientation: H
Manual: 9	0.25% Pb: Yes

Approved: 11-Aug-2004Renewed: 11-Aug-2013Shutoffs: (yyy),zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: DCManufacturer: AmesSize: 6Orientation: VUManual: 90.25% Pb: NoApproved: 10-Feb-2006Renewed: 10-Feb-2015Shutoffs: ppp,qqq,aaaa,bbbb,nnnnn

Type: DCManufacturer: AmesSize: 6Orientation: VUManual: 90.25% Pb: YesApproved: 10-Feb-2006Renewed: 10-Feb-2015Shutoffs: (yyy),zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: ppp,qqq,aaaa,bbbb,nnnnn

Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: (yyy),zzz,dddd,eeee,gggg

Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: ppp,qqq,aaaa,bbbb,nnnnn Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 02-May-2014

Manufacturer: Ames

Renewed: 02-May-2014

Manufacturer: Ames

Renewed: 02-May-2014

Orientation: H

0.25% Pb: Yes

Orientation: H

0.25% Pb: No

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Type: DC
Size: 8
Manual: 9
Approved: 02-May-2008
Shutoffs: (yyy),zzz,dddd,eeee,gggg

Type: DC

Manual: 9

Approved: 20-Oct-2008

Shutoffs: (ppp),qqq,aaaa,bbbb

Size: 10

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 02-May-2014 Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014

Manufacturer: Ames

Renewed: 20-Oct-2014

Manufacturer: Ames

Renewed: 20-Oct-2014

Orientation: VU

0.25% Pb: No

Orientation: H

0.25% Pb: Yes

Type: DC Size: 10 Manual: 9 Approved: 20-Oct-2008 Shutoffs: yyy,zzz,dddd,eeee,gggg

Type: DC Size: 10 Manual: 9 Approved: 20-Oct-2008 Shutoffs: (ppp),qqq,aaaa,bbbb

Type: DC Size: 10 Manual: 9 Approved: 20-Oct-2008 Shutoffs: yyy,zzz,dddd,eeee,gggg Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 20-Oct-2014

 Type: DC
 Manufacturer: Ames

 Size: 2 1/2
 Orientation: H

 Manual: 9
 0.25% Pb: No

 Approved: 07-Oct-2002
 Renewed: 07-Oct-2014

 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

 Type: DC
 Manufacturer: Ames

 Size: 2 1/2
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 07-Oct-2002
 Renewed: 07-Oct-2014

 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Meters: Spare Parts Only: No Bypass:

Model: Maxim 200

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames
Size: 3	Orientation: H
Manual: 9	0.25% Pb: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014
Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,	dddd,eeee,gggg,nnnnn

 Type: DC
 Manufacturer: Ames

 Size: 3
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 07-Oct-2002
 Renewed: 07-Oct-2014

 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Type: DCManufacturer: AmesSize: 4Orientation: HManual: 90.25% Pb: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

 Type: DC
 Manufacturer: Ames

 Size: 4
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 03-Jul-2003
 Renewed: 03-Jul-2015

 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Type: DC Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (ppp),qqq,nnnn

Type: DCManufacturer: AmesSize: 2 1/2Orientation: VUVDManual: 90.25% Pb: YesApproved: 07-Apr-2009Renewed: 07-Apr-2015Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnn

Type: DC Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (ppp),qqq,nnnnn Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames

Renewed: 07-Apr-2015

Orientation: VUVD

0.25% Pb: No

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Maxim 200N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		
Type: DC	Manufacturer: Ames	Model: Maxim 200N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Maxim 200N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn	
	2016 © University of Southern Califor	nia Pa

Manufacturer: Ames

Type: DC

Model: Maxim 200N

Type: DC	Manufacturer: Ames	Model: Maxim 200Na
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (yyy),ppp,qqq,zzz,aaa	a,bbbb,dddd,eeee,gggg,nnnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200Na
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (yyy),ppp,qqq,zzz,aaa	a,bbbb,dddd,eeee,gggg,nnnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200Na
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (yyy),ppp,qqq,zzz,aaa	a,bbbb,dddd,eeee,gggg,nnnnn	
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC	Manufacturer: Ames	Model: U200B	
Size: 1 1/4	Orientation: VD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp		υγρασο.	
Type: DC	Manufacturer: Ames	Model: U200B	
Size: 1 1/4	Orientation: VU	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			
Type: DC	Manufacturer: Ames	Model: U200B	
Size: 1 1/2	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			
Type: DC	Manufacturer: Ames	Model: U200B	
Size: 1 1/2	Orientation: VD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			
Type: DC	Manufacturer: Ames	Model: U200B	
Size: 1 1/2	Orientation: VU	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			
Type: DC	Manufacturer: Ames	Model: U200B	
Size: 2	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			
Type: DC	Manufacturer: Ames	Model: U200B	
Size: 2	Orientation: VD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			

Type: DC Size: 2 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Size: 1/2	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2015 Manufacturer: Ames Orientation: H	Model: U200B Meters: Spare Parts Only: No Bypass: Model: U200BR10 Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 21-Apr-2015	Bypass:
Type: DC Size: 1/2 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VD 0.25% Pb: No Renewed: 21-Apr-2015	Model: U200BR10 Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Ames	Model: U200BR10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 21-Apr-2015	Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 21-Apr-2015	Model: U200BR10 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VD 0.25% Pb: No Renewed: 21-Apr-2015	Model: U200BR10 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2015	Model: U200BR10 Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Apollo/Conbraco	Model: 1/2DC
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC4S	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 1/2DC
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC4S	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 10DC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC4S	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 10DC
		Mataua
Size: 10	Orientation:	Meters:
Size: 10 Manual:	0.25% Pb: No	Meters: Spare Parts Only: No
Manual:	0.25% Pb: No Renewed:	Spare Parts Only: No
Manual: Approved:	0.25% Pb: No Renewed:	Spare Parts Only: No
Manual: Approved: Notes: model designation chang	0.25% Pb: No Renewed: red to DC4S	Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation chang	0.25% Pb: No Renewed: red to DC4S Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 2 1/2DC
Manual: Approved: Notes: model designation chang Type: DC Size: 2 1/2	0.25% Pb: No Renewed: red to DC4S Manufacturer: Apollo/Conbraco Orientation: H	Spare Parts Only: No Bypass: Model: 2 1/2DC Meters:
Manual: Approved: Notes: model designation chang Type: DC Size: 2 1/2 Manual: 9	0.25% Pb: No Renewed: ed to DC4S Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Spare Parts Only: No Bypass: Model: 2 1/2DC Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation chang Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000	0.25% Pb: No Renewed: ed to DC4S Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Spare Parts Only: No Bypass: Model: 2 1/2DC Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation chang Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm	0.25% Pb: No Renewed: and to DC4S Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Oct-2015	Spare Parts Only: No Bypass: Model: 2 1/2DC Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation chang Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm	0.25% Pb: No Renewed: ded to DC4S Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Oct-2015 Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 2 1/2DC Meters: Spare Parts Only: No Bypass: Model: 2 1/2DC
Manual: Approved: Notes: model designation chang Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm Type: DC Size: 2 1/2	0.25% Pb: No Renewed: ed to DC4S Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Oct-2015 Manufacturer: Apollo/Conbraco Orientation: VU	Spare Parts Only: No Bypass: Model: 2 1/2DC Meters: Spare Parts Only: No Bypass: Model: 2 1/2DC Meters:
Manual: Approved: Notes: model designation chang Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm Type: DC Size: 2 1/2 Manual: 9	0.25% Pb: No Renewed: aed to DC4S Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Oct-2015 Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No	Spare Parts Only: No Bypass: Model: 2 1/2DC Meters: Spare Parts Only: No Bypass: Model: 2 1/2DC Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation chang Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000	0.25% Pb: No Renewed: aed to DC4S Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Oct-2015 Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No	Spare Parts Only: No Bypass: Model: 2 1/2DC Meters: Spare Parts Only: No Bypass: Model: 2 1/2DC Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation chang Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm	0.25% Pb: No Renewed: aed to DC4S Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Oct-2015 Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Oct-2015	Spare Parts Only: No Bypass: Model: 2 1/2DC Meters: Spare Parts Only: No Bypass: Model: 2 1/2DC Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation chang Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm Type: DC	0.25% Pb: No Renewed: aed to DC4S Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Oct-2015 Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Oct-2015 Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 2 1/2DC Meters: Spare Parts Only: No Bypass: Model: 2 1/2DC Meters: Spare Parts Only: No Bypass: Model: 2 1/2DC-7

Type: DC Size: 2 1/2 Manual: 9 Approved: 23-Oct-2001 Shutoffs: (mm)[#1SOV], (qqq)[#2SOV] Type: DC Size: 2 1/2	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 23-Oct-2013 Manufacturer: Apollo/Conbraco Orientation: H	Model: 2 1/2DC-7 Meters: Spare Parts Only: No Bypass: Model: 2 1/2DC8 Meters:
Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq	0.25% Pb: No Renewed: 29-Sep-2013	Spare Parts Only: No Bypass:
Type: DC Size: 2 1/2 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 29-Sep-2013	Model: 2 1/2DC8 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 1/2 Manual: 9 Approved: 10-Apr-2001 Shutoffs: (II),mm	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 10-Apr-2013	Model: 2 1/2DCU Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 1/2 Manual: 9 Approved: 10-Apr-2001 Shutoffs: (II),mm	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 10-Apr-2013	Model: 2 1/2DCU Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Oct-2015	Model: 3DC Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Oct-2015	Model: 3DC Meters: Spare Parts Only: No Bypass:

Type: DC Size: 3 Manual: 9 Approved: 23-Oct-2001 Shutoffs: (mm)[#1SOV], (qqq)[#2	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 23-Oct-2013 2SOV]	Model: 3DC7 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3	Manufacturer: Apollo/Conbraco Orientation: VU	Model: 3DC7 Meters:
Manual: 9 Approved: 23-Oct-2001 Shutoffs: (mm)[#1SOV], (qqq)[#2	0.25% Pb: No Renewed: 23-Oct-2013 2SOV]	Spare Parts Only: No Bypass:
Type: DC Size: 3 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013	Model: 3DC8 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 29-Sep-2013	Model: 3DC8 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3 Manual: 9 Approved: 10-Apr-2001 Shutoffs: (II),mm	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 10-Apr-2013	Model: 3DCU Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3 Manual: 9 Approved: 10-Apr-2001 Shutoffs: (II),mm	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 10-Apr-2013	Model: 3DCU Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3 Manual: 8 Approved: 08-Apr-1991 Shutoffs: tt,bb,ee,ll	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 08-Apr-2015	Model: 40-100-02 Meters: Spare Parts Only: Yes Bypass:

Type: DC Size: 3 Manual: 8	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: 40-100-03 Meters: Spare Parts Only: Yes
Approved: 08-Apr-1991 Shutoffs: uu,cc,mm	Renewed: 08-Apr-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-100-05
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Dec-1998 Shutoffs: mmm	Renewed: 08-Dec-2013	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-103-02
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-May-1995 Shutoffs: dd	Renewed: 01-May-2013	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-02
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989 Shutoffs: dd	Renewed: 17-Mar-2016	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-99T
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-A2
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jun-1993 Shutoffs: dd	Renewed: 21-Jun-2014	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-A2T
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Mar-1992	Renewed: 25-Mar-2016	Bypass:
Shutoffs: dd		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-T2
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-TC2
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	led to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-02
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2016	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-99T
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Approved: Notes: model designation chang		Bypass:
		Bypass: Model: 40-105-A2
Notes: model designation chang	ed to DC40	
Notes: model designation chang	ed to DC40 Manufacturer: Apollo/Conbraco	Model: 40-105-A2
Notes: model designation chang Type: DC Size: 1	ed to DC40 Manufacturer: Apollo/Conbraco Orientation: H	Model: 40-105-A2 Meters:
Notes: model designation chang Type: DC Size: 1 Manual: 8 Approved: 21-Jun-1993	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: 40-105-A2 Meters: Spare Parts Only: Yes
Notes: model designation chang Type: DC Size: 1 Manual: 8 Approved: 21-Jun-1993 Shutoffs: dd	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 21-Jun-2014	Model: 40-105-A2 Meters: Spare Parts Only: Yes Bypass:
Notes: model designation chang Type: DC Size: 1 Manual: 8 Approved: 21-Jun-1993 Shutoffs: dd	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 21-Jun-2014 Manufacturer: Apollo/Conbraco	Model: 40-105-A2 Meters: Spare Parts Only: Yes Bypass: Model: 40-105-A2T
Notes: model designation chang Type: DC Size: 1 Manual: 8 Approved: 21-Jun-1993 Shutoffs: dd Type: DC Size: 1	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 21-Jun-2014 Manufacturer: Apollo/Conbraco Orientation: H	Model: 40-105-A2 Meters: Spare Parts Only: Yes Bypass: Model: 40-105-A2T Meters:
Notes: model designation chang Type: DC Size: 1 Manual: 8 Approved: 21-Jun-1993 Shutoffs: dd Type: DC Size: 1 Manual: 8	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 21-Jun-2014 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: 40-105-A2 Meters: Spare Parts Only: Yes Bypass: Model: 40-105-A2T Meters: Spare Parts Only: Yes
Notes: model designation chang Type: DC Size: 1 Manual: 8 Approved: 21-Jun-1993 Shutoffs: dd Type: DC Size: 1 Manual: 8 Approved: 25-Mar-1992	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 21-Jun-2014 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: 40-105-A2 Meters: Spare Parts Only: Yes Bypass: Model: 40-105-A2T Meters: Spare Parts Only: Yes
Notes: model designation chang Type: DC Size: 1 Manual: 8 Approved: 21-Jun-1993 Shutoffs: dd Type: DC Size: 1 Manual: 8 Approved: 25-Mar-1992 Shutoffs: dd	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 21-Jun-2014 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 25-Mar-2016	Model: 40-105-A2 Meters: Spare Parts Only: Yes Bypass: Model: 40-105-A2T Meters: Spare Parts Only: Yes Bypass:
Notes: model designation chang Type: DC Size: 1 Manual: 8 Approved: 21-Jun-1993 Shutoffs: dd Type: DC Size: 1 Manual: 8 Approved: 25-Mar-1992 Shutoffs: dd Type: DC	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 21-Jun-2014 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 25-Mar-2016 Manufacturer: Apollo/Conbraco	Model: 40-105-A2 Meters: Spare Parts Only: Yes Bypass: Model: 40-105-A2T Meters: Spare Parts Only: Yes Bypass: Model: 40-105-T2

Notes: model designation changed to DC40

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-TC2
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-02
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Apr-1992	Renewed: 06-Apr-2016	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-99T
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-A2
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jun-1993	Renewed: 21-Jun-2014	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-A2T
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993 Shutoffs: dd	Renewed: 22-May-2014	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-T2
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-02
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2016	Bypass:
Shutoffs: dd		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-99T
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang		Буразэ.
	Manufacturan Apollo/Conbross	
Type: DC Size: 1 1/2	Manufacturer: Apollo/Conbraco Orientation: H	Model: 40-107-A2 Meters:
Manual: 8	0.25% Pb: No	
		Spare Parts Only: Yes
Approved: 22-May-1993 Shutoffs: dd	Renewed: 22-May-2014	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-A2T
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2014	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-T2
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC40	
Notes: model designation chang	Manufacturer: Apollo/Conbraco	Model: 40-108-02
Type: DC		Model: 40-108-02 Meters:
	Manufacturer: Apollo/Conbraco	
Type: DC Size: 2	Manufacturer: Apollo/Conbraco Orientation: H	Meters:
Type: DC Size: 2 Manual: 8 Approved: 17-Mar-1989 Shutoffs: dd	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 17-Mar-2016	Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 2 Manual: 8 Approved: 17-Mar-1989 Shutoffs: dd Type: DC	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 17-Mar-2016 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: Yes Bypass: Model: 40-108-99T
Type: DC Size: 2 Manual: 8 Approved: 17-Mar-1989 Shutoffs: dd Type: DC Size: 2	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 17-Mar-2016 Manufacturer: Apollo/Conbraco Orientation:	Meters: Spare Parts Only: Yes Bypass: Model: 40-108-99T Meters:
Type: DC Size: 2 Manual: 8 Approved: 17-Mar-1989 Shutoffs: dd Type: DC Size: 2 Manual:	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 17-Mar-2016 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No	Meters: Spare Parts Only: Yes Bypass: Model: 40-108-99T Meters: Spare Parts Only: No
Type: DC Size: 2 Manual: 8 Approved: 17-Mar-1989 Shutoffs: dd Type: DC Size: 2 Manual: Approved:	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 17-Mar-2016 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: Yes Bypass: Model: 40-108-99T Meters:
Type: DC Size: 2 Manual: 8 Approved: 17-Mar-1989 Shutoffs: dd Type: DC Size: 2 Manual: Approved: Notes: model designation chang	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 17-Mar-2016 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Jed to DC40	Meters: Spare Parts Only: Yes Bypass: Model: 40-108-99T Meters: Spare Parts Only: No
Type: DC Size: 2 Manual: 8 Approved: 17-Mar-1989 Shutoffs: dd Type: DC Size: 2 Manual: Approved: Notes: model designation chang	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 17-Mar-2016 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: Yes Bypass: Model: 40-108-99T Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 8 Approved: 17-Mar-1989 Shutoffs: dd Type: DC Size: 2 Manual: Approved: Notes: model designation chang Type: DC Size: 2	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 17-Mar-2016 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Jed to DC40 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: Yes Bypass: Model: 40-108-99T Meters: Spare Parts Only: No Bypass: Model: 40-108-A2 Meters:
Type: DC Size: 2 Manual: 8 Approved: 17-Mar-1989 Shutoffs: dd Type: DC Size: 2 Manual: Approved:	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 17-Mar-2016 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation: H	Meters: Spare Parts Only: Yes Bypass: Model: 40-108-99T Meters: Spare Parts Only: No Bypass: Model: 40-108-A2

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-A2T
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2014	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-T2
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-109-02
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: tt,bb,ee,ll		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-109-03
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: uu,cc,mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-109-05
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Dec-1998	Renewed: 08-Dec-2013	Bypass:
Shutoffs: mmm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10A-02
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: tt,bb,ee,ll		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10A-03
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: uu,cc,mm		

Type: DC Size: 4 Manual: 8 Approved: 08-Dec-1998	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 08-Dec-2013	Model: 40-10A-05 Meters: Spare Parts Only: Yes Bypass:
Shutoffs: mmm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10A-06
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass:
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10C-02
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: tt,bb,ee,ll		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10C-03
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: uu,cc,mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10C-05
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Dec-1998 Shutoffs: mmm	Renewed: 08-Dec-2013	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10C-06
Size: 6	Orientation: H	Model: 40-100-00
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass:
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10E-02
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Oct-1991	Renewed: 22-Oct-2015	Bypass:
Shutoffs: tt,bb,ee,ll		

Type: DC Size: 8 Manual: 8 Approved: 22-Oct-1991 Shutoffs: uu,cc,mm	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 22-Oct-2015	Model: 40-10E-03 Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 8 Manual: 8 Approved: 01-Feb-2000 Shutoffs: mm[#1SOV], nnn[#2SOV]	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 01-Feb-2015	Model: 40-10E-06 Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 10 Manual: 8 Approved: 13-Apr-1993 Shutoffs: tt,bb,ee,ll	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 13-Apr-2014	Model: 40-10G-02 Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 10 Manual: 8 Approved: 13-Apr-1993 Shutoffs: uu,cc,mm	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 13-Apr-2014	Model: 40-10G-03 Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 10 Manual: 8 Approved: 01-Feb-2000 Shutoffs: mm[#1SOV], nnn[#2SOV]	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 01-Feb-2015	Model: 40-10G-06 Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 2 1/2 Manual: 9 Approved: 11-Mar-2012 Shutoffs: (yyy), cccc, dddd	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 11-Mar-2015	Model: 4D-100 Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 2 1/2 Manual: 9 Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 11-Mar-2015	Model: 4D-100 Meters: Spare Parts Only: Yes Bypass:

Type: DC Size: 3 Manual: 9 Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 11-Mar-2015	Model: 4D-100 Meters: Spare Parts Only: Yes Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100U
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100U
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100U
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass:
Shutoffs: (yyy), cccc, dddd		

Type: DC Size: 4 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Oct-2015	Model: 4DC Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Oct-2015	Model: 4DC Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: 9 Approved: 23-Oct-2001 Shutoffs: (mm)[#1SOV], (qqq)[#	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 23-Oct-2013	Model: 4DC7 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: 9 Approved: 23-Oct-2001 Shutoffs: (mm)[#1SOV], (qqq)[#	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 23-Oct-2013	Model: 4DC7 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013	Model: 4DC8 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 29-Sep-2013	Model: 4DC8 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: 9 Approved: 10-Apr-2001 Shutoffs: (II),mm	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 10-Apr-2013	Model: 4DCU Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Apollo/Conbraco	Model: 4S103
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to W432100	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4S103
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to W432100	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
1 ypc. DO		
	Orientation:	Meters:
Size: 2 1/2 Manual:	Orientation: 0.25% Pb: No	Meters: Spare Parts Only: No
Size: 2 1/2		
Size: 2 1/2 Manual:	0.25% Pb: No Renewed:	Spare Parts Only: No
Size: 2 1/2 Manual: Approved:	0.25% Pb: No Renewed:	Spare Parts Only: No
Size: 2 1/2 Manual: Approved: Notes: model designation Type: DC	0.25% Pb: No Renewed: changed to DC4SG	Spare Parts Only: No Bypass:
Size: 2 1/2 Manual: Approved: Notes: model designation	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-100
Size: 2 1/2 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual:	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters:
Size: 2 1/2 Manual: Approved: Notes: model designation Type: DC Size: 3	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Size: 2 1/2 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved:	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Size: 2 1/2 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation Type: DC	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass:
Size: 2 1/2 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation Type: DC Size: 3	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100
Size: 2 1/2 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters:
Size: 2 1/2 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual:	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Size: 2 1/2 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved:	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Size: 2 1/2 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass:
Size: 2 1/2 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation Type: DC	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100

Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to DC4SG	
	changed to DC4SG Manufacturer: Apollo/Conbraco	Model: 4SG-100
Notes: model designation		Model: 4SG-100 Meters:
Notes: model designation Type: DC Size: 8	Manufacturer: Apollo/Conbraco	
Notes: model designation	Manufacturer: Apollo/Conbraco Orientation:	Meters:
Notes: model designation Type: DC Size: 8 Manual: Approved:	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Notes: model designation Type: DC Size: 8 Manual: Approved: Notes: model designation	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Notes: model designation Type: DC Size: 8 Manual: Approved: Notes: model designation Type: DC	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG	Meters: Spare Parts Only: No Bypass:
Notes: model designation Type: DC Size: 8 Manual: Approved: Notes: model designation Type: DC Size: 2 1/2	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: 4SG-100U
Notes: model designation Type: DC Size: 8 Manual: Approved: Notes: model designation Type: DC Size: 2 1/2 Manual:	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation:	Meters: Spare Parts Only: No Bypass: Model: 4SG-100U Meters:
Notes: model designation Type: DC Size: 8 Manual:	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No Bypass: Model: 4SG-100U Meters: Spare Parts Only: No
Notes: model designation Type: DC Size: 8 Manual: Approved: Notes: model designation Type: DC Size: 2 1/2 Manual: Approved:	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No Bypass: Model: 4SG-100U Meters: Spare Parts Only: No
Notes: model designation Type: DC Size: 8 Manual: Approved: Notes: model designation Type: DC Size: 2 1/2 Manual: Approved: Notes: model designation	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SGN	Meters: Spare Parts Only: No Bypass: Model: 4SG-100U Meters: Spare Parts Only: No Bypass:
Notes: model designation Type: DC Size: 8 Manual: Approved: Notes: model designation Type: DC Size: 2 1/2 Manual: Approved: Notes: model designation Type: DC	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SGN Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: 4SG-100U Meters: Spare Parts Only: No Bypass: Model: 4SG-100U

Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100U
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC4SGN	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100U
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC4SGN	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100U
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC4SGN	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC7
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 23-Oct-2001	Renewed: 23-Oct-2013	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#	2SOV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC7
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Type: DC Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013	Model: 6DC8 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 29-Sep-2013	Model: 6DC8 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 6 Manual: 9 Approved: 10-Apr-2001 Shutoffs: (II),mm	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 10-Apr-2013	Model: 6DCU Meters: Spare Parts Only: No Bypass:
Type: DC Size: 8 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (mm),II	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Jan-2015	Model: 8DC Meters: Spare Parts Only: No Bypass:
Type: DC Size: 8 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (mm),II	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Jan-2015	Model: 8DC Meters: Spare Parts Only: No Bypass:
Type: DC Size: 8 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013	Model: 8DC8 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 8 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 29-Sep-2013	Model: 8DC8 Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jun-1996	Renewed: 27-Jun-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-104-99T, 40	-104-T2, 40-104-TC2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jun-1996	Renewed: 27-Jun-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-105-99T, 40	-105-T2, 40-105-TC2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1996	Renewed: 09-Oct-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-106-99T, 40	-106-T2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1996	Renewed: 09-Oct-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-107-99T, 40	-107-T2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1996	Renewed: 09-Oct-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-108-99T, 40	-108-T2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2014	Bypass:
Shutoffs: (iiiiii) sesse		

Shutoffs: (iiiiii),sssss

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2014	Bypass:
Shutoffs: (iiiiii),sssss		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2014	Bypass:
Shutoffs: (iiiii),sssss		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2011	Renewed: 06-Apr-2014	Bypass:
Shutoffs: (iiiii),sssss		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-2011	Renewed: 27-Sep-2014	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2011	Renewed: 06-Apr-2014	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (iiiii),sssss,wwww		

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Mar-2012	Renewed: 27-Mar-2015	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4S
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Sep-2000	Renewed: 18-Sep-2015	Bypass:
Shutoffs: (dd)		
Notes: formerly 1/2DC		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4S
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Sep-2000	Renewed: 18-Sep-2015	Bypass:
Shutoffs: (dd)		
Notes: formerly 1/2DC		

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4S
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass:
Shutoffs: (mm),II, xxxxx, zzzz, k	obbbbb, cccccc	
Notes: formerly 10DC		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4S
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass:
Shutoffs: (mm),II, xxxxx, zzzzz, k Notes: formerly 10DC	obbbbb, cccccc	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		

Notes: formerly 4SG-100

Approved: 25-Sep-2007 Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100 Type: DC Size: 4 Manual: 9 Approved: 25-Sep-2007 Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100 Type: DC	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 25-Sep-2013 Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 25-Sep-2013 Manufacturer: Apollo/Conbraco Orientation: H	Model: DC4SG Meters: Spare Parts Only: No Bypass: Model: DC4SG Meters: Spare Parts Only: No Bypass: Model: DC4SG
Manual: 9 Approved: 25-Sep-2007 Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100 Type: DC Size: 4 Manual: 9 Approved: 25-Sep-2007 Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100 Type: DC	0.25% Pb: No Renewed: 25-Sep-2013 Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 25-Sep-2013 Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: DC4SG Meters: Spare Parts Only: No Bypass: Model: DC4SG
Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100 Type: DC Size: 4 Manual: 9 Approved: 25-Sep-2007 Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100 Type: DC	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 25-Sep-2013 Manufacturer: Apollo/Conbraco	Bypass: Model: DC4SG Meters: Spare Parts Only: No Bypass: Model: DC4SG
Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100 Type: DC Size: 4 Manual: 9 Approved: 25-Sep-2007 Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100 Type: DC	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 25-Sep-2013 Manufacturer: Apollo/Conbraco	Model: DC4SG Meters: Spare Parts Only: No Bypass: Model: DC4SG
Notes: formerly 4SG-100 Type: DC Size: 4 Manual: 9 Approved: 25-Sep-2007 Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100 Type: DC	Orientation: VU 0.25% Pb: No Renewed: 25-Sep-2013 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: DC4SG
Size: 4 Manual: 9 Approved: 25-Sep-2007 Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100 Type: DC	Orientation: VU 0.25% Pb: No Renewed: 25-Sep-2013 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: DC4SG
Manual: 9 Approved: 25-Sep-2007 Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100 Type: DC	0.25% Pb: No Renewed: 25-Sep-2013 Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: DC4SG
Approved: 25-Sep-2007 Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100 Type: DC	Renewed: 25-Sep-2013 Manufacturer: Apollo/Conbraco	Bypass: Model: DC4SG
Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100 Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Notes: formerly 4SG-100	·	
Type: DC	·	
	·	
•	Orientation: H	
Size: 6		Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size : 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt, xxxxx, yyy	yy, zzzz, aaaaaa	
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2014	Bypass:

Shutoffs: (jjjjj),ttttt, uuuuu

Type: DC Size: 1/2 Manual: 10 Approved: 27-Apr-2011 Shutoffs: (jjjjj),ttttt, uuuuu	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 27-Apr-2014	Model: DCLF4A Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4	Manufacturer: Apollo/Conbraco Orientation: H	Model: DCLF4A Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2011 Shutoffs: (jjjjj),ttttt	Renewed: 27-Apr-2014	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size : 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 06-Apr-2011 Shutoffs: (jjjjj),ttttt	Renewed: 06-Apr-2014	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Sep-2011 Shutoffs: (jjjjj),ttttt,vvvvv	Renewed: 27-Sep-2014	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 06-Apr-2011 Shutoffs: (jjjjj),ttttt,vvvvv	Renewed: 06-Apr-2014	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012 Shutoffs: (jjjjj),ttttt,vvvvv	Renewed: 07-Feb-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Mar-2012	Renewed: 27-Mar-2015	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed:	Bypass:

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:
	Renewed: nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	Bypass:
		Bypass: Model: DCLF4A
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Shutoffs: (yyy), cccc, dddd, mmr Type: DC	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco	Model: DCLF4A
Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 6	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU	Model: DCLF4A Meters:
Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 6 Manual: 10 Approved: 24-Jun-2013	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes	Model: DCLF4A Meters: Spare Parts Only: No
Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 6 Manual: 10 Approved: 24-Jun-2013	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed:	Model: DCLF4A Meters: Spare Parts Only: No
Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 6 Manual: 10 Approved: 24-Jun-2013 Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	Model: DCLF4A Meters: Spare Parts Only: No Bypass:
Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 6 Manual: 10 Approved: 24-Jun-2013 Shutoffs: (yyy), cccc, dddd, mmr	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco	Model: DCLF4A Meters: Spare Parts Only: No Bypass: Model: DCLF4A
Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 6 Manual: 10 Approved: 24-Jun-2013 Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 8	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H	Model: DCLF4A Meters: Spare Parts Only: No Bypass: Model: DCLF4A Meters:
Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 6 Manual: 10 Approved: 24-Jun-2013 Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 8 Manual: 10 Approved: 15-May-2014	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes	Model: DCLF4A Meters: Spare Parts Only: No Bypass: Model: DCLF4A Meters: Spare Parts Only: No
Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 6 Manual: 10 Approved: 24-Jun-2013 Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 8 Manual: 10 Approved: 15-May-2014	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed:	Model: DCLF4A Meters: Spare Parts Only: No Bypass: Model: DCLF4A Meters: Spare Parts Only: No
Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 6 Manual: 10 Approved: 24-Jun-2013 Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 8 Manual: 10 Approved: 15-May-2014 Shutoffs: (yyy), cccc, dddd, mmr	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	Model: DCLF4A Meters: Spare Parts Only: No Bypass: Model: DCLF4A Meters: Spare Parts Only: No Bypass:
Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 6 Manual: 10 Approved: 24-Jun-2013 Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 8 Manual: 10 Approved: 15-May-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: DC	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco	Model: DCLF4A Meters: Spare Parts Only: No Bypass: Model: DCLF4A Meters: Spare Parts Only: No Bypass: Model: DCLF4A

2016 © University of Southern California

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN
Size: 3	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Apr-2014	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN
Size: 4	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Nov-2013	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN
Size: 6	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Apr-2014	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN
Size: 8	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 34" and max. 4

Size: 2 1/2 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cocc), ddd, mmm, nnnn, xxxx, yyyyy, zzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 34" and max. 47 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: H Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cocc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cocc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cocc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: H Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 21-Sep-2015 Renewed: Bypass: Shutoffs: (cocc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max 22 1/4" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 21-Sep-2015 Renewed: Bypas:	Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 34* and max. 47 Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: H Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35* and max. 48 1/8* Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmmm, nnn, xxxx, yyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35* and max. 48 1/8* Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: H Meters: Matus Manual: 10 0.25% Pb: No Spare Parts Only: No <	Size: 2 1/2	Orientation: VU	Meters:
Shutoffs: (cccc), dddd, mmmm, nnn, xxxx, yyyy, zzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 34" and max. 47 Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: H Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmm, nnn, xxxx, yyyy, zzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmm, nnn, xxxx, yyyy, zzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: H Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 21-Sep-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Notes: In	Manual: 10	0.25% Pb: No	Spare Parts Only: No
Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 34" and max. 47 Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: H Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: VU Meters: Manual: 10 Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: H Meters: Model: DCLF4AR Size: 4 Orientation: H Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 21-Sep-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integr	Approved: 09-Nov-2015	Renewed:	Bypass:
1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: H Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: H Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Spare Parts Only: No Approved: 21-Sep-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" an	Shutoffs: (cccc), dddd, mmmm, i	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Size: 3 Orientation: H Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmmn, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: H Meters: Manual: 10 0.25% Pb: No Approved: 21-Sep-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmmn, nnnn, xxxxx, yyyy, zzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max 62 1/4" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: H Meters:	• •	rooved spool between the #2 ck and #2 SO\	✓ - assembly length: min. 34" and max. 47
Manual: 100.25% Pb: NoSpare Parts Only: NoApproved: 09-Nov-2015Renewed:Bypass:Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaaNotes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 481/8"Type: DCManufacturer: Apollo/ConbracoModel: DCLF4ARSize: 3Orientation: VUMeters:Manual: 100.25% Pb: NoSpare Parts Only: NoApproved: 09-Nov-2015Renewed:Bypass:Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaaNotes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 481/8"	Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmmm, nnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmmm, nnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: H Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 21-Sep-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max 62 1/4" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: VU Meters: Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orient	Size: 3	Orientation: H	Meters:
Shutoffs: (cccc), ddd, mmmn, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: H Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 21-Sep-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmm, nnnn, xxxxx, yyyy, zzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max 62 1/4" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Manufacturer: Apollo/Conbraco Model: DCLF4AR	Manual: 10	0.25% Pb: No	Spare Parts Only: No
Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8"	Approved: 09-Nov-2015	Renewed:	Bypass:
1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 3 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 09-Nov-2015 Renewed: Bypass: Shutoffs: (cccc), ddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8"	Shutoffs: (cccc), dddd, mmmm, I	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Size: 3Orientation: VUMeters:Manual: 100.25% Pb: NoSpare Parts Only: NoApproved: 09-Nov-2015Renewed:Bypass:Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaaBypass:Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 481/8"Type: DCManufacturer: Apollo/ConbracoSize: 4Orientation: HManual: 100.25% Pb: NoApproved: 21-Sep-2015Renewed:Shutoffs: (cccc), dddd, mmmn, nnnn, xxxxx, yyyyy, zzzzz, aaaaaaNotes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max42 1/4"Type: DCManufacturer: Apollo/ConbracoShutoffs: (cccc), dddd, mmmn, nnnn, xxxxx, yyyyy, zzzzz, aaaaaaNotes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max62 1/4"Type: DCManufacturer: Apollo/ConbracoModel: DCLF4ARSize: 4Orientation: VUMature: 100.25% Pb: NoSpare Parts Only: No	• •	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 35" and max. 48
Manual: 100.25% Pb: NoSpare Parts Only: NoApproved: 09-Nov-2015Renewed:Bypass:Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaaNotes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 481/8"Type: DCManufacturer: Apollo/ConbracoModel: DCLF4ARSize: 4Orientation: HMeters:Manual: 100.25% Pb: NoSpare Parts Only: NoApproved: 21-Sep-2015Renewed:Bypass:Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyy, zzzzz, aaaaaaNotes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max62 1/4"Type: DCManufacturer: Apollo/ConbracoModel: DCLF4ARSize: 4Orientation: VUMeters:Manual: 100.25% Pb: NoSpare Parts Only: No	Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Approved: 09-Nov-2015Renewed:Bypass:Shutoffs: (cccc), dddd, mmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaaNotes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 481/8"Type: DCManufacturer: Apollo/ConbracoModel: DCLF4ARSize: 4Orientation: HMeters:Manual: 100.25% Pb: NoSpare Parts Only: NoApproved: 21-Sep-2015Renewed:Bypass:Shutoffs: (cccc), dddd, mmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaaNotes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max62 1/4"Type: DCManufacturer: Apollo/ConbracoModel: DCLF4ARSize: 4Orientation: VUMeters:Manual: 100.25% Pb: NoSpare Parts Only: No	Size: 3	Orientation: VU	Meters:
Shutoffs: (cccc), dddd, mmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: H Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 21-Sep-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max 62 1/4" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No	Manual: 10	0.25% Pb: No	Spare Parts Only: No
Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: H Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 21-Sep-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max 62 1/4" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No	Approved: 09-Nov-2015	Renewed:	Bypass:
1/8" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: H Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 21-Sep-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max 62 1/4" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No	Shutoffs: (cccc), dddd, mmmm, i	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Size: 4Orientation: HMeters:Manual: 100.25% Pb: NoSpare Parts Only: NoApproved: 21-Sep-2015Renewed:Bypass:Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaaBypass:Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max62 1/4"Type: DCSize: 4Orientation: VUManufacturer: Apollo/ConbracoModel: DCLF4ARSize: 4Orientation: VUMeters:Manual: 100.25% Pb: NoSpare Parts Only: No	• •	rooved spool between the #2 ck and #2 SO\	✓ - assembly length: min. 35" and max. 48
Manual: 100.25% Pb: NoSpare Parts Only: NoApproved: 21-Sep-2015Renewed:Bypass:Shutoffs: (cccc), dddd, mmm, nnn, xxxxx, yyyyy, zzzzz, aaaaaaBypass:Notes: Integral Stainless Steel groover spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max62 1/4"Type: DCManufacturer: Apollo/ConbracoModel: DCLF4ARSize: 4Orientation: VUMeters:Manual: 100.25% Pb: NoSpare Parts Only: No	Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Approved: 21-Sep-2015 Renewed: Bypass: Shutoffs: (cccc), dddd, mmmn, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max 62 1/4" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No	Size: 4	Orientation: H	Meters:
Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max 62 1/4" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No	Manual: 10	0.25% Pb: No	Spare Parts Only: No
Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max 62 1/4" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No	Approved: 21-Sep-2015	Renewed:	Bypass:
62 1/4" Type: DC Manufacturer: Apollo/Conbraco Model: DCLF4AR Size: 4 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No	Shutoffs: (cccc), dddd, mmmm, i	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Size: 4 Orientation: VU Meters: Manual: 10 0.25% Pb: No Spare Parts Only: No	• •	rooved spool between the #2 ck and #2 SO\	V - assembly length: min. 37 3/8" and max.
Manual: 10 0.25% Pb: No Spare Parts Only: No	Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
	Size: 4	Orientation: VU	Meters:
Approved: 21-Sep-2015Renewed:Bypass:	Manual: 10	0.25% Pb: No	Spare Parts Only: No
	Approved: 21-Sep-2015	Renewed:	Bypass:

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max. 62 1/4"

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm, i	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 1/4"	ooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 46" and max. 71
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm, i	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 1/4"	ooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 46" and max. 71
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm, i	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 86"	ooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 55 3/4" and max.
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm, i	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 86"	rooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 55 3/4" and max.
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
••	Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	Bypass:
••		Bypass: Model: DCLF4SG
Shutoffs: (yyy), cccc, dddd, mmi Type: DC	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 4	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 4 Manual: 9	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU	Model: DCLF4SG Meters:
Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes	Model: DCLF4SG Meters: Spare Parts Only: No
Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed:	Model: DCLF4SG Meters: Spare Parts Only: No
Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	Model: DCLF4SG Meters: Spare Parts Only: No Bypass:
Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 6	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco	Model: DCLF4SG Meters: Spare Parts Only: No Bypass: Model: DCLF4SG
Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 6 Manual: 9	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H	Model: DCLF4SG Meters: Spare Parts Only: No Bypass: Model: DCLF4SG Meters:
Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 6 Manual: 9 Approved: 23-Jan-2015	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes	Model: DCLF4SG Meters: Spare Parts Only: No Bypass: Model: DCLF4SG Meters: Spare Parts Only: No
Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 6 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed:	Model: DCLF4SG Meters: Spare Parts Only: No Bypass: Model: DCLF4SG Meters: Spare Parts Only: No
Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 6 Manual: 9 Approved: 23-Jan-2015	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	Model: DCLF4SG Meters: Spare Parts Only: No Bypass: Model: DCLF4SG Meters: Spare Parts Only: No Bypass:
Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mmi Type: DC Size: 6 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco	Model: DCLF4SG Meters: Spare Parts Only: No Bypass: Model: DCLF4SG Meters: Spare Parts Only: No Bypass: Model: DCLF4SG

Type: DC	Manufacturer: Apollo/Conbraco	Model: W432100
Size : 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass:
Shutoffs: (dd)		
Notes: formerly 4S103		
Type: DC	Manufacturer: Apollo/Conbraco	Model: W432100
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass:
Shutoffs: (dd)		
Notes: formerly 4S103		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: (00000), ii, 000		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass:
Shutoffs: (00000)		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Mar-2007	Renewed: 02-Mar-2016	Bypass:
Shutoffs: (ii),000, 00000		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass:
Shutoffs: (00000)		

Type: DC Size: 1	Manufacturer: ARI Orientation: H	Model: DC 500 Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Mar-2007	Renewed: 02-Mar-2016	Bypass:
Shutoffs: (ii),000, 00000		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass:
Shutoffs: (00000)		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 1 1/4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass:
Shutoffs: (00000)		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 1 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass:
Shutoffs: (00000)		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass:
Shutoffs: (00000)		
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20
Size: 2 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass:
Shutoffs: (int)		

Type: DC Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int) Type: DC	Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: Manufacturer: Backflow Direct	Model: Deringer 20 Meters: Spare Parts Only: No Bypass: Model: Deringer 20
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Dec-2015 Shutoffs: (int)	Renewed:	Bypass:
Type: DC Size: 4 Manual: 10 Approved: 30-Sep-2015 Shutoffs: (int)	Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:	Model: Deringer 20 Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Sep-2015 Shutoffs: (int)	Renewed:	Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 19-Apr-2012 Shutoffs: (ii),000	Manufacturer: Cash Acme Orientation: H 0.25% Pb: Yes Renewed: 19-Apr-2015	Model: DC 500 Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Cash Acme	Model: DC 500
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 19-Apr-2012 Shutoffs: (ii),000	Renewed: 19-Apr-2015	Bypass:
Type: DC Size: 3/4	Manufacturer: Cash Acme Orientation: H	Model: DC100 Meters:
Manual: 8 Approved: 20-Oct-2008 Shutoffs: (ii)	0.25% Pb: No Renewed: 20-Oct-2014	Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Cash Acme	Model: DC100
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (ii)		
Type: DC	Manufacturer: Cash Acme	Model: DC100
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (ii)		
Type: DC	Manufacturer: Cash Acme	Model: DC100
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (ii)		
Type: DC	Manufacturer: Cla-Val	Model: D4
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jun-1989	Renewed: 22-Jun-2013	Bypass:
Shutoffs: (gg),hh,qq,rr		
Type: DC	Manufacturer: Cla-Val	Model: D4
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jun-1989	Renewed: 22-Jun-2013	Bypass:
Shutoffs: (gg),hh,qq,rr		
Type: DC	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		
Type: DC	Manufacturer: Febco	Model: 750
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		

Type: DC	Manufacturer: Febco	Model: 750
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

Size: 4Orientation: HMeters: Spare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqManufacturer: FebcoModel: 750Type: DCManufacturer: FebcoModel: 750Shutoffs: yyy,zzz,dddd,eeee,dddd.gggg,kkkk,llll,mmm,nnnBypass:Type: DCManufacturer: FebcoModel: 750Shutoffs: yyy,zzz,dddd,eeee,dddd.gggg,kkkk,llll,mmm,nnnMeters:Type: DCManufacturer: FebcoModel: 750Size: 4Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqq0.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqq0.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqq0.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkk,lll,mmm,nnnModel: 750Type: DCManufacturer: FebcoModel: 750Shutoffs: (pp),qq,aaaa,bbbbSpare Parts Only: NoSpare 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (pp),qq,aaaa,bbbbModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters: </th <th>Type: DC</th> <th>Manufacturer: Febco</th> <th>Model: 750</th>	Type: DC	Manufacturer: Febco	Model: 750
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqq			
Approved:17-Sep-2009 Shutoffs:Renewed:17-Sep-2015Bypass:Shutoffs:(ppp).qqqType:DCManufacturer:FebcoModel:750Size:4Orientation:HMeters:Manual:90.25% Pb: YesSpare Parts Only: NoApproved:17-Sep-2009Renewed:17-Sep-2015Bypass:Shutoffs:yy,zzz.dddd,eeee,dddd.gggg,kkkk,illi,mmmm,nnnModel:750Type:DCManufacturer:FebcoModel:750Size:4Orientation:VUMeters:Manual:90.25% Pb: NoSpare Parts Only: NoApproved:17-Sep-2009Shutoffs:(pp).qqqVUMeters:Type:DCManufacturer:FebcoModel:750Size:4Orientation:VUMeters:Manual:90.25% Pb: YesSpare Parts Only: NoApproved:Approved:17-Sep-2009Renewed:17-Sep-2015Bypass:Shutoffs:(pp).qqqRenewed:17-Sep-2015Bypass:Shutoffs:yy,zzz,dddd,eeee,dddd,gggg,kkkk,illi,mmm,nnnSpare Parts Only: NoApproved:Type:DCManufacturer:FebcoModel:750Size:6Orientation: HMeters:Meters:Manual:90.25% Pb: NoSpare Parts Only: NoApproved:17-Sep-2009Size:6Orientation: HMeters:Meters:Manual:9			
Type: DC Manufacturer: Febco Model: 750 Size: 4 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 17-Sep-2009 Renewed: 17-Sep-2015 Bypass: Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,illi,mmm,nnn Model: 750 Spare Parts Only: No Type: DC Manufacturer: Febco Model: 750 Size: 4 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Sep-2009 Renewed: 17-Sep-2015 Bypass: Shutoffs: (ppp),qqq Type: DC Manufacturer: Febco Model: 750 Size: 4 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Shutoffs: (ppp),qqq Renewed: 17-Sep-2015 Bypass: Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,illi,mmm,nnnn Meters: Model: 750 Size: 6 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Size: 6 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Sep-2009 Renewed: 17-Sep-2015 Bypass: Shutoffs: (ppp),qqq,aaaa,bbbb Type: DC Manufacturer: Febco Model:	Approved: 17-Sep-2009	Renewed: 17-Sep-2015	
And Size: 4Orientation: HMeters: Spare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,dddd.gggg,kkkk,llll,mmmm,nnnModel: 750Type: DCManufacturer: FebcoModel: 750Size: 4Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqqSpare Parts Only: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqqVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,dddd.gggg,kkkk,llll,mmmm,nnnSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,dddd.gggg,kkkk,llll,mmmm,nnnSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb0.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbbSpare Parts Only: NoSpare Parts Only: NoType: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,ddd,eeee,ffff,ggg,kkkk,llll,mmm,nnnSpare Parts Only: No <td< th=""><th>Shutoffs: (ppp),qqq</th><th></th><th></th></td<>	Shutoffs: (ppp),qqq		
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnModel: 750Type: DCManufacturer: FebcoModel: 750Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqq	Type: DC	Manufacturer: Febco	Model: 750
Approved:17-Sep-2009Renewed:17-Sep-2015Bypass:Shutoffs:yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnModel:750Type:DCManufacturer:FebcoModel:750Size:4Orientation:VUMeters:Manual:90.25% Pb: NoSpare Parts Only: NoApproved:17-Sep-2009Renewed:17-Sep-2015Bypass:Shutoffs:(ppp),qqType:DCManufacturer:FebcoModel:750Size:4Orientation:VUMeters:Manual:90.25% Pb: YesSpare Parts Only: NoApproved:17-Sep-2009Renewed:17-Sep-2015Bypass:Shutoffs:yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnType: DCManufacturer:FebcoModel:750Size:6Orientation:HMeters:Manual:90.25% Pb: NoSpare Parts Only: NoApproved:17-Sep-2009Renewed:17-Sep-2015Bypass:Shutoffs:(ppp),qq,aaaa,bbbbType: DCManufacturer:FebcoModel:750Size:6Orientation:HMeters:Manual:90.25% Pb: NoSpare Parts Only: NoSpare Parts Only: NoApproved:17-Sep-2009Renewed:17-Sep-2015Bypass:Shutoffs:(ppp),qq,aaaa,bbbb	Size: 4	Orientation: H	Meters:
Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,lll,mmmm,nnn Type: DC Manufacturer: Febco Model: 750 Size: 4 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Sep-2009 Renewed: 17-Sep-2015 Bypass: Shutoffs: (ppp),qqq	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Type: DCManufacturer: FebcoModel: 750Size: 4Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqqType: DCManufacturer: FebcoModel: 750Size: 4Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: yyy.zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnSpare Parts Only: NoType: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (pp),qq,aaaa,bdbb0.25% Pb: NoSpare Parts Only: NoType: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbbType: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,dddd,eeee,fffi,gggg,kkkk,Illl,mmmm,nnnType: DCManufacturer: FebcoModel: 750Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No<	Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Size: 4Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqqManufacturer: FebcoModel: 750Type: DCManufacturer: FebcoModel: 750Size: 4Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqq,aaaa,bbbbSpare Parts Only: NoType: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,lll,mmmm,nnnModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnnModel: 750Type: DC	Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Manual: 9 Approved: 17-Sep-2009 Shutoffs: (ppp).qqq0.25% Pb: No Renewed: 17-Sep-2015Spare Parts Only: No Bypass:Type: DC Manual: 9 Approved: 17-Sep-2009 Renewed: 17-Sep-2015Model: 750 Meters: Spare Parts Only: No Bypass:Approved: 17-Sep-2009 Renewed: 17-Sep-2015 Stze: 4Model: 750 Meters: Bypass:Manual: 9 Approved: 17-Sep-2009 Renewed: 17-Sep-2015 Stutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmm,nnnModel: 750 Model: 750 Size: 6Type: DC Manufacturer: Febco Manual: 9 Approved: 17-Sep-2009 Renewed: 17-Sep-2015 Bypass:Model: 750 Spare Parts Only: No Spare Parts Only: No	Type: DC	Manufacturer: Febco	Model: 750
Approved: 17-Sep-2009 Shutoffs: (ppp).qqqRenewed: 17-Sep-2015Bypass:Type: DC Size: 4Manufacturer: Febco Orientation: VU Meters: Spare Parts Only: No Bypass: Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,lll,mmmm,nnnnModel: 750 Model: 750 Bypass: Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,lll,mmmm,nnnnType: DC Size: 6 Manual: 9 Approved: 17-Sep-2009 Size: 6 Manufacturer: Febco Model: 750 Size: 6 Model: 750 Size: 6 Manufacturer: Febco Model: 750 Size: 6 Model: 750 Size: 6 Model: 750 Size: 6 Monufacturer: Febco Model: 750 Size: 6 Model: 750 Model:	Size: 4	Orientation: VU	Meters:
Shutoffs: (ppp).qqq Type: DC Manufacturer: Febco Model: 750 Size: 4 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 17-Sep-2009 Renewed: 17-Sep-2015 Bypass: Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnn Type: DC Manufacturer: Febco Model: 750 Size: 6 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Sep-2009 Renewed: 17-Sep-2015 Bypass: State Spare Parts Only: No Approved: 17-Sep-2009 Renewed: 17-Sep-2015 Bypass: Shutoffs: (ppp),qq,aaaa,bbbb Type: DC Manufacturer: Febco Model: 750 Size: 6 Orientation: H Meters: Manual: 9 Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 17-Sep-2009 Renewed: 17-Sep-2015 Bypass: Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnn Model: 750 Size: 6 Manufacturer: Febco Model: 750 Size: 6 Model: 750 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only:	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: FebcoModel: 750Size: 4Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,lll,mmmm,nnnType: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbbSpare Parts Only: NoType: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbbSize: 6Orientation: HManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,dddd,eeee,fff,gggg,kkkk,lll,mmmm,nnnType: DCManufacturer: FebcoModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Normatic Size: 4Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,Ill,mmmm,nnnType: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqq,aaaa,bbbbSpare Parts Only: NoType: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqq,aaaa,bbbbSpare Parts Only: NoType: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Approved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,Illl,mmm,nnnnType: DCManufacturer: FebcoModel: 750Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Shutoffs: (ppp),qqq		
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,Ill,mmmm,nnnWodel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqq,aaaa,bbbbType: DCManufacturer: FebcoModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqq,aaaa,bbbbSpare Parts Only: NoSize: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,Illl,mmm,nnnnType: DCManufacturer: FebcoModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Type: DC	Manufacturer: Febco	Model: 750
Approved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnnModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqq,aaaa,bbbbManufacturer: FebcoModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: VUMeters:Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnModel: 750Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Size: 4	Orientation: VU	Meters:
Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn Type: DC Manufacturer: Febco Model: 750 Size: 6 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Sep-2009 Renewed: 17-Sep-2015 Bypass: Shutoffs: (ppp),qqq,aaaa,bbbb Type: DC Manufacturer: Febco Model: 750 Size: 6 Orientation: H Meters: Manual: 9 Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 17-Sep-2009 Renewed: 17-Sep-2015 Bypass: Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnn Model: 750 Size: 6 Type: DC Manufacturer: Febco Model: 750 Size: 6 Orientation: VU Meters: Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqq,aaaa,bbbbManufacturer: FebcoModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: VUMeters:Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnType: DCManufacturer: FebcoModel: 750Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Size: 6Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqq,aaaa,bbbbManufacturer: FebcoModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnnModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: (ppp),qqq,aaaa,bbbbManufacturer: FebcoModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnnModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Type: DC	Manufacturer: Febco	Model: 750
Approved: 17-Sep-2009 Shutoffs: (ppp),qqq,aaaa,bbbbRenewed: 17-Sep-2015Bypass:Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnnType: DCManufacturer: FebcoModel: 750Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Size: 6	Orientation: H	Meters:
Shutoffs: (ppp),qqq,aaaa,bbbb Manufacturer: Febco Model: 750 Size: 6 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 17-Sep-2009 Renewed: 17-Sep-2015 Bypass: Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnn Model: 750 Type: DC Manufacturer: Febco Model: 750 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnnType: DCManufacturer: FebcoModel: 750Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Size: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,IIII,mmmm,nnnType: DCManufacturer: FebcoModel: 750Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Shutoffs: (ppp),qqq,aaaa,bbbb		
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,IIII,mmmm,nnnType: DCManufacturer: FebcoModel: 750Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Type: DC	Manufacturer: Febco	Model: 750
Approved: 17-Sep-2009Renewed: 17-Sep-2015Bypass:Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,IIII,mmmm,nnnnType: DCManufacturer: FebcoModel: 750Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Size: 6	Orientation: H	Meters:
Shutoffs: zzz,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnn Type: DC Manufacturer: Febco Model: 750 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Type: DCManufacturer: FebcoModel: 750Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Shutoffs: zzz,dddd,eeee,ffff,ggg	jg,kkkk,llll,mmmm,nnnn	
Manual: 9 0.25% Pb: No Spare Parts Only: No	Type: DC	Manufacturer: Febco	Model: 750
	Size: 6	Orientation: VU	Meters:
Approved: 17-Sep-2009 Renewed: 17-Sep-2015 Bypass:	Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

2016 © University of Southern California

Shutoffs: (ppp),qqq,aaaa,bbbb

Type: DC	Manufacturer: Febco	Model: 750
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,ffff,ggg	g,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (yyy),ppp,qqq,aaaa,bb	bb	
Type: DC	Manufacturer: Febco	Model: 750
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (yyy),ppp,qqq,aaaa,bb	bb	
Type: DC	Manufacturer: Febco	Model: 750
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Febco	Model: 750
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

Type: DC	Manufacturer: Febco	Model: 750
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Febco	Model: 750
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ffff	,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,dddd,g	gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,dddd,g	gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
		_

Renewed: 17-Sep-2015

Approved: 17-Sep-2009

Shutoffs: (ppp),qqq

Bypass:

Type: DC	Manufacturer: Febco	Model: 750N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,dddd,g	ggg,kkkk,IIII,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,dddd,g	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 805YD

Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 805YD	
Type: DC	Manufacturer: Febco	Model: 805Y
Size: 3/4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-May-1982	Renewed: 13-May-2015	Bypass:
Shutoffs: ii,fff,jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 805Y
Size: 1	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-May-1982	Renewed: 13-May-2015	Bypass:
Shutoffs: ii,fff,jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 805Y
Size: 1 1/2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Jan-1983	Renewed: 05-Jan-2016	Bypass:
Shutoffs: ii,fff,jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 805Y
Size: 2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Jan-1983	Renewed: 05-Jan-2016	Bypass:
Shutoffs: ii,fff,000		

Type: DC	Manufacturer: Febco	Model: 805YB
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable seats beginn	ning with Serial No. A105801	
Type: DC	Manufacturer: Febco	Model: 805YB
Size: 3/4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Apr-1996	Renewed: 16-Apr-2014	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable seats beginn	ning with Serial No. A105801	
Type: DC	Manufacturer: Febco	Model: 805YD
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-May-1987	Renewed: 31-May-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut	ı,zzz,ffff,gggg	
Notes: formerly 805 Type YD		
Type: DC	Manufacturer: Febco	Model: 805YD
Size: 3	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-May-1987	Renewed: 31-May-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut	ı,zzz,ffff,gggg	
Notes: formerly 805 Type YD		
Type: DC	Manufacturer: Febco	Model: 805YD
Size: 4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-May-1987	Renewed: 31-May-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut	ı,zzz,ffff,gggg	
Notes: formerly 805 Type YD		
Type: DC	Manufacturer: Febco	Model: 805YD
Size: 6	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-May-1987	Renewed: 31-May-2014	Bypass:

Notes: formerly 805 Type YD

Type: DC	Manufacturer: Febco	Model: 805YD
Size: 8	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-May-1987	Renewed: 31-May-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u		_)[****
Notes: formerly 805 Type YD		
Type: DC	Manufacturer: Febco	Model: 805YD
Size: 10	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-May-1987	Renewed: 31-May-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	•	
Notes: formerly 805 Type YD	-,,	
Type: DC	Manufacturer: Febco	Model: 805YR
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jan-1993	Renewed: 22-Jan-2014	Bypass:
Shutoffs: ii,fff,jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 805YR
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jan-1993	Renewed: 22-Jan-2014	Bypass:
Shutoffs: ii,fff,jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Nov-1997	Renewed: 21-Nov-2015	Bypass:
Shutoffs: (fff),000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Apr-2000	Renewed: 13-Apr-2015	Bypass:

Shutoffs: (fff),000

Type: DC	Manufacturer: Febco	Model: 850
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Dec-1999	Renewed: 17-Dec-2014	Bypass:
Shutoffs: (fff),000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Nov-1997	Renewed: 21-Nov-2015	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2000	Renewed: 10-Apr-2015	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Dec-1999	Renewed: 17-Dec-2014	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Nov-1997	Renewed: 21-Nov-2015	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jan-2000	Renewed: 14-Jan-2015	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Sep-2000	Renewed: 07-Sep-2015	Bypass:
Shutoffs: (fff),jjj,ooo		

Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Nov-1997	Renewed: 21-Nov-2015	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Apr-2000	Renewed: 13-Apr-2015	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jul-1999	Renewed: 17-Jul-2014	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Feb-1998	Renewed: 19-Feb-2016	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Apr-2000	Renewed: 13-Apr-2015	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jul-1999	Renewed: 17-Jul-2014	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Feb-1998	Renewed: 19-Feb-2016	Bypass:
Shutoffs: (fff),000		

Type: DC	Manufacturer: Febco	Model: 850
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2000	Renewed: 10-Apr-2015	Bypass:
Shutoffs: (fff),000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jul-1999	Renewed: 17-Jul-2014	Bypass:
Shutoffs: (fff),000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Mar-1997	Renewed: 14-Mar-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 2 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Mar-1997	Renewed: 19-Mar-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
	Manufacturer: Febco Orientation: H	Model: 850 Meters:
Size: 3		
Size: 3 Manual: 8	Orientation: H	Meters:
Size: 3 Manual: 8 Approved: 14-Mar-1997	Orientation: H 0.25% Pb: No Renewed: 14-Mar-2015	Meters: Spare Parts Only: Yes
Size: 3 Manual: 8 Approved: 14-Mar-1997 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	Orientation: H 0.25% Pb: No Renewed: 14-Mar-2015	Meters: Spare Parts Only: Yes
Size: 3 Manual: 8 Approved: 14-Mar-1997 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: DC	Orientation: H 0.25% Pb: No Renewed: 14-Mar-2015 u,zzz,cccc,ffff,gggg	Meters: Spare Parts Only: Yes Bypass:
Size: 3 Manual: 8 Approved: 14-Mar-1997 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: DC Size: 3	Orientation: H 0.25% Pb: No Renewed: 14-Mar-2015 u,zzz,cccc,ffff,gggg Manufacturer: Febco	Meters: Spare Parts Only: Yes Bypass: Model: 850
Size: 3 Manual: 8 Approved: 14-Mar-1997 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: DC Size: 3 Manual: 8	Orientation: H 0.25% Pb: No Renewed: 14-Mar-2015 u,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: VU	Meters: Spare Parts Only: Yes Bypass: Model: 850 Meters:
Size: 3 Manual: 8 Approved: 14-Mar-1997 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: DC Size: 3 Manual: 8 Approved: 19-Mar-1997	Orientation: H 0.25% Pb: No Renewed: 14-Mar-2015 u,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: VU 0.25% Pb: No Renewed: 19-Mar-2015	Meters: Spare Parts Only: Yes Bypass: Model: 850 Meters: Spare Parts Only: Yes
Size: 3 Manual: 8 Approved: 14-Mar-1997 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: DC Size: 3 Manual: 8 Approved: 19-Mar-1997 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	Orientation: H 0.25% Pb: No Renewed: 14-Mar-2015 u,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: VU 0.25% Pb: No Renewed: 19-Mar-2015	Meters: Spare Parts Only: Yes Bypass: Model: 850 Meters: Spare Parts Only: Yes
Type: DC Size: 3 Manual: 8 Approved: 14-Mar-1997 Shutoffs: (ee),ff,II,mm,oo,pp,tt,u Type: DC Size: 3 Manual: 8 Approved: 19-Mar-1997 Shutoffs: (ee),ff,II,mm,oo,pp,tt,u Type: DC Size: 4	Orientation: H 0.25% Pb: No Renewed: 14-Mar-2015 u,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: VU 0.25% Pb: No Renewed: 19-Mar-2015 u,zzz,cccc,ffff,gggg	Meters: Spare Parts Only: Yes Bypass: Model: 850 Meters: Spare Parts Only: Yes Bypass:
Size: 3 Manual: 8 Approved: 14-Mar-1997 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: DC Size: 3 Manual: 8 Approved: 19-Mar-1997 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	Orientation: H 0.25% Pb: No Renewed: 14-Mar-2015 u,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: VU 0.25% Pb: No Renewed: 19-Mar-2015 u,zzz,cccc,ffff,gggg Manufacturer: Febco	Meters: Spare Parts Only: Yes Bypass: Model: 850 Meters: Spare Parts Only: Yes Bypass: Model: 850

Type: DC	Manufacturer: Febco	Model: 850
Size: 4	Orientation: VU	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 07-Feb-1995	Renewed: 07-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u		Dypuss.
Type: DC	Manufacturer: Febco	Model: 850
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 6	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-May-1995	Renewed: 31-May-2013	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 04-Oct-1995	Renewed: 04-Oct-2013	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 8	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Oct-1996	Renewed: 14-Oct-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	uu,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850F
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 28-Sep-2001	Renewed: 28-Sep-2013	Bypass:
Shutoffs: fff,jjj		
Type: DC	Manufacturer: Febco	Model: 850F
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 28-Sep-2001	Renewed: 28-Sep-2013	Bypass:

Type: DC	Manufacturer: Febco	Model: 850F
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Sep-2001	Renewed: 28-Sep-2013	Bypass:
Shutoffs: (fff),jjj		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Dec-1999	Renewed: 17-Dec-2014	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Mar-1999	Renewed: 08-Mar-2014	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Dec-1999	Renewed: 17-Dec-2014	Bypass:
Shutoffs: (kkk)		

Type: DC Size: 1 Manual: 9 Approved: 04-Aug-1999 Shutoffs: (kkk)	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 04-Aug-2014	Model: 850U Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jan-2000 Shutoffs: (kkk)	Renewed: 14-Jan-2015	Bypass:
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000 Shutoffs: (kkk)	Renewed: 16-Oct-2015	Bypass:
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998 Shutoffs: (kkk)	Renewed: 12-Oct-2013	Bypass:
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000 Shutoffs: (kkk)	Renewed: 16-Oct-2015	Bypass:
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Aug-1999 Shutoffs: (kkk)	Renewed: 04-Aug-2014	Bypass:
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		

Type: DC	Manufacturer: Febco	Model: 850U
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Aug-1999	Renewed: 04-Aug-2014	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Aug-1999	Renewed: 04-Aug-2014	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 857
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp	, tt, uu, yy, fff	
Type: DC	Manufacturer: Febco	Model: 857
Size: 2 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:

Shutoffs: (oo), gg, hh,ll, mm, pp, tt, uu, yy, fff

Type: DC	Manufacturer: Febco	Model: 857
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp	-	_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Type: DC	Manufacturer: Febco	Model: 857
Size: 3	Orientation: VU	Model: 057
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp	-	Dypass.
	Manufacturer: Febco	Model: 870
Type: DC Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu		Dypass.
Type: DC	Manufacturer: Febco	Model: 870
Size: 3	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu		
Type: DC	Manufacturer: Febco	Model: 870
Size: 4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu	,zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870
Size: 6	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu	,zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870
Size: 8	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-1994	Renewed: 24-May-2015	Bypass:
Shutoffs: ee ff ll mm oo pp tt uu	zzz ffff agga	

Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DC	Manufacturer: Febco	Model: 870
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-1996	Renewed: 04-Oct-2014	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu	zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 3	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 3	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
	Orientation: VUVD	Meters:
Size: 4		
Size: 4 Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Manual: 8	0.25% Pb: No Renewed: 08-Mar-2014	Spare Parts Only: Yes Bypass:
	Renewed: 08-Mar-2014	
Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	Renewed: 08-Mar-2014	
Manual: 8 Approved: 08-Mar-1996	Renewed: 08-Mar-2014 u,zzz,cccc,ffff,gggg	Bypass:
Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,II,mm,oo.pp,tt,u Type: DC	Renewed: 08-Mar-2014 u,zzz,cccc,ffff,gggg Manufacturer: Febco	Bypass: Model: 870V

Type: DC	Manufacturer: Febco	Model: 870V
Size: 6	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 6	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 8	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jan-1997	Renewed: 06-Jan-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 8	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jan-1997	Renewed: 06-Jan-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1997	Renewed: 11-Jul-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 10	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1997	Renewed: 11-Jul-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		

-		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
		· ·

Shutoffs: (mm),II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DC	Manufacturer: Febco	Model: LF850
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	ddd,eeee,ffff,gggg,nnnnn;	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Manual: 9		

Type: DC	Manufacturer: Febco	Model: LF850
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:
Shutoffs: (mm),ll,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850U
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850U
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850U
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850U
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		

Turner DC	Manufacturer, Cabaa	
Type: DC	Manufacturer: Febco	Model: LF850U
Size: 1 1/2 Manual: 9	Orientation: H	Meters:
	0.25% Pb: Yes Renewed:	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850U
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Aug-2012	Renewed: 09-Aug-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	.,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Aug-2012	Renewed: 09-Aug-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	

Type: DC	Manufacturer: Febco	Model: LF870V		
Size: 4	Orientation: VUVU	Meters:		
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:		
Shutoffs: (mm),II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn				
Type: DC	Manufacturer: Febco	Model: LF870V		
Size: 6	Orientation: VUVD	Meters:		
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:		
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn			
Type: DC	Manufacturer: Febco	Model: LF870V		
Size: 6	Orientation: VUVU	Meters:		
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:		
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn			
Type: DC	Manufacturer: Febco	Model: LF870V		
Size: 8	Orientation: VUVD	Meters:		
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:		
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn			
Type: DC	Manufacturer: Febco	Model: LF870V		
Size: 8	Orientation: VUVU	Meters:		
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:		
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn			
Type: DC	Manufacturer: Flomatic	Model: DCV		
Size: 3/4	Orientation: H	Meters:		
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes		
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:		
Shutoffs: ii				
Type: DC	Manufacturer: Flomatic	Model: DCV		
Size: 1	Orientation: H	Meters:		
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes		
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:		
Shutoffs: ii				

Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-May-1995	Renewed: 10-May-2013	Bypass:
Shutoffs: ii		
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-May-1995	Renewed: 10-May-2013	Bypass:
Shutoffs: ii		
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1997	Renewed: 14-Feb-2015	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd	
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1997	Renewed: 14-Feb-2015	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd	
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Jul-1999	Renewed: 01-Jul-2014	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd,dddd	
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 01-Jul-1999	Renewed: 01-Jul-2014	Bypass:
Shutoffs: ddddd		
Type: DC	Manufacturer: Flomatic	Model: DCV
0 '0	Orientation: H	Meters:
Size: 6		
Size: 6 Manual: 9	0.25% Pb: No	Spare Parts Only: Yes

Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 31-Jan-2002	Renewed: 31-Jan-2014	Bypass:
Shutoffs: ddddd		
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Nov-2004	Renewed: 09-Nov-2013	Bypass:
Shutoffs: (mm), hh, jj, kk, ll, gg,	yy, zz, ccc, ddd	
Type: DC	Manufacturer: Flomatic	Model: DCVE
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2013	Bypass:
Shutoffs: (hhhhh)		
Type: DC	Manufacturer: Flomatic	Model: DCVE
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2013	Bypass:
Shutoffs: (hhhhh)		
Type: DC	Manufacturer: Flomatic	Model: DCVE
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2013	Bypass:
Shutoffs: (hhhhh)		
Type: DC	Manufacturer: Flomatic	Model: DCVE
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2013	Bypass:
Shutoffs: (hhhhh)		
Type: DC	Manufacturer: Hersey	Model: 2
Size: 3	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Dec-1978	Renewed: 27-Dec-2014	Bypass:
Shutoffs: tt,bb,qq,iii,III		

Type: DC	Manufacturer: Hersey	Model: 2
Size: 4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Dec-1978	Renewed: 27-Dec-2014	Bypass:
Shutoffs: tt,bb,qq,iii,lll		
Type: DC	Manufacturer: Hersey	Model: 2
Size: 6	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Dec-1978	Renewed: 22-Dec-2014	Bypass:
Shutoffs: tt,bb,qq,iii,III		
Type: DC	Manufacturer: Hersey	Model: 2
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2014	Bypass:
Shutoffs: tt,bb,qq,iii,III		
Type: DC	Manufacturer: Hersey	Model: 2
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Feb-1982	Renewed: 19-Feb-2015	Bypass:
Shutoffs: tt,bb,qq,iii,lll		
Type: DC	Manufacturer: Neptune	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Wilkins		
Type: DC	Manufacturer: Watts	Model: 007
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Sep-1990	Renewed: 30-Sep-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 007
Size: 2 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Aug-1996	Renewed: 27-Aug-2014	Bypass:

Type: DC	Manufacturer: Watts	Model: 007
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 30-Sep-1990	Renewed: 30-Sep-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 007
Size: 3	Orientation: VU	Meters:
Manual: 8	0.25% Pb : Yes	Spare Parts Only: No
Approved: 27-Aug-1996	Renewed: 27-Aug-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	-	
Type: DC	Manufacturer: Watts	Model: 007M1-FP
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: DC	Manufacturer: Watts	Model: 007M1-FP
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: DC	Manufacturer: Watts	Model: 007M1PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp)	
Type: DC	Manufacturer: Watts	Model: 007M1PCQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp)	
Type: DC	Manufacturer: Watts	Model: 007M1PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC

Size: 3/4

Manual: 8

Type: DC

Manual: 8

Size: 1

Approved: 26-Feb-1991

Approved: 26-Feb-1991

Notes: Upgraded to 9th Ed.

Shutoffs: (vv),xx,ooo,hhhh,pppp

Shutoffs: vv,xx,ooo,hhhh,pppp

Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 26-Feb-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 26-Feb-2015

Type: DC Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previous 8th Ed. Approval

Type: DC Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Size: 1 1/2 Manual: 8 Approved: 30-Jun-1992 Shutoffs: vv,xx,ooo,hhhh,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 18-May-2013

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 18-May-2013

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 30-Jun-2013 Model: 007M1PCQT Meters: Spare Parts Only: No Bypass:

Model: 007M1QT Meters: Spare Parts Only: Yes Bypass:

Model: 007M1QT Meters: Spare Parts Only: No Bypass:

Model: 007M1QT Meters: Spare Parts Only: No Bypass:

Model: 007M1QT Meters: Spare Parts Only: No Bypass:

Model: 007M1QT Meters: Spare Parts Only: Yes Bypass:

Type: DC Manufacturer: Watts Model: 007M1QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 30-Jun-1992 Renewed: 30-Jun-2013 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007M1QT Size: 2 Orientation: VU Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 08-Mar-1996 Renewed: 08-Mar-2014 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007M2-FP Size: 1 1/4 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 Bypass: Shutoffs: (eeeee) Type: DC Manufacturer: Watts Model: 007M2-FP Size: 1 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 **Bypass:** Shutoffs: (eeeee) Type: DC Manufacturer: Watts Model: 007M2PCQT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 09-Dec-1996 Renewed: 09-Dec-2014 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007M2PCQT Size: 1 1/4 Orientation: VU Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 09-Dec-1996 Renewed: 09-Dec-2014 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007M2PCQT Size: 1 1/2 Orientation: H Meters: Spare Parts Only: No Manual: 8 0.25% Pb: No Approved: 12-Sep-1994 Renewed: 12-Sep-2015 Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Apr-1993	Renewed: 05-Apr-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 3/4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Aug-1996	Renewed: 27-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1994	Renewed: 24-May-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-1996	Renewed: 11-Mar-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M3-FP
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		

Type: DC	Manufacturer: Watts	Model: 007M3QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	Nellewed. 10 001 2014	Dypubb .
Type: DC	Manufacturer: Watts	Model: 007M3QT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007PCQT
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Feb-1995	Renewed: 17-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Dec-1993	Renewed: 08-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Notes: Upgraded to 9th Ed.		

Type: DC Size: 1/2 Manual: 9 Approved: 16-Jun-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Previous 8th Ed. Approval	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 16-Jun-2015	Model: 007QT Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-1997	Renewed: 16-Jun-2015	Bypass:
Shutoffs: (vv),xx,pppp,rrrrr Notes: Previous 8th Ed. Approval		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: pppp,rrrrr Notes: Upgraded to 9th Ed.		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 3/4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass:
Shutoffs: pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass:
Shutoffs: pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jul-1988	Renewed: 21-Jul-2015	Bypass:
Shutoffs: pppp,rrrrr		

Notes: Upgraded to 9th Ed.

••		
Shutoffs: pppp,rrrrr		
Notes: Upgraded to 9th Ed.		
Type: DC	Manufacturer: Watts	Model: 007SSM1PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007SSM1PCQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007SSM1QT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 26-Feb-1991	Renewed: 26-Feb-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007SSM1QT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 26-Feb-1991	Renewed: 26-Feb-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007SSPCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:

Manufacturer: Watts

Orientation: H

0.25% Pb: No

Type: DC

Manual: 7

Approved: 21-Jul-1988

Size: 2

Type: DCManufaSize: 2OrientaManual: 80.25% IApproved: 27-Sep-1994RenewaShutoffs: vv,xx,ooo,hhhh,pppp

Type: DC Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: pppp

Type: DC Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: pppp

Type: DC Size: 1 1/2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: pppp

Type: DC Size: 2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: pppp

Type: DC Size: 2 1/2 Manual: 5 Approved: 10-Jan-1981

Type: DC Size: 3 Manual: 5 Approved: 10-Jan-1981 Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 21-Jul-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 21-Jul-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Jan-2014 Model: 007SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: 007SSQT Meters: Spare Parts Only: Yes Bypass:

Model: 700 Meters: Spare Parts Only: Yes Bypass:

Model: 700 Meters: Spare Parts Only: Yes Bypass:

Type: DC	Manufacturer: Watts	Model: 709
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1986	Renewed: 12-Jun-2013	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 3	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1986	Renewed: 12-Jun-2013	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1982	Renewed: 15-Jan-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-1996	Renewed: 11-Mar-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 18-May-1982	Renewed: 18-May-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
	Manufacturer: Watts Orientation: VU	Model: 709 Meters:
Size: 6		
Size: 6 Manual: 8	Orientation: VU	Meters:
Size: 6 Manual: 8	Orientation: VU 0.25% Pb: No Renewed: 05-Dec-2014	Meters: Spare Parts Only: No
Size: 6 Manual: 8 Approved: 05-Dec-1996 Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	Orientation: VU 0.25% Pb: No Renewed: 05-Dec-2014	Meters: Spare Parts Only: No
Size: 6 Manual: 8 Approved: 05-Dec-1996 Shutoffs: (oo),gg,hh,ll,mm,pp,tt, Type: DC	Orientation: VU 0.25% Pb: No Renewed: 05-Dec-2014 uu,ww,yy,eee,ffff,gggg	Meters: Spare Parts Only: No Bypass:
Type: DC Size: 6 Manual: 8 Approved: 05-Dec-1996 Shutoffs: (oo),gg,hh,ll,mm,pp,tt, Type: DC Size: 8 Manual: 6	Orientation: VU 0.25% Pb: No Renewed: 05-Dec-2014 uu,ww,yy,eee,ffff,gggg Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 709

Type: DC	Manufacturer: Watts	Model: 709
Size: 8	Orientation: VU	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu	ı,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-1983	Renewed: 16-Mar-2016	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu	ı,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size : 10	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu	ı,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709BB
Size: 2 1/2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-1982	Renewed: 20-Jul-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu	ı,yy,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709BB
Size: 3	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-1982	Renewed: 20-Jul-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu	ı,yy,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709QT
Size: 3/4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1982	Renewed: 04-Aug-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 709QT
Size: 1	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1982	Renewed: 04-Aug-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Turner DO	Manufacturer, Wotto	
Type : DC Size : 1 1/2	Manufacturer: Watts	Model: 709QT Meters:
	Orientation: H	
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Apr-1982	Renewed: 21-Apr-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 709QT
Size: 2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Apr-1982	Renewed: 21-Apr-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	

Type: DC	Manufacturer: Watts	Model: 719AQTR10
Size: 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 719AQTR10
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,ru	rrr	
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,ru	rrr	
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,ru	rrr	
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,ru	rrr	
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,ri	rrr	

Type: DC	Manufacturer: Watts	Model: 719QT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rr	rrr	
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rr	rrr	
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rr	rrr	
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rr	rrr	
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rr	rrr	
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rr	rrrr	

Turney DC	Manufactures, Wotte	
Type: DC Size: 1/2	Manufacturer: Watts Orientation: VD	Model: 719QTR10 Meters:
Size: 1/2 Manual: 9	0.25% Pb: No	
	Renewed: 04-Oct-2014	Spare Parts Only: No
Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr	Reliewed. 04-001-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 757
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gggg,kkl	sk,IIII,mmmm,nnnn.nnnnn	

Type: DC	Manufacturer: Watts	Model: 757
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb	Kenewed. 29-06p-2013	Буразэ.
Type: DC	Manufacturer: Watts	Model: 757
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gggg	g,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg		Dypuss.
	Manufacturer: Watts	Madaly 757
Type: DC Size: 3	Orientation: VU	Model: 757 Meters:
Manual: 9	0.25% Pb: No	
	Renewed: 29-Sep-2013	Spare Parts Only: No
Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb	Kenewed. 29-3ep-2013	Bypass:
Type: DC	Manufacturer: Watts	Model: 757
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg		- ypass.
	, · · · · · · · · · · · · · · · · · · ·	
Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
 , , _ _, _ , _ _, _ , _ , _ , _ _, _ , _ _, _ , _ _, _ , _		

Shutoffs: (ppp),qqq,aaaa,bbbb

Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	ıg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	ıg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	ıg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:

Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-2004	Renewed: 16-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Sep-2004	Renewed: 16-Sep-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gggg	g,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gggg	g,kkkk,IIII,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gggg	g,kkkk,IIII,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:

Shutoffs: (ppp),qqq,aaaa,bbbb

2016 © University of Southern California

Type: DC	Manufacturer: Watts	Model: 757
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	lgg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757a
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
		nnnn.nnnn
	аа,оооо,аааа,ееее,дддд,кккк,шш,тттт,	,
Shutoffs: (ppp),qqq,yyy,zzz,aaa	Manufacturer: Watts	Model: 757a
Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4		
Shutoffs: (ppp),qqq,yyy,zzz,aaa	Manufacturer: Watts	Model: 757a

Type: DC	Manufacturer: Watts	Model: 757a
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		

Type: DC	Manufacturer: Watts	Model: 757N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: yyy, zzz,dddd,eeee,gg	ıgg,kkkk,IIII,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Watts	Model: 757N
• • • •	Orientation: VUVD	Meters:
Size: 10		
Size: 10 Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Type: DC	Manufacturer: Watts	Model: 757Na
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757Na
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757Na
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757Na
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Manual: 9 Approved: 03-Jul-2003	0.25% Pb: No Renewed: 03-Jul-2015	Spare Parts Only: No Bypass:
Approved: 03-Jul-2003		Bypass:
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa	Renewed: 03-Jul-2015	Bypass:
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa Type: DC	Renewed: 03-Jul-2015 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	Bypass: ,nnnn,nnnnn
Approved: 03-Jul-2003	Renewed: 03-Jul-2015 a,bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm Manufacturer: Watts	Bypass: ,nnnn,nnnnn Model: 757NQT
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 2 1/2 Manual: 9 Approved: 04-Dec-2009	Renewed: 03-Jul-2015 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VUVD	Bypass: ,nnnn,nnnnn Model: 757NQT Meters:
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 2 1/2 Manual: 9 Approved: 04-Dec-2009 Shutoffs: fffff	Renewed: 03-Jul-2015 a,bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Bypass: mnnn,nnnnn Model: 757NQT Meters: Spare Parts Only: No
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa Type: DC Size: 2 1/2 Manual: 9 Approved: 04-Dec-2009 Shutoffs: fffff	Renewed: 03-Jul-2015 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 04-Dec-2015	Bypass: nnnn,nnnnn Model: 757NQT Meters: Spare Parts Only: No Bypass:
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 2 1/2	Renewed: 03-Jul-2015 a,bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 04-Dec-2015 Manufacturer: Watts	Bypass: nnnn,nnnnn Model: 757NQT Meters: Spare Parts Only: No Bypass: Model: 757NQT
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 2 1/2 Manual: 9 Approved: 04-Dec-2009 Shutoffs: fffff Type: DC Size: 3 Manual: 9	Renewed: 03-Jul-2015 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 04-Dec-2015 Manufacturer: Watts Orientation: VUVD	Bypass: ,nnnn,nnnnn Model: 757NQT Meters: Spare Parts Only: No Bypass: Model: 757NQT Meters:
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 2 1/2 Manual: 9 Approved: 04-Dec-2009 Shutoffs: fffff Type: DC Size: 3	Renewed: 03-Jul-2015 a,bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 04-Dec-2015 Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Bypass: mnnn,nnnnn Model: 757NQT Meters: Spare Parts Only: No Bypass: Model: 757NQT Meters: Spare Parts Only: No
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa Type: DC Size: 2 1/2 Manual: 9 Approved: 04-Dec-2009 Shutoffs: fffff Type: DC Size: 3 Manual: 9 Approved: 04-Dec-2009 Shutoffs: fffff	Renewed: 03-Jul-2015 a,bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 04-Dec-2015 Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Bypass: mnnn,nnnnn Model: 757NQT Meters: Spare Parts Only: No Bypass: Model: 757NQT Meters: Spare Parts Only: No
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa Type: DC Size: 2 1/2 Manual: 9 Approved: 04-Dec-2009 Shutoffs: fffff Type: DC Size: 3 Manual: 9 Approved: 04-Dec-2009	Renewed: 03-Jul-2015 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 04-Dec-2015 Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 04-Dec-2015	Bypass: nnnn,nnnnn Model: 757NQT Meters: Spare Parts Only: No Bypass: Model: 757NQT Meters: Spare Parts Only: No Bypass:
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa Type: DC Size: 2 1/2 Manual: 9 Approved: 04-Dec-2009 Shutoffs: fffff Type: DC Size: 3 Manual: 9 Approved: 04-Dec-2009 Shutoffs: fffff Type: DC	Renewed: 03-Jul-2015 a,bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 04-Dec-2015 Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 04-Dec-2015 Manufacturer: Watts	Bypass: Model: 757NQT Meters: Spare Parts Only: No Bypass: Model: 757NQT Meters: Spare Parts Only: No Bypass: Model: 757NQT Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Watts	Model: 757QT
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 757QT
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 757QT
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 757QT
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 757QT
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 757QT
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 767
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:

Shutoffs: (ppp),qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn,nnnn

Type: DC	Manufacturer: Watts	Model: 767
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
	Manufacturer: Watts	Model: 767
Type: DC		
	Orientation: VU	Meters:
Size: 4	Orientation: VU 0.25% Pb: No	Meters: Spare Parts Only: No
Size: 4 Manual: 9		
Size: 4 Manual: 9 Approved: 21-Apr-2006	0.25% Pb: No	Spare Parts Only: No Bypass:
Size: 4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ppp),qqq,yyy,zzz,aaa	0.25% Pb: No Renewed: 21-Apr-2015	Spare Parts Only: No Bypass:
Size: 4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ppp),qqq,yyy,zzz,aaa	0.25% Pb: No Renewed: 21-Apr-2015 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	Spare Parts Only: No Bypass: nnnn,nnnnn
Size: 4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 6	0.25% Pb: No Renewed: 21-Apr-2015 a,bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm, Manufacturer: Watts	Spare Parts Only: No Bypass: nnnn,nnnnn Model: 767
Size: 4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 6 Manual: 9	0.25% Pb: No Renewed: 21-Apr-2015 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: H	Spare Parts Only: No Bypass: nnnn,nnnnn Model: 767 Meters:
Size: 4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 6 Manual: 9 Approved: 16-Sep-2004	0.25% Pb: No Renewed: 21-Apr-2015 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: H 0.25% Pb: No	Spare Parts Only: No Bypass: nnnn,nnnnn Model: 767 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 6 Manual: 9 Approved: 16-Sep-2004	0.25% Pb: No Renewed: 21-Apr-2015 a,bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm, Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 16-Sep-2013	Spare Parts Only: No Bypass: nnnn,nnnnn Model: 767 Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 6 Manual: 9 Approved: 16-Sep-2004 Shutoffs: (yyy),ppp,qqq,zzz,aaa	0.25% Pb: No Renewed: 21-Apr-2015 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 16-Sep-2013 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	Spare Parts Only: No Bypass: nnnn,nnnnn Model: 767 Meters: Spare Parts Only: No Bypass: nnnn,nnnnn
Size: 4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 6 Manual: 9 Approved: 16-Sep-2004 Shutoffs: (yyy),ppp,qqq,zzz,aaa	0.25% Pb: No Renewed: 21-Apr-2015 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 16-Sep-2013 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts	Spare Parts Only: No Bypass: nnnn,nnnnn Model: 767 Meters: Spare Parts Only: No Bypass: nnnn,nnnnn

Type: DC	Manufacturer: Watts	Model: 767
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: (yyy), ppp, qqq,zzz, aa	aaa, bbbb, dddd, eeee, ffff, gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: 767
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: (yyy), ppp, qqq,zzz, aa	aaa, bbbb, dddd, eeee, ffff, gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: 767
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg	
Type: DC	Manufacturer: Watts	Model: 767
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg	
Type: DC	Manufacturer: Watts	Model: 767a
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767a
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767a
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Shutoffs: (ppp),qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn,nnnn

Type: DC	Manufacturer: Watts	Model: 767a
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	i,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767a
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	n,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767a
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	i,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,ddc	ld,eeee,dddd,gggg,kkkk,llll,mmmm,nnnr	n,nnnnn
Type: DC	Manufacturer: Watts	Model: 767N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,ddc	ld,eeee,dddd,gggg,kkkk,llll,mmmm,nnnr	n,nnnnn
Type: DC	Manufacturer: Watts	Model: 767N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,ddc	ld,eeee,dddd,gggg,kkkk,llll,mmmm,nnnr	ı,nnnnn
Type: DC	Manufacturer: Watts	Model: 767N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		

Type: DC	Manufacturer: Watts	Model: 767N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg		
Type: DC	Manufacturer: Watts	Model: 767N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,ddd	d,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn,	,nnnnn
Type: DC	Manufacturer: Watts	Model: 767Na
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767Na
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767Na
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 770
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
	0.25% Pb: No Renewed: 20-May-2013	Spare Parts Only: Yes Bypass:
Approved: 20-May-1992	Renewed: 20-May-2013	
Manual: 8 Approved: 20-May-1992 Shutoffs: oo,gg,hh,ll,mm,pp,tt,uu Type: DC	Renewed: 20-May-2013 I,yy	Bypass:
Approved: 20-May-1992 Shutoffs: oo,gg,hh,ll,mm,pp,tt,ut Type: DC	Renewed: 20-May-2013 J,yy Manufacturer: Watts	Bypass: Model: 770
Approved: 20-May-1992 Shutoffs: oo,gg,hh,ll,mm,pp,tt,uu Type: DC Size: 8	Renewed: 20-May-2013 J,yy Manufacturer: Watts Orientation: H	Bypass: Model: 770 Meters:
Approved: 20-May-1992	Renewed: 20-May-2013 J,yy Manufacturer: Watts	Bypass: Model: 770

Type: DC	Manufacturer: Watts	Model: 770QTFDA
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jan-1993	Renewed: 13-Jan-2014	Bypass:
Shutoffs: ww		
Type: DC	Manufacturer: Watts	Model: 770QTFDA
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jan-1993	Renewed: 13-Jan-2014	Bypass:
Shutoffs: ww		
Type: DC	Manufacturer: Watts	Model: 772
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Jul-1992	Renewed: 01-Jul-2013	Bypass:
Shutoffs: oo,yy		
Type: DC	Manufacturer: Watts	Model: 772
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2014	Bypass:
Shutoffs: oo,yy		
Type: DC	Manufacturer: Watts	Model: 774
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,c	cc,ddd	
Type: DC	Manufacturer: Watts	Model: 774
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
	Renewed: 11-Jul-2015	Bypass:

Type: DC	Manufacturer: Watts	Model: 774
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,cc	c,ddd	
Type: DC	Manufacturer: Watts	Model: 774
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,cc	c,ddd	
Type: DC	Manufacturer: Watts	Model: 774
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2013	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-1996	Renewed: 16-Sep-2014	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,cc	c,ddd	
Type: DC	Manufacturer: Watts	Model: 774
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Sep-1996	Renewed: 16-Sep-2014	Bypass:

Shutoffs: II,mm,oo,ffff,gggg

Type: DC Size: 10	Manufacturer: Watts Orientation: H	Model: 774 Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Feb-2001	Renewed: 16-Feb-2016	Bypass:
Shutoffs: (II),mm,ffff,gggg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: hh,gg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2014	Bypass:
Shutoffs: pp,		
Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2014	Bypass:
Shutoffs: (II),mm,oo		
Type: DC	Manufacturer: Watts	Model: 774X
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1996	Renewed: 10-Sep-2014	Bypass:
Shutoffs: (mm),ee,ff,gg,hh,ll,oo,	pp,tt,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 774X
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Nov-1993	Renewed: 22-Nov-2014	Bypass:

Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg

Type: DC	Manufacturer: Watts	Model: 774X
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Sep-1992	Renewed: 09-Sep-2013	Bypass:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,	pp,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Aug-1999	Renewed: 12-Aug-2014	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Aug-1999	Renewed: 12-Aug-2014	Bypass:
Shutoffs: int		

Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Sep-2000	Renewed: 07-Sep-2015	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Sep-2000	Renewed: 07-Sep-2015	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Sep-2000	Renewed: 07-Sep-2015	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Sep-2000	Renewed: 07-Sep-2015	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 28-Mar-2002	Renewed: 28-Mar-2014	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 28-Mar-2002	Renewed: 28-Mar-2014	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: LF007
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (00)		

Type: DC Size: 3 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (oo)

Type: DC Size: 1 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2014 Model: LF007 Meters: Spare Parts Only: No Bypass:

Model: LF007M1PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007M1QT Meters: Spare Parts Only: No Bypass:

Model: LF007M1QT Meters: Spare Parts Only: No Bypass: Type: DC Size: 2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 1/4 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 1/4 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 1/2 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 1/2 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: Model: LF007M1QT Meters: Spare Parts Only: No Bypass:

Model: LF007M1QT Meters: Spare Parts Only: No Bypass:

Model: LF007M2QT Meters: Spare Parts Only: No Bypass:

Model: LF007M3PCQT Meters: Spare Parts Only: No Bypass: Type: DC Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Approved: 11-Jan-2008

Approved: 11-Jan-2008

Approved: 13-Mar-2015

Approved: 13-Mar-2015

Approved: 11-Jan-2008

Shutoffs: (hhhh),rrrrr

Shutoffs: (hhhh),rrrrr

Shutoffs: (hhhh),rrrrr

Shutoffs: (hhhh),rrrrr

Shutoffs: (hhhh),rrrrr

Type: DC

Size: 3/4

Manual: 9

Type: DC

Size: 3/4

Manual: 9

Type: DC

Size: 1/2

Manual: 9

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2014 Model: LF007M3PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007M3QT Meters: Spare Parts Only: No Bypass:

Model: LF007M3QT Meters: Spare Parts Only: No Bypass:

Model: LF007PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007QT Meters: Spare Parts Only: No Bypass:

Model: LF007QT Meters: Spare Parts Only: No Bypass:

Approved: 11-Jan-2008

Shutoffs: (hhhh),rrrrr

Type: DC	Manufacturer: Watts	Model: LF709
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Jul-2010	Renewed: 01-Jul-2013	Bypass:

Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DC	Manufacturer: Watts	Model: LF709		
Size: 8	Orientation: VU	Meters:		
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 01-Jul-2010	Renewed: 01-Jul-2013	Bypass:		
Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn				
Type: DC	Manufacturer: Watts	Model: LF709		
Size: 10	Orientation: H	Meters:		
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 01-Jul-2010	Renewed: 01-Jul-2013	Bypass:		
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn			
Type: DC	Manufacturer: Watts	Model: LF709		
Size: 10	Orientation: VU	Meters:		
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 01-Jul-2010	Renewed: 01-Jul-2013	Bypass:		
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn			
Type: DC	Manufacturer: Watts	Model: LF719AQT		
Size: 1	Orientation: VUVD	Meters:		
Manual: 9	0.25% Pb: No	Spare Parts Only: No		
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:		
Shutoffs: (vv),xx,ooo,pppp,rrrrr				
Type: DC	Manufacturer: Watts	Model: LF719AQT		
Size: 1	Orientation: VUVD	Meters:		
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:		
Shutoffs: hhhh,rrrrr				
Type: DC	Manufacturer: Watts	Model: LF719AQT		
Size: 1 1/4	Orientation: VUVD	Meters:		
Manual: 9	0.25% Pb: No	Spare Parts Only: No		
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:		
Shutoffs: (vv),xx,ooo,pppp,rrrrr				
Type: DC	Manufacturer: Watts	Model: LF719AQT		
Size: 1 1/4	Orientation: VUVD	Meters:		
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:		
Shutoffs: hhhh,rrrrr				

Turner DO	No	
Type: DC Size: 1 1/2	Manufacturer: Watts	Model: LF719AQT Meters:
Size: 1 1/2 Manual: 9	Orientation: VUVD 0.25% Pb: No	
	••	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719AQT
Size : 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (hhhh)		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (hhhh)		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (hhhh)		

Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 3/4	Orientation: H	Model. LF719Q1 Meters:
Manual: 9	0.25% Pb: Yes	
	Renewed:	Spare Parts Only: No
Approved: 03-Jul-2013 Shutoffs: (hhhh)	Keneweu.	Bypass:
Type: DC	Manufacturer: Watts	Model: LF719QT
Size : 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013 Shutoffs: (hhhh)	Renewed:	Bypass:
	Manufacturer: Watts	Model: LF719QT
Type: DC Size: 3/4	Orientation: VU	Model: LF719Q1 Meters:
Manual: 9	0.25% Pb: Yes	
Approved: 03-Jul-2013	Renewed:	Spare Parts Only: No Bypass:
Shutoffs: (hhhh)	Kenewed.	Буразэ.
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		

Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrr

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Shutoffs: hhhh,rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Shutoffs: hhhh,rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: DC

Size: 1 1/2

Manual: 9

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2014

Shutoffs: (vv),xx,ooo,pppp,rrrrr Type: DC

Approved: 22-Aug-2005

Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrr Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014 Model: LF719QT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrr	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2014 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2014	Model: LF719QT Meters: Spare Parts Only: No Bypass: Model: LF719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr	Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2014	Model: LF719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr	Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2014	Model: LF719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2014	Model: LF719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr	Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014	Model: LF719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp,rm	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2014	Model: LF719QTR10 Meters: Spare Parts Only: No Bypass:

Type: DC Size: 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC	Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2014 Manufacturer: Watts	Model: LF719QTR10 Meters: Spare Parts Only: No Bypass: Model: LF719QTR10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QTR10
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Renewed: 22-Aug-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: LF719QTR10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QTR10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp		
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh		

- 50		
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1	Orientation: VD 0.25% Pb: No	Meters:
Manual: 9		Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp		
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh		
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp		
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh		
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp		
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh		
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp		

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

- Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,000,pppp
- Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh
- Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,000,pppp
- Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh
- Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp
- Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2014 Model: LFU719QT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2014	Model: LFU719QT Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005 Shutoffs: hhhh	Renewed: 22-Aug-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp	Renewed: 22-Aug-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005 Shutoffs: hhhh	Renewed: 22-Aug-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp	Renewed: 22-Aug-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005 Shutoffs: hhhh	Renewed: 22-Aug-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp		

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

- Type: DC Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (hhh)
- Type: DC Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (hhh)
- Type: DC Size: 1/2 Manual: 9 Approved: 11-Sep-2000 Shutoffs: (hhh)

Type: DC Size: 1/2 Manual: 9 Approved: 11-Sep-2000 Shutoffs: (hhh)

Type: DC Size: 3/4 Manual: 9 Approved: 07-Sep-2000 Shutoffs: (hhh)

Type: DC Size: 3/4 Manual: 9 Approved: 07-Sep-2000 Shutoffs: (hhh) Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-May-2013

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 18-May-2013

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Sep-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Sep-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 07-Sep-2015 Model: LFU719QT Meters: Spare Parts Only: No Bypass:

Model: SS007M1QT Meters: Spare Parts Only: No Bypass:

Model: SS007M1QT Meters: Spare Parts Only: No Bypass:

Model: SS007M3QT Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Watts	Model: U007M1APCQT
Size: 3/4	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1994	Renewed: 10-Dec-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1APCQT
Size: 3/4	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1994	Renewed: 10-Dec-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1APCQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1994	Renewed: 10-Dec-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1APCQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1994	Renewed: 10-Dec-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1APCQT
Size: 2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1APCQT
Size: 2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1APCQT
Size: 2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 27-Sep-2015	Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 3/4	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 24-Feb-2015	Bypass:
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 3/4	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC Size: 2 Manual: 8 Approved: 24-Feb-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 24-Feb-2015	Model: U007M1AQT Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1QT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-1993	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC	Manufacturer: Watts	Model: U007M1QT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-1993	Renewed: 30-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Oct-1993	Renewed: 20-Oct-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1QT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-1993	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M2AQT
Size: 1 1/2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1994	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M2AQT
Size: 1 1/2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1994	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M2AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1994	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M2AQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1994	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC	Manufacturer: Watts	Model: U007M2QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M2QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1994	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007PCQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Mar-1999	Renewed: 08-Mar-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC Manufacturer: Watts Model: U007QT Size: 1/2 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 08-Mar-1999 Renewed: 08-Mar-2014 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007QT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Renewed: 11-Jan-2015 Approved: 11-Jan-1988 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007QT Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007QT Size: 1 1/2 Orientation: H Meters: Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 21-Jul-1988 Renewed: 21-Jul-2015 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007QT **Size:** 2 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Renewed: 21-Jul-2015 Approved: 21-Jul-1988 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007SSPCQT Size: 3/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 10-Dec-1993 Renewed: 10-Dec-2014 **Bypass:** Shutoffs: vv,xx,pppp Type: DC Manufacturer: Watts Model: U007SSPCQT Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 10-Dec-1993 Renewed: 10-Dec-2014 Bypass: Shutoffs: vv,xx,pppp

Type: DC Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: DC Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: DC Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: DC Size: 1 1/2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: vv,xx,pppp

Type: DC Size: 2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: vv,xx,pppp

Type: DCManufacturer: WattsSize: 1/2Orientation:Manual:0.25% Pb: NoApproved:Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 21-Jul-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 21-Jul-2015 Model: U007SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: U007SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: U007SSQT Meters: Spare Parts Only: Yes Bypass:

Model: U719QT Meters: Spare Parts Only: No Bypass:

Notes: model designation changed to U719QTR10

Size: 1/2Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Size: 3/4Type: DCManufacturer: WattsModel: U719QTNotes: model designation changed to U719QTR10Type: DCManufacturer: WattsType: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: No	Type: DC	Manufacturer: Watts	Model: U719QT
Approved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 1/2Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb:	Size: 1/2	Orientation:	Meters:
Type: DC Manufacturer: Watts Model: U719QT Size: 1/2 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Model: U719QT Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Weters: Model: U719QT Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Meters: Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Model: U719QT Type: DC Manufacturer: Watts Model: U719QT Size: 1 Orientation: Meters:	Manual:	0.25% Pb: No	Spare Parts Only: No
Type: DC Manufacturer: Watts Model: U719QT Size: 1/2 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Model: U719QT Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Model: U719QT Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Spare Parts Only: No Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Spare Parts Only: No </th <th>Approved:</th> <th>Renewed:</th> <th>Bypass:</th>	Approved:	Renewed:	Bypass:
Note:Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Notes:model to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved:Renewed:04-Oct-2014Bypass:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: (4-Oct-2005)Renewed: 04-Oct-2014Bypass:Shutfit: (vv),xx,ooo,hhhh,pppType: DCManufacturer: WattsModel: U719QTTy	Notes: model designation chang	ged to U719QTR10	
Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Size: 3/4Model: U719QTType: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoType: DCManufacturer: WattsModel: U719QTNotes: model designation changed to U719QTR10Spare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoSpare 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: (v4-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppSpare 04-Oct-2014Bypass:Type: DCManufacturer: WattsModel: U719QTShutoffs: (vv),x	Type: DC	Manufacturer: Watts	Model: U719QT
Approved:Renewed:Bypass:Notes:model:U719QTR10Type:DCManufacturer:WattsSize:3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model:U719QTSize:3/4Orientation:Meters:Model:U719QTSize:3/4Orientation:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved:04-Oct-2005Renewed:Bypass:Shutoffs: (w),xx,ooo,hhhh,pppType: DCManufacturer: WattsModel:Type: DCManufacturer: WattsModel:U719QTShutoffs: (w),xx,ooo,hhhh,pppType: NoSpare Parts Only: NoShutoffs: 1 <td>Size: 1/2</td> <td>Orientation:</td> <td>Meters:</td>	Size: 1/2	Orientation:	Meters:
Notes: model designation changed to U719QTR10 Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Model: U719QT Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Size: 3/4 Orientation: Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Size: 3/4 Orientation: Type: DC Manufacturer: Watts Model: U719QT Size: 1 Orientation: H Meters: Naproved: 04-Oct-2005 Renewed: 04-Oct-2014 Bypass: Shutoffs: (w),xx,ooo,hhhh,ppp D	Manual:	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoType: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppType: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Shutoffs: (vv),xx,ooo,hhhh,pppSpare Parts Only: NoSpare DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoS	Approved:	Renewed:	Bypass:
Notes:Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppType: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: Watts <t< td=""><td>Notes: model designation chang</td><td>ged to U719QTR10</td><td></td></t<>	Notes: model designation chang	ged to U719QTR10	
Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Model: U719QTType: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Bypass:Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Type: DCType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoSpare: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Type: DC	Manufacturer: Watts	Model: U719QT
Approved:Renewed:Bypass:Notes: model designation changed to U719QTR10Wodel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Model: U719QTType: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Nanual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoType: DCManufacturer: WattsModel: U719QTSize: 1Orientation:Meters:Notes: model designation changed to U719QTR10Spare Parts Only: NoType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppFile orientation: VDMeters:Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Size: 3/4	Orientation:	Meters:
Notes: model designation changed to U719QTR10 Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Type: DC Manufacturer: Watts Model: U719QT Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 04-Oct-2005 Renewed: 04-Oct-2014 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U719QT Size: 1 Orientation: H Meters: Shutoffs: (vv),xx,ooo,hhhh,ppp	Manual:	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoType: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppType: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Shutoffs: (vv),xx,ooo,hhhh,pppVDMeters:Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Approved:	Renewed:	Bypass:
AnswitzOrientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Nodel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoType: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Manual: 90.25% Pb: NoSpare Parts Only: NoType: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Notes: model designation chang	ged to U719QTR10	
Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Wodel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Bypass:Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Type: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Type: DC	Manufacturer: Watts	Model: U719QT
Approved:Renewed:Bypass:Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppeManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Shutoffs: (vv),xx,ooo,hhhh,pppeManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Size: 3/4	Orientation:	Meters:
Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppType: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Shutoffs: (vo),xx,ooo,hhhh,ppp0.25% Pb: NoSpare Parts Only: NoManual: 90.25% Pb: NoSpare Parts Only: No	Manual:	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppType: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Approved:	Renewed:	Bypass:
Size: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Model: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Notes: model designation chang	ged to U719QTR10	
Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Type: DC	Manufacturer: Watts	Model: U719QT
Approved:Renewed:Bypass:Notes: model designation changed to U719QTR10Manufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Size: 3/4	Orientation:	Meters:
Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Manual:	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Approved:	Renewed:	Bypass:
Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Notes: model designation chang	ged to U719QTR10	
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Type: DC	Manufacturer: Watts	Model: U719QT
Approved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Size: 1	Orientation: H	Meters:
Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U719QT Size: 1 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Shutoffs: (vv),xx,ooo,hhhh,pppp)	
Manual: 9 0.25% Pb: No Spare Parts Only: No	Type: DC	Manufacturer: Watts	Model: U719QT
	Size: 1	Orientation: VD	Meters:
Approved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:	Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Size: 1 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014	Model: U719QT Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No Renewed: 04-Oct-2014	Spare Parts Only: No
Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp	Reflewed. 04-Oct-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9 Approved: 04-Oct-2005	0.25% Pb: No Renewed: 04-Oct-2014	Spare Parts Only: No Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	Kenewed. 04-001-2014	Βγμαςς.
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC Size: 2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014	Model: U719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 04-Oct-2014	Model: U719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014	Model: U719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: formerly U719QT	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014	Model: U719QTR10 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: formerly U719QT	Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 04-Oct-2014	Model: U719QTR10 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014	Model: U719QTR10 Meters: Spare Parts Only: No Bypass:

Notes: formerly U719QT

SIZE: 3/4	Unentation: H	weters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Notes: formerly U719QT		
Type: DC	Manufacturer: Watts	Model: U719QTR10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Notes: formerly U719QT		
Type: DC	Manufacturer: Watts	Model: U719QTR10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: formerly U719QT		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Jul-2005	Renewed: 06-Jul-2014	Bypass:
Shutoffs: (ii),000		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Jul-2005	Renewed: 06-Jul-2014	Bypass:
Shutoffs: (ii),000		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:

Manufacturer: Watts

Orientation: H

Model: U719QTR10

Meters:

Type: DC

Size: 3/4

Shutoffs: (ii),000

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ii),000		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Sep-2001	Renewed: 05-Sep-2013	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	vwww,yyyy,zzzz,kkkkk
Notes: Up to serial number J352	14	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	ttt,vvvv,wwww,yyyy,zzzz,kkkkk	
Notes: Serial number J35214 and	d higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
		Burnanau
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	Renewed: 09-Sep-2013 J,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	
	ı,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	ı,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher	vwww,yyyy,zzzz,kkkkk
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins	www,yyyy,zzz,kkkkk Model: 350
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU	www,yyyy,zzzz,kkkkk Model: 350 Meters:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014	www,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,www,yyyy,zzzz,kkkkk	www,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,www,yyyy,zzzz,kkkkk	www,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,www,yyyy,zzzz,kkkkk	www,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,wwww,yyyy,zzzz,kkkkk 14 Manufacturer: Wilkins	Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3 Manual: 9	a,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,wwww,yyyy,zzzz,kkkk 14 Manufacturer: Wilkins Orientation: H	Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3 Manual: 9 Approved: 05-Sep-2001	a,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,www,yyyy,zzzz,kkkkk 14 Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3 Manual: 9 Approved: 05-Sep-2001	a,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,wwww,yyyy,zzzz,kkkk 14 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Sep-2013 a,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3 Manual: 9 Approved: 05-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	a,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,wwww,yyyy,zzzz,kkkk 14 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Sep-2013 a,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3 Manual: 9 Approved: 05-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number J352	A,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,wwww,yyyy,zzzz,kkkkk 14 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Sep-2013 A,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 14	www,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: www,yyyy,zzzz,kkkkk
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3 Manual: 9 Approved: 05-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number J352 Type: DC	A,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,wwww,yyyy,zzzz,kkkk 14 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Sep-2013 A,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 14 Manufacturer: Wilkins	www,yyyy,zzzz,kkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: www,yyyy,zzzz,kkkkk Model: 350
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3 Manual: 9 Approved: 05-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number J352 Type: DC Size: 3	A,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,wwww,yyyy,zzzz,kkkk 14 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Sep-2013 J,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 14 Manufacturer: Wilkins Orientation: H	www,yyyy,zzzz,kkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: www,yyyy,zzzz,kkkkk Model: 350 Meters:

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss	tttt,vvvv,wwww,yyyy,zzzz,kkkkk	
Notes: Serial number J35214 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2014	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	uu,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	vwww,yyyy,zzzz,kkkkk
Notes: Up to serial number J35	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 4	Orientation: H	Meters:
		Spare Parts Only: No
Manual: 9	0.25% Pb: No	opulo i uno omyr no
Manual: 9 Approved: 15-Sep-1999	0.25% Pb: No Renewed: 15-Sep-2014	Bypass:
Approved: 15-Sep-1999		Bypass:
Approved: 15-Sep-1999	Renewed: 15-Sep-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Bypass:
Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	Renewed: 15-Sep-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Bypass:
Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number J35 Type: DC	Renewed: 15-Sep-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkł
Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,t Notes: Up to serial number J35 Type: DC Size: 4	Renewed: 15-Sep-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkł Model: 350
Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number J35	Renewed: 15-Sep-2014 Ju,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters:
Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number J35 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010	Renewed: 15-Sep-2014 Ju,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number J35 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010	Renewed: 15-Sep-2014 Ju,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,t Notes: Up to serial number J35 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v	Renewed: 15-Sep-2014 Ju,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,t Notes: Up to serial number J35 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,t Notes: Serial number J35214 a	Renewed: 15-Sep-2014 Ju,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,t Notes: Up to serial number J35 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 4	Renewed: 15-Sep-2014 Ju,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk and higher Manufacturer: Wilkins	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350
Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number J35 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a	Renewed: 15-Sep-2014 Ju,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: VU	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters:
Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number J35 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010	Renewed: 15-Sep-2014 Ju,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number J35 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010	Renewed: 15-Sep-2014 Ju,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,t Notes: Up to serial number J35 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v	Renewed: 15-Sep-2014 Ju,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number J35 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a	Renewed: 15-Sep-2014 Ju,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk and higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass: s,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number J35 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC	Renewed: 15-Sep-2014 Ju,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk and higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk and higher Manufacturer: Wilkins	Bypass: s,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350

Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 18-Oct-1999Renewed: 18-Oct-2014Bypass:Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyy,zzzz,kkkkkNotes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss.ttt,vvv,wwww.yyyy,zzzz,kkkkkNotes: Serial number J35214 and higherType: DCManufacturer: WilkinsModel: 350Size: 6Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,pp,qqq,vvv,www.ssss.tttt,vvvv,www.yyyy,zzzz,kkkkkNotes:Noteffs: (gg),hh,pp,qqq,vvv,www.ssss.tttt,vvvv,www.yyyy,zzzz,kkkkkNotes:Noteffs: (gg),e,ff,hh,II,mm,tt,uu,yy,zz,ppp,qq,vv,www.yyyy,zzzz,kkkkkNodel: 350Size: 6Orientation: VUMeters:Type: DCManufacturer: WilkinsModel: 350Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Dec-1999Renewed: 17-Dec-2014Bypass:Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,sss,ttt,vvv,www,yyy,zzzz,kkkkkNotes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:	Type: DC	Manufacturer: Wilkins	Model: 350
Approved: 18-Oct-1999 Renewed: 18-Oct-2014 Bypass: Shutoffs: (gg),ee,ff,hh,II,Imm,ti,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttI,vvvv,www,yyy,zzzz,kkkkk Model: 350 Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,pp,qq,vvv,www,ssss.ttt,vvv,wwww.yyyy,zzzz,kkkkk Nodel: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,pp,qq,qv,vv,www,ssss.ttt,vvvv,www.yyyy,zzzz,kkkkk No Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,pp,qq,qvv,www,ssss.ttt,vvvv,www.yyyy,zzzz,kkkkk Nodel: 350 Size: 6 Orientation: /U Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Size: 6 <t< th=""><th>Size: 6</th><th>Orientation: H</th><th>Meters:</th></t<>	Size: 6	Orientation: H	Meters:
Nutoffs: (gg),ee,ff,hh.ll,mm,tLuu.yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www.yyy,zzzz,kkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,pp,qq,vvv,www,ssss.tttt,vvvv,www.yyy,zzzz,kkkkk Notes: Serial number J35214 and higher Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss.ttt,vvvv,www.yyyy,zzzz,kkkkk Notes: Serial number J35214 and higher Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2014 Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tLuu.yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,ttt,vvv,www.yyyy,zzzz,kkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: VU Meters: Shutoffs: (gg),ee,ff,hh,ll,mm,tLuu.yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttl,vvvv,www.yyyy,zzzz,kkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 08-Mar-2002 Renewed: 08-Mar-2014 Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tLuu.yy,zz,ppp,Qq,vvv,www,zzz,dddd,eeee,ssss,tttl,vvvv,www,yyy,zzzz,kkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 08-Mar-2012 Renewed: 08-Mar-2014 Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tLuu.yy,zz,ppp,Qq,vvv,www,zzz,dddd,eeee,sss,tttl,vvv,www,yyy,zzzz,kkkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qqq,vv,www,ssss,ttt,vvv,www,yy	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh.ppp.qqq,vvv,www.ssss,ttt,vvvv,wwww.yyyy.zzzz,kkkkk Nodel: 350 Size: 6 Orientation: VU Meters: Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh.ppp.qq,vvv,www.ssss.ttt,vvvv,www.wyyy.zzzz,kkkkk Nodel: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2014 Bypass: Shutoffs: (gg),ee,ff,hh.ll,mm,tf,uu,yy.zz,ppp.qqq,vvv,www.zzz,dddd,eeee,ssss.tttt,vvvv,wwww.yyyy.zzzz,kkkkk Notel: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 08-Mar-2002 Renewed: 08-Mar-2	Approved: 18-Oct-1999	Renewed: 18-Oct-2014	Bypass:
Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hn,ppp,qqq,vvv,www.ssss.ttt,vvv,wwww.yyyy,zzzz,kkkkk Nodel: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hn,ppp,qqq,vvv,www,ssss,ttt,vvvv,wwww.yyyy,zzzz,kkkkk Nodel: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hn,ppp,qqq,vvv,www,ssss,ttt,vvvv,wwww.yyyy,zzzz,kkkkk Nodel: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2014 Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tt.uu,yy,zz,ppp,qq,vvv,www.zzz,dddd,eeee,ssss.ttt,vvvv,www.yyyy,zzzz,kkkkk Nodel: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 08-Mar-2002 Renewed: 08-Mar-2014 Bypa	Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Approved:Orientation: HMeters:Manual:90.25% Pb: YesSpare Parts Only: NoApproved:09-Sep-2010Renewed:09-Sep-2013Bypass:Shutoffs:(gg),hh,ppp,qqq,vvv,www.ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkkNodel:350Size:6Orientation: VUMeters:Type:DCManufacturer:WilkinsModel:350Size:6Orientation: VUMeters:Manual:90.25% Pb: YesSpare Parts Only: NoApproved:09-Sep-2010Renewed:09-Sep-2013Bypass:Shutoffs:(gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkkNodel:350Size:6Orientation: VUMeters:Type:DCManufacturer:WilkinsModel:350Size:6Orientation: VUMeters:Manual:90.25% Pb: NoSpare Parts Only: NoApproved:17-Dec-1999Renewed:17-Dec-2014Bypass:Shutoffs:(gg),ee,ff,hh,II,mm,tt,uu,yy,zz,pp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvv,wwww,yyy,zzzz,kkkkkNodel:350Size:8Orientation: HMeters:Model:350Size:8Orientation: HMeters:Model:350Size:8Orientation: HMeters:Model:350Size:8Orientation: HMeters:Model:350Size:8Orientation: HMeters:Model:350<	Notes: Up to serial number J352	14	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,tttt, vvvv,wwww,yyyy,zzzz,kkkkkBypass:Notes: Serial number J35214 and higherModel: 350Type: DCManufacturer: WilkinsModel: 350Size: 6Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,tttt, vvvv,www.yyyy,zzzz,kkkkkNotel: 350Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Dec-1999Renewed: 17-Dec-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,sss,tttt,vvv,www.yyyy,zzzz,kkkkkNodel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Dec-1999Renewed: 17-Dec-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,sss,tttt,vvv,www.yyyy,zzzz,kkkkkNotel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 08-Mar-2002Renewed: 08-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,sss,tttt,vvv,www,yyy,zzzz,kkkkkNotel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Mar-2012Renewed: 08-M	Type: DC	Manufacturer: Wilkins	Model: 350
Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Nodel: 350 Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Nodel: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Spare Serial number J35214 and higher Model: 350 Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2014 Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkk Notel: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 08-Mar-2002 Renewed: 08-Mar-2014 Bypass: Shut	Size: 6	Orientation: H	Meters:
Shutoffs: (gg), hh,ppp,qq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Serial number J35214 and higher Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg), hh,ppp,qq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Serial number J35214 and higher Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2014 Bypass: Shutoffs: (gg), ee,ff, hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www.zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 08-Mar-2002 Renewed: 08-Mar-2014 Bypass: Shutoffs: (gg), ee,ff, hh,ll,mm,tt,uu,yy,zz, ppp,qq,vvv,www,zzz, dddd,eeee,ssss,tttt,vvvv,www,yyy,zzzz,kkkkk Notel: 350 Size: 8 Orientation: H	Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Notes: State Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: VU Manual: 9 0.25% Pb: Yes Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Serial number Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2014 Bypass: Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,ttt,vvvv,www,yyy,zzzz,kkkkk Notes: Notes: Up to serial number J35214 Manufacturer: Wilkins Model: Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 08-Mar-2002 Renewed: 08-Mar-2014 Bypass: Shu	Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp.qqq,vvv,www.ssss,ttt,vvvv,wwww.yyyy,zzzz,kkkkk Notes: Serial number J35214 and higher Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2014 Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,ttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 08-Mar-2002 Renewed: 08-Mar-2014 Bypass: Shutoffs: (gg),ee, ff, hh, ll, mm, tt, uu, yy, zz, ppp, qqq, vvv, www, zzz, dddd,eeee, ssss, tttl, vvvv, www, yyyy, zzzz, kkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 08-Mar-2012 Renewed: 08-Mar-2014	Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkł	k
No.Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkNotes: Serial number J35214 and higherType: DCManufacturer: WilkinsModel: 350Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Dec-1999Renewed: 17-Dec-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyy,zzzz,kkkkkNodel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 08-Mar-2002Renewed: 08-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyy,zzzz,kkkkkNodel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 08-Mar-2002Renewed: 08-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyy,zzzz,kkkkkNodel: 350Size: 8Orientation: HMeters:Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,syss,sttt,vvvv,www,yyyy,zzzz,kkkkkSpare Parts Only: No	Notes: Serial number J35214 an	d higher	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkkBypass:Notes: Serial number J35214 and higherType: DCManufacturer: WilkinsModel: 350Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Dec-1999Renewed: 17-Dec-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww.yyyy,zzzz,kkkkkNotel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 08-Mar-2002Renewed: 08-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www.yyyy,zzzz,kkkkkNotel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 08-Mar-2002Renewed: 08-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkkNotes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,sss	Type: DC	Manufacturer: Wilkins	Model: 350
Approved:09-Sep-2010Renewed:09-Sep-2013Bypass:Shutoffs:(gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkNotes:Serial number J35214 and higherType: DCManufacturer:WilkinsModel:350Size:6Orientation:VUMeters:Manual:90.25% Pb: NoSpare Parts Only: NoApproved:17-Dec-1999Renewed:17-Dec-2014Bypass:Shutoffs:(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkkNotes:Up to serial number J35214Type: DCManufacturer:WilkinsModel:350Size:8Orientation: HMeters:Manual:90.25% Pb: NoSpare Parts Only: NoApproved:08-Mar-2002Renewed:08-Mar-2014Bypass:Shutoffs:(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,ttt,vvvv,wwww,yyyy,zzzz,kkkkkNotes: Up to serial number J35214Type: DCManufacturer:WilkinsModel:350Size:8Orientation: HMeters:Manual:90.25% Pb: YesSpare Parts Only: NoSize:8Orientation: HMeters:Manual:90.25% Pb: YesSpare Parts Only: NoSize:8Orientation: HMeters:Manual:90.25% Pb: YesSpare Parts Only: NoApproved:09-Sep-2010Renewed:09-Sep-2013Shutoffs:(gg),hh,ppp,qqq,vvv,www,ssss,ttt,v	Size: 6	Orientation: VU	Meters:
Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Serial number J35214 and higher Type: DC Manufacturer: Wilkins Model: 350 Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2014 Bypass: Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 08-Mar-2002 Renewed: 08-Mar-2014 Bypass: Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyy,zzzz,kkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Serial number J35214 and higherType: DCManufacturer: WilkinsModel: 350Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Dec-1999Renewed: 17-Dec-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkkNotes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 08-Mar-2002Renewed: 08-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss;ttt,vvvv,www,yyy,zzzz,kkkkkNotes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Motes: Up to serial number J35214Type: DCManufacturer: WilkinsType: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,ttt,vvvv,www,yyyy,zzzz,kkkkkBypass:	Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Type: DCManufacturer: WilkinsModel: 350Size: 6Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Dec-1999Renewed: 17-Dec-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkNotes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 08-Mar-2002Renewed: 08-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,ttt,vvvv,www,yyy,zzzz,kkkkkNotes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HBypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkkNodel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,ttt,vvvv,www,yyyy,zzzz,kkkkkSpare Parts Only: No	Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkł	k
Size: 6 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2014 Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 08-Mar-2002 Renewed: 08-Mar-2014 Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,sss,tttt,vvvv,www,yyyy,zzzz,kkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk	Notes: Serial number J35214 an	d higher	
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Dec-1999Renewed: 17-Dec-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkBypass:Notes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 08-Mar-2002Renewed: 08-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkkNotes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HBypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkkNotes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,sssstttt,vvvv,www,yyyy,zzzz,kkkkkSpare Parts Only: No	Type: DC	Manufacturer: Wilkins	Model: 350
Approved: 17-Dec-1999Renewed: 17-Dec-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkBypass:Notes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 08-Mar-2002Renewed: 08-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkkNotes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyy,zzzz,kkkkkSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkkSpare Parts Only: No	Size: 6	Orientation: VU	Meters:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 08-Mar-2002 Renewed: 08-Mar-2014 Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Spare Parts Only: No	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Notes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 08-Mar-2002Renewed: 08-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkNotes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk	Approved: 17-Dec-1999	Renewed: 17-Dec-2014	Bypass:
Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 08-Mar-2002Renewed: 08-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkNotes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssstutt,vvvv,www,yyy,zzzz,kkkkk	Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	ə,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Size: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 08-Mar-2002Renewed: 08-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkNotes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,syyy,zzzz,kkkkkBypass:	Notes: Up to serial number J352	14	
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 08-Mar-2002Renewed: 08-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,ttt,vvvv,wwww,yyyy,zzzz,kkkkNotes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,sytyy,zzzz,kkkkkBypass:	Type: DC	Manufacturer: Wilkins	Model: 350
Approved: 08-Mar-2002Renewed: 08-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkNotes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,systttt,vvvv,www,yyyy,zzzz,kkkkk	Size: 8	Orientation: H	Meters:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkk Notes: Up to serial number J35214 Type: DC Manufacturer: Wilkins Model: 350 Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qqq,vvv,www,sss,tttt,vvvv,www,yyyy,zzzz,kkkkk State St	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Notes: Up to serial number J35214Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkkState State	Approved: 08-Mar-2002	Renewed: 08-Mar-2014	Bypass:
Type: DCManufacturer: WilkinsModel: 350Size: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,sss,tttt,vvvv,www,yyyy,zzzz,kkkkkState State Sta	Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Size: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkState State Stat	Notes: Up to serial number J352	14	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,sss,tttt,vvvv,www,yyyy,zzzz,kkkkkShutoffs: (gg),hh,ppp,qqq,vvv,www,sss,tttt,vvvv,www,yyyy,zzzz,kkkkk	Type: DC	Manufacturer: Wilkins	Model: 350
Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Size: 8	Orientation: H	Meters:
Approved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk	Manual: 9		Spare Parts Only: No
Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Approved: 09-Sep-2010		

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,v	www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	ζ.
Notes: Serial number J35214 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,	uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Notes: Up to serial number J35	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 10	Orientation: H	Meters:
		Spare Parts Only: No
Manual: 9	0.25% Pb: No	
Manual: 9 Approved: 28-Aug-2002	0.25% PD: NO Renewed: 28-Aug-2014	Bypass:
Approved: 28-Aug-2002		Bypass:
Approved: 28-Aug-2002	Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Bypass:
Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35	Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Bypass:
Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35	Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 10	Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350
Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,	Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters:
Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010	Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010	Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v	Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv, Notes: Serial number J35214 a	Renewed: 28-Aug-2014 au,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 10	Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350
Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv, Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9	Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: VU	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters:
Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv, Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010	Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv, Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010	Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v	Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv, Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv, Notes: Serial number J35214 a	Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher	Bypass: s,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv, Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv, Notes: Serial number J35214 a Type: DC	Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins	Bypass: s,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Feb-2009	Renewed: 10-Feb-2015	Bypass:
Shutoffs: (hh),ssss,tttt,vvvv,wv	vww,yyyy,zzzz,kkkkk	
lotes: Up to serial number J35	5214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (hh),ssss,tttt,vvvv,wv	vww,yyyy,zzzz,kkkkk	
Notes: Serial number J35214 a	and higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
		D
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy Notes: Serial number J35214 a	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	Bypass: Model: 350A
Shutoffs: (ppp),qqq,sss,ttt,yyy Notes: Serial number J35214 a	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk and higher	
Shutoffs: (ppp),qqq,sss,ttt,yyy Notes: Serial number J35214 a Type: DC Size: 2 1/2	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk and higher Manufacturer: Wilkins	Model: 350A
Shutoffs: (ppp),qqq,sss,ttt,yyy Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk and higher Manufacturer: Wilkins Orientation: H	Model: 350A Meters:
Shutoffs: (ppp),qqq,sss,ttt,yyy Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005	Assss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy Notes: Up to serial number U2	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy Notes: Up to serial number U2 Type: DC	Assss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 Jzzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 6097	Model: 350A Meters: Spare Parts Only: No Bypass: A,kkkkk,IIIII
Shutoffs: (ppp),qqq,sss,ttt,yyy, Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy, Notes: Up to serial number U2 Type: DC Size: 2 1/2	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 6097 Manufacturer: Wilkins	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII
Shutoffs: (ppp),qqq,sss,ttt,yyy, Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy, Notes: Up to serial number U2 Type: DC Size: 2 1/2 Manual: 9	Assss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 ZZZZ,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 6097 Manufacturer: Wilkins Orientation: VU	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 350A Meters:
Shutoffs: (ppp),qqq,sss,ttt,yyy, Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy Notes: Up to serial number U2 Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005	Asses,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 JZZZ,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 6097 Manufacturer: Wilkins Orientation: VU 0.25% Pb: No	Model: 350A Meters: Spare Parts Only: No Bypass: A,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy, Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy, Notes: Up to serial number U2 Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy	Asses, uuuu, vvvv, xxxx, yyyy, aaaaa, kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 ZZZZ, dddd, ssss, uuuu, vvvv, xxxx, yyyy, aaaaa 6097 Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2014 ZZZ, dddd, ssss, uuuu, vvvv, xxxx, yyyy, aaaaa	Model: 350A Meters: Spare Parts Only: No Bypass: A,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass:
Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy Notes: Up to serial number U2 Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005	Asses, uuuu, vvvv, xxxx, yyyy, aaaaa, kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 ZZZZ, dddd, ssss, uuuu, vvvv, xxxx, yyyy, aaaaa 6097 Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2014 ZZZ, dddd, ssss, uuuu, vvvv, xxxx, yyyy, aaaaa	Model: 350A Meters: Spare Parts Only: No Bypass: A,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy, Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy. Notes: Up to serial number U2 Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy. Notes: Up to serial number U2 Type: DC	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 zzzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 6097 Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2014 zzzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 6097	Model: 350A Meters: Spare Parts Only: No Bypass: A,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass: A,kkkkk,IIIII
Shutoffs: (ppp),qqq,sss,ttt,yyy, Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy, Notes: Up to serial number U2 Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy, Notes: Up to serial number U2	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 6097 Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2014 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 6097 Manufacturer: Wilkins	Model: 350A Meters: Spare Parts Only: No Bypass: A,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass: A,kkkkk,IIIII Model: 350A

Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2014	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,lllll
Notes: Up to serial number U260	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	Ι
Notes: Serial number U26097 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	I
Notes: Serial number U26097 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2014	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkk,lllll
Notes: Up to serial number U260		
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-2004	Renewed: 16-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	x,yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number U260	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	
Notes: Serial number U26097 ar	nd higher	

Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l
lotes: Serial number U26097 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-2004	Renewed: 16-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number U260	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 6	Orientation: H	Meters:
		Spare Parts Only: No
	0.25% Pb: No	oparo i alto omyrino
Manual: 9	0.25% Pb: No Renewed: 25-Nov-2015	Bypass:
Manual: 9 Approved: 25-Nov-2003		Bypass:
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www,	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Bypass:
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Bypass:
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097	Bypass: ,yyyy,aaaaaa,kkkkk,IIIII
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins	Bypass: ,yyyy,aaaaaa,kkkkk,lllll Model: 350A
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H	Bypass: ,yyyy,aaaaa,kkkkk,IIIII Model: 350A Meters:
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Bypass: ,yyyyy,aaaaaa,kkkkk,lllll Model: 350A Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	Bypass: ,yyyyy,aaaaaa,kkkkk,lllll Model: 350A Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	Bypass: ,yyyyy,aaaaaa,kkkkk,lllll Model: 350A Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Fype: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number U26097 ar	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIII nd higher	Bypass: ,yyyyy,aaaaaa,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number U26097 ar Type: DC Size: 6	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII nd higher Manufacturer: Wilkins	Bypass: ,yyyyy,aaaaaa,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass: I Model: 350A
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number U26097 ar Type: DC Size: 6 Manual: 9	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll nd higher Manufacturer: Wilkins Orientation: VU	Bypass: ,yyyyy,aaaaaa,kkkkk,lllll Model: 350A Meters: Spare Parts Only: No Bypass: I Model: 350A Meters:
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number U26097 ar Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,llll nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Bypass: ,yyyyy,aaaaaa,kkkkk,lllll Model: 350A Meters: Spare Parts Only: No Bypass: I Model: 350A Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number U26097 ar Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,llll nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,llll	Bypass: ,yyyyy,aaaaaa,kkkkk,lllll Model: 350A Meters: Spare Parts Only: No Bypass: I Model: 350A Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number U26097 ar Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,llll nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,llll	Bypass: ,yyyyy,aaaaaa,kkkkk,lllll Model: 350A Meters: Spare Parts Only: No Bypass: I Model: 350A Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number U26097 ar Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number U26097 ar	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkkk,IIII nd higher	Bypass: ,yyyyy,aaaaaa,kkkkk,lllll Model: 350A Meters: Spare Parts Only: No Bypass: I Model: 350A Meters: Spare Parts Only: No Bypass: I
Manual: 9 Approved: 25-Nov-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number U26097 ar Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number U26097 ar	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII nd higher Manufacturer: Wilkins	Bypass: ,yyyy,aaaaa,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass: I Model: 350A Meters: Spare Parts Only: No Bypass: I Model: 350A

Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Feb-2004	Renewed: 12-Feb-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number U260	97	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	kk,
Notes: Serial number U26097 ar	d higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	.kk,IIIII
Notes: Serial number U26097 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Feb-2004	Renewed: 12-Feb-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number U260	97	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2006	Renewed: 06-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Up to serial number U260	97	
Type: DC		
Size: 10	Manufacturer: Wilkins	Model: 350A
	Manufacturer: Wilkins Orientation: H	Model: 350A Meters:
Manual: 9		
Manual: 9 Approved: 09-Sep-2010	Orientation: H	Meters:
Approved: 09-Sep-2010	Orientation: H 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass:

	Manufacturer: Wilkins	Model: 350A
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	1
Notes: Serial number U26097 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2006	Renewed: 06-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	I
Notes: Up to serial number U26	097	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Ammanda 40 km 0040	Renewed: 16-Jun-2013	Bypass:
Approved: 16-Jun-2010	Renewed. To buil 2010	Dypass.
Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,lllll
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097 Type: DC	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly	a,kkkkk,lllll y length: min. 34 1/4" and max. 47 1/8" Up to
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097 Type: DC Size: 2 1/2	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins	a,kkkkk,lllll y length: min. 34 1/4" and max. 47 1/8" Up to Model: 350AR
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097 Type: DC Size: 2 1/2 Manual: 9	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H	a,kkkkk,lllll y length: min. 34 1/4" and max. 47 1/8" Up to Model: 350AR Meters:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	A,kkkkk,IIIII y length: min. 34 1/4" and max. 47 1/8" Up to Model: 350AR Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa and higher approved. These have an Inte	A,kkkkk,IIIII y length: min. 34 1/4" and max. 47 1/8" Up to Model: 350AR Meters: Spare Parts Only: No Bypass: A,kkkkkk,IIIII
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Only Serial No. C00102 a	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa and higher approved. These have an Inte	A,kkkkk,IIIII y length: min. 34 1/4" and max. 47 1/8" Up to Model: 350AR Meters: Spare Parts Only: No Bypass: A,kkkkkk,IIIII
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Only Serial No. C00102 a SOV with length: min. 34 1/4" an	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa and higher approved. These have an Inte d max. 47 1/8"	a,kkkkk,lllll y length: min. 34 1/4" and max. 47 1/8" Up to Model: 350AR Meters: Spare Parts Only: No Bypass: a,kkkkk,lllll egral grooved spool between the #2 ck and #2
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Only Serial No. C00102 a SOV with length: min. 34 1/4" an	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins	a,kkkkk,IIIII y length: min. 34 1/4" and max. 47 1/8" Up to Model: 350AR Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII egral grooved spool between the #2 ck and #2 Model: 350AR

Shutoffs: (ppp),sss,ttt,qqq,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR					
Size: 2 1/2	Orientation: VU	Meters:					
Manual: 9	0.25% Pb: No	Spare Parts Only: No					
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:					
Shutoffs: (ppp),sss,ttt,qqq,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIII							
Notes: Only Serial No. C00102 a	and higher approved. These have an Inte	egral grooved spool between the #2 ck and #2					
SOV with length: min. 34 1/4" an	d max. 47 1/8"						
Type: DC	Manufacturer: Wilkins	Model: 350AR					
Size: 3	Orientation: H	Meters:					
Manual: 9	0.25% Pb: No	Spare Parts Only: No					
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:					
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,lllll					
Notes: Only Serial No. C00102 a	and higher approved. These have an Inte	egral grooved spool between the #2 ck and #2					
SOV with length: min. 34 3/4" an	d max. 48 1/8"						
Type: DC	Manufacturer: Wilkins	Model: 350AR					
Size: 3	Orientation: H	Meters:					
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No					
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:					
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,lllll					
Notes: Only Serial No. C00102 a SOV with length: min. 34 3/4" an	•	egral grooved spool between the #2 ck and #2					
Type: DC	Manufacturer: Wilkins	Model: 350AR					
Size: 3	Orientation: VU	Meters:					
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No					
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:					
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,lllll					
Notes: Only Serial No. C00102 a SOV with length: min. 34 3/4" an	•	egral grooved spool between the #2 ck and #2					
Type: DC	Manufacturer: Wilkins	Model: 350AR					
Size: 3	Orientation: VU	Meters:					
Manual: 9	0.25% Pb: No	Spare Parts Only: No					
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:					
Shutoffs: (ppp),sss.ttt.aaa.vvv.z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkk,llll					

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 35 3/4" and max. 62 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y	/yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 and	nd higher approved. These have an Inte	egral grooved spool between the #2 ck and #2
SOV with length: min. 42 1/2" and	l max. 71 1/4"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y	/yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 and	nd higher approved. These have an Inte	egral grooved spool between the #2 ck and #2
SOV with length: min. 35 3/4" and	l max. 62 1/4"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y	/yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
•	• • • •	egral grooved spool between the #2 ck and #2
SOV with length: min. 35 3/4" and	l max. 62 1/4"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y	vyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 and	nd higher approved. These have an Inte	egral grooved spool between the #2 ck and #2
SOV with length: min. 57 7/8" and	l max. 86"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Chuteffer (nnn) and one tit		

Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 61 3/8" and max. 100 5/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,lllll
Notes: Only Serial No. C00102 a	and higher approved. These have an Inte	egral grooved spool between the #2 ck and #2
SOV with length: min. 42 1/2" an	d max. 71 1/4"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 a SOV with length: min. 42 1/2" an	•	egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 a SOV with length: min. 34 1/4" an	•	egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 a SOV with length: min. 34 1/4" an	•	egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:

Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 57 7/8" and max. 86"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 a	and higher approved. These have an Inte	egral grooved spool between the #2 ck and #2
SOV with length: min. 57 7/8" an	d max. 86"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 a	and higher approved. These have an Inte	egral grooved spool between the #2 ck and #2
SOV with length: min. 34 1/4" an	d max. 47 1/8"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
•		egral grooved spool between the #2 ck and #2
SOV with length: min. 34 1/4" an	d max. 47 1/8"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 a	and higher approved. These have an Inte	egral grooved spool between the #2 ck and #2
SOV with length: min. 61 3/8" an	d max. 100 5/8"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2

SOV with length: min. 61 3/8" and max. 100 5/8"

Type: DC Size: 10 Manual: 9 Approved: 25-Mar-2010	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 25-Mar-2016	Model: 350AR Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yy	/y,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx d higher approved. These have an Inte	
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,tttt	;,vvvv,wwww,yyyy,zzzz	
Notes: Only Serial No. C00102 and SOV with length: min. 34 1/4" and	• • • •	egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,tttt	;,vvvv,wwww,yyyy,zzzz	
Notes: Only Serial No. C00102 and SOV with length: min. 34 3/4" and	• • • •	egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,tttt	;,vvvv,wwww,yyyy,zzzz	
Notes: Only Serial No. C00102 and SOV with length: min. 34 3/4" and	• • • •	egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:

Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 35 3/4" and max. 62 1/4"

Type: DC		
	Manufacturer: Wilkins	Model: 350ARXL
Notes: Only Serial No. C00102 a SOV with length: min. 57 7/8" an	• • • •	egral grooved spool between the #2 ck and #2
	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Size: 6	Orientation: VU	Meters:
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
	and higher approved. These have an Inte	egral grooved spool between the #2 ck and #2
••	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Type: DC Size: 6	Manufacturer: Wilkins Orientation: H	Model: 350ARXL Meters:
	and higher approved. These have an Inte	egral grooved spool between the #2 ck and #2
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Type: DC Size: 4	Orientation: VU	Meters:
Turner DC	Manufacturer: Wilkins	Model: 350ARXL

Manual: 9 0.25% Pb: Yes **Renewed:** 05-Jun-2013

Approved: 05-Jun-2010

Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 57 7/8" and max. 86"

Spare Parts Only: No

Bypass:

Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,wv	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Notes: Only Serial No. C00102 a SOV with length: min. 61 3/8" and	o 11	gral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,wv	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Notes: Only Serial No. C00102 a SOV with length: min. 61 3/8" and		gral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Shutoffs: (hh),ssss,tttt,xxxx,yyyy Notes: Integral grooved spool be	,zzzz,aaaaa tween the #2 ck and #2 SOV - assembly	/ length: min. 61 3/8" and max. 100 5/8"
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uuu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 2 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Nov-2012	Renewed: 09-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uuu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uut		

Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Nov-2012	Renewed: 09-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Nov-2012	Renewed: 09-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Mar-2012	Renewed: 27-Mar-2015	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,x	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Oct-2012	Renewed: 24-Oct-2015	Bypass:
Shutoffs: (yyy), ssss, uuuu,vvvv,	, xxxx, yyyy, aaaaa,kkkkk, IIIII	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,IIIII	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No

Shutoffs: (yyy), ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll

Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 10	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
	U.2. J / U I D . 103	
	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	Bypass: SOV - assembly length: min. 34 1/4" and max
Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	Bypass:
Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8"	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	Bypass:
Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll prooved spool between the #2 ck and #2	Bypass: SOV - assembly length: min. 34 1/4" and max
Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll prooved spool between the #2 ck and #2 Manufacturer: Wilkins	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR
Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2 Manual: 10	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII prooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters:
Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll prooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No
Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII prooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No
Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8"	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII prooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No Bypass:
Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII prooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII prooved spool between the #2 ck and #2	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No Bypass: SOV - assembly length: min. 34 1/4" and max
Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 3	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII prooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII prooved spool between the #2 ck and #2 Manufacturer: Wilkins	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR
Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII prooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII prooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters:
Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 3 Manual: 10 Approved: 12-Jun-2015	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll prooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll prooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No

48 1/8"

Type: DC Size: 3 Manual: 10	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Model: 350ASTR Meters: Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uuu	u,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel gro 48 1/8"	boved spool between the #2 ck and #2	SOV - assembly length: min. 34 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uuu Notes: Integral Stainless Steel gro 62 1/4"		SOV - assembly length: min. 35 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uuu	u,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	
Notes: Integral Stainless Steel gro 62 1/4"	boved spool between the #2 ck and #2	SOV - assembly length: min. 35 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy), ssss, uuuu,vvvv,	xxxx, yyyy, aaaaa,kkkkk, IIIII	
Notes: Integral Stainless Steel gro 71 1/4"	boved spool between the #2 ck and #2	SOV - assembly length: min. 42 1/2" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy), ssss, uuuu,vvvv,	xxxx, yyyy, aaaaa,kkkkk, IIIII	
Notes: Integral Stainless Steel gro 71 1/4"	boved spool between the #2 ck and #2	SOV - assembly length: min. 42 1/2" and max.

Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 86"	prooved spool between the #2 ck and #2	SOV - assembly length: min. 48 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 86"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 48 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 100 5/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 52 5/8" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 10	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 100 5/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 52 5/8" and max.
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	

Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:

Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa

Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Renewed: 14-Apr-2013	

Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	к,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	к,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	к,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	к,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	к,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:

Shutoffs: (ppp), qqq, sss, ttt, www, yyy, zzz, dddd, eeee, ssss, uuuu, vvvv, xxxx, yyyy, aaaaaa

Type: DC	Manufacturer: Wilkins	Model: 350D
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-May-2009	Renewed: 19-May-2015	Bypass:
Shutoffs: (ii), 000		
Type: DC	Manufacturer: Wilkins	Model: 350D
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2009	Renewed: 22-Jun-2015	Bypass:
Shutoffs: (ii), 000		
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (iiii)		
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (iiii)		
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Oct-2006	Renewed: 27-Oct-2015	Bypass:
Shutoffs: (iiii)		
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Oct-2006	Renewed: 27-Oct-2015	Bypass:
Shutoffs: (iiii)		
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		

Type: DC
Size: 1 1/4
Manual: 9
Approved: 08-Jan-2009
Shutoffs: (int)

- Type: DC Size: 1 1/2 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)
- Type: DC Size: 1 1/2 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)
- Type: DC **Size:** 2 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)
- Type: DC **Size:** 2 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)
- Type: DC Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,zzz,dddd
- Type: DC Manufacturer: Wilkins Size: 2 1/2 Orientation: H Manual: 9 0.25% Pb: Yes Approved: 14-Apr-2010 Renewed: 14-Apr-2013 Shutoffs: (gg),hh,ppp,qqq,ssss,tttt,vvvv,wwww,yyyy,zzzz

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 14-Apr-2013

Model: 350XL Meters: Spare Parts Only: No

Model: 350XL Meters: Spare Parts Only: No Bypass:

Model: 350XL Meters: Spare Parts Only: No Bypass:

Model: 350XL Meters: Spare Parts Only: No **Bypass:**

Model: 350XL Meters: Spare Parts Only: No Bypass:

Model: 350XL Meters: Spare Parts Only: No **Bypass:**

Model: 350XL Meters: Spare Parts Only: No Bypass:

Bypass:

Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	·	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
O ((()) ()		

Shutoffs: ee, ff, II, mm, tt, uu, yy, zz, zzz, dddd, eeee

Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:

Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	vww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	vww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:

Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,zzz,dddd,eeee

Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (hh),ssss,tttt,uuuu,vvvv	y,wwww,xxxx,yyyy,zzzz,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jan-2002	Renewed: 24-Jan-2014	Bypass:
••	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 85	
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number K011	85	v,xxxx,yyyy,aaaaa
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number K011	85 Manufacturer: Wilkins	v,xxxx,yyyy,aaaaa Model: 450
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number K011 Type: DC Size: 2 1/2	85 Manufacturer: Wilkins Orientation: VUVD	v,xxxx,yyyy,aaaaa Model: 450 Meters:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number K011 Type: DC Size: 2 1/2 Manual: 9	85 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number K011 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	85 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013	v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number K011 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	85 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 J,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Up to serial number K011 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Serial number K01185 an	85 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 J,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number K011 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number K01185 an	85 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 J,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa,kkkkk
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number K011 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number K01185 an Type: DC Size: 3	85 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 J,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv id higher Manufacturer: Wilkins	v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaaa,kkkkk Model: 450
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Up to serial number K011 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Serial number K01185 an Type: DC Size: 3 Manual: 9	85 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv nd higher Manufacturer: Wilkins Orientation: VUVD	v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa,kkkkk Model: 450 Meters:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number K011 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number K01185 an Type: DC Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	85 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv id higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa,kkkkk Model: 450 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Up to serial number K011 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Serial number K01185 an Type: DC Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut	85 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv id higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa,kkkkk Model: 450 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Up to serial number K011 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Serial number K01185 an Type: DC Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Up to serial number K011	85 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv id higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa,kkkkk Model: 450 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Up to serial number K011 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Serial number K01185 an Type: DC Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Up to serial number K011	85 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 J,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv Id higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 J,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaaa,kkkkk Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaaa,kkkkk,llll
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number K011 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number K01185 an Type: DC Size: 3 Manual: 9 Approved: 24-Jan-2002	85 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 J,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv id higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 J,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 85 Manufacturer: Wilkins	v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa,kkkkk Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa,kkkkk,llll

Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 12-Apr-2000Renewed: 12-Apr-2015BypaseShutoffs: (ppp).qq.sss,ttt,www.yyy.zzz.dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaa,kkkiNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypaseShutoffs: (ppp).qq.sss,ttt,www.yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk/killilNotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 24-May-2000Renewed: 24-May-2015BypaseShutoffs: (ppp).qq.sss,ttt,www.yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaa,kkkkNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypaseShutoffs: (ppp).qq.sss,ttt,www.yyy,ssss,uuuu,vvvv,xxxx,yyy,aaaaa,kkkk/killilNotes: Serial number K01185Type: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypaseShutoffs: (ppp).qq.sss,ttt,www.yyy,zzz.dddd,eeee,ssss,uuuu,vvvv,xxxxy,yyy,aaaaa,kkkkNotes: <td< th=""><th>Model: 450</th><th>Manufacturer: Wilkins</th><th>Type: DC</th></td<>	Model: 450	Manufacturer: Wilkins	Type: DC																																																																																																												
Approved:12-Apr-2000Renewed:12-Apr-2015BypassShutoffs:(pp),qqq,sss.ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkiNotes:Up to serial number K01185Type: DCManufacturer:WilkinsModel:Size:4Orientation:VUVDMeters:Approved:09-Sep-2010Renewed:09-Sep-2013BypassShutoffs:(pp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes:SpiassType: DCManufacturer:WilkinsModel:Size:6Orientation:VUVDMeters:Manual:90.25% Pb: NoSpare FApproved:24-May-2000Renewed:24-May-2015BypassShutoffs:(pp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkiNotes:Up to serial number K01185Type: DCManufacturer:WilkinsModel:Size:6Orientation:VUVDMeters:Manual:90.25% Pb: YesSpare FApproved:09-Sep-2010Renewed:09-Sep-2013BypassShutoffs:(pp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyy,aaaaa,kkkkk,IIIIINotes:Spare FApproved:09-Sep-2010Renewed:09-Sep-2013BypassShutoffs:(pp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyy,aaaaa,kkkkk,IIIIINotes:Spare FApproved:09-Sep-2010Renewed:09-Sep-2013BypassShutoffs:(pp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,y	Meters:	Orientation: VUVD	Size: 4																																																																																																												
Shutoffs: (ppp),qq,sss,ttt,www.yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkki Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 24-May-2000 Renewed: 24-May-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk Notes: Up to serial number K01185 Model: Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lilli Notes: Serial number K01185 and higher Type: DC Type: DC Manufacturer: Wilkins	Spare Parts Only: No	0.25% Pb: No	Manual: 9																																																																																																												
Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lilli Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 24-May-2000 Renewed: 24-May-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk Notes: Up to serial number K01185 Model: Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,Illil Notes: Serial number K01185 Model: Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters:	Bypass:	Renewed: 12-Apr-2015	Approved: 12-Apr-2000																																																																																																												
Type: DCManufacturer: WilkinsModel:Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 24-May-2000Renewed: 24-May-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIIINotes: Serial number K01185Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (pp),qq,sss,ttt,www,yy,ssss,uuuu,vvvv,xxxx,yyy,aaaaa,kkkkkk,IIIINotes: Serial number K01185Model:Type: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaa,kkkkNotes: Up to serial number K01185M	aaaaa,kkkkk,IIIII	zz,dddd,eeee,ssss,uuuu,vvvv,x>	Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zz																																																																																																												
Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 24-May-2000 Renewed: 24-May-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkki Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Serial number K01185 Model: Size: 8 Orientation: VUVD Meters: Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Size: 9 DC Manufacturer: Wilkins Model: Size: 9 Drientation: VUVD Meters: Size: 9 Drien			Notes: Up to serial number K01185																																																																																																												
Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllllNotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 24-May-2000Renewed: 24-May-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkiNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllllNotes: Serial number K01185Model:Type: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Approved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllllNotes:Size: 8Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkBypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkBypassType: DCManufacturer: WilkinsModel:Type: DCManufacturer: WilkinsModel: <tr <tr=""><t< td=""><td>Model: 450</td><td>Manufacturer: Wilkins</td><td>Гуре: DC</td></t<></tr> <tr><td>Approved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllllNotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 24-May-2000Renewed: 24-May-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkk,lllllNotes: Serial number K01185Type: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Approved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkkModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaak,kkkNotes: Up to serial number K01185Model:Type: DCManufacturer: WilkinsModel:</td><td>Meters:</td><td>Orientation: VUVD</td><td>Size: 4</td></tr> <tr><td>Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 24-May-2000 Renewed: 24-May-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Size: 6 Orientation: VUVD Meters: Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Size: 9 O.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkk Notes: Up to serial number K01185</td><td>Spare Parts Only: No</td><td>0.25% Pb: Yes</td><td>Manual: 9</td></tr> <tr><td>Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 24-May-2000 Renewed: 24-May-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkk Model: Type: DC Manufacturer: Wilkins Model: Type: DC Manufacturer: Wilkins Model:</td><td>Bypass:</td><td>Renewed: 09-Sep-2013</td><td>Approved: 09-Sep-2010</td></tr> <tr><td>Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 24-May-2000 Renewed: 24-May-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk Notes: Up to serial number K01185 Model: Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk Notes: Up to serial number K01185 Spare F Type: DC Manufacturer: Wilkins Model: Type: DC Manufacturer: Wilkins Model:</td><td></td><td></td><td></td></tr> <tr><td>Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 24-May-2000 Renewed: 24-May-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkk Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model:</td><td></td><td></td><td></td></tr> <tr><td>Manual: 90.25% Pb: NoSpare FApproved: 24-May-2000Renewed: 24-May-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllllNotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Type: DCManufacturer: WilkinsModel:Type: DCManufacturer: VilkinsModel:Type: DCManufacturer: WilkinsModel:</td><td>Model: 450</td><td>Manufacturer: Wilkins</td><td>Гуре: DC</td></tr> <tr><td>Approved: 24-May-2000Renewed: 24-May-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk,lllllNotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkklModel:Type: DCManufacturer: WilkinsModel:Type: DCManufacturer: WilkinsModel:Type: DCManufacturer: WilkinsModel:</td><td>Meters:</td><td>Orientation: VUVD</td><td>Size: 6</td></tr> <tr><td>Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkk Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkk Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkk Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkk Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkk Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvvv,xxxx,yyyy,aaaaaa,kkkk Bypass</td><td>Spare Parts Only: No</td><td>0.25% Pb: No</td><td>Manual: 9</td></tr> <tr><td>Notes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkNotes: Up to serial number K01185Model:Type: DCManufacturer: WilkinsModel:</td><td>Bypass:</td><td>Renewed: 24-May-2015</td><td>Approved: 24-May-2000</td></tr> <tr><td>Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkiNotes: Up to serial number K01185Model:Type: DCManufacturer: WilkinsModel:</td><td>aaaa,kkkkk,IIIII</td><td>zz,dddd,eeee,ssss,uuuu,vvvv,x></td><td>Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zz</td></tr> <tr><td>Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:</td><td></td><td></td><td>Notes: Up to serial number K01185</td></tr> <tr><td>Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherManufacturer: WilkinsModel:Type: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:</td><td>Model: 450</td><td>Manufacturer: Wilkins</td><td>Гуре: DC</td></tr> <tr><td>Approved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkklNotes: Up to serial number K01185Model:Type: DCManufacturer: WilkinsModel:</td><td>Meters:</td><td>Orientation: VUVD</td><td>Size: 6</td></tr> <tr><td>Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model:</td><td>Spare Parts Only: No</td><td>0.25% Pb: Yes</td><td>Manual: 9</td></tr> <tr><td>Notes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:</td><td>Bypass:</td><td>Renewed: 09-Sep-2013</td><td>Approved: 09-Sep-2010</td></tr> <tr><td>Type: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:</td><td></td><td>sss,uuuu,vvvv,xxxx,yyyy,aaaaa,</td><td>Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ss</td></tr> <tr><td>Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model:</td><td></td><td>lher</td><td>Notes: Serial number K01185 and high</td></tr> <tr><td>Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:</td><td>Model: 450</td><td>Manufacturer: Wilkins</td><td>Гуре: DC</td></tr> <tr><td>Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model:</td><td>Meters:</td><td>Orientation: VUVD</td><td>Size: 8</td></tr> <tr><td>Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model:</td><td>Spare Parts Only: No</td><td>0.25% Pb: No</td><td>Manual: 9</td></tr> <tr><td>Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins</td><td>Bypass:</td><td>Renewed: 14-Apr-2015</td><td>Approved: 14-Apr-2003</td></tr> <tr><td>Type: DC Manufacturer: Wilkins Model:</td><td>aaaa,kkkkk,lllll</td><td>zz,dddd,eeee,ssss,uuuu,vvvv,x></td><td>Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zz</td></tr> <tr><td></td><td></td><td></td><td>Notes: Up to serial number K01185</td></tr> <tr><td></td><td>Model: 450</td><td>Manufacturer: Wilkins</td><td>Type: DC</td></tr> <tr><td>Size: 8 Orientation: VUVD Meters:</td><td>Meters:</td><td>Orientation: VUVD</td><td>Size: 8</td></tr> <tr><td>Manual: 9 0.25% Pb: Yes Spare F</td><td>Spare Parts Only: No</td><td>0.25% Pb: Yes</td><td>Manual: 9</td></tr> <tr><td>Approved: 09-Sep-2010Renewed: 09-Sep-2013Bypass</td><td>Bypass:</td><td>Renewed: 09-Sep-2013</td><td>Approved: 09-Sep-2010</td></tr>	Model: 450	Manufacturer: Wilkins	Гуре: DC	Approved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllllNotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 24-May-2000Renewed: 24-May-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkk,lllllNotes: Serial number K01185Type: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Approved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkkModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaak,kkkNotes: Up to serial number K01185Model:Type: DCManufacturer: WilkinsModel:	Meters:	Orientation: VUVD	Size: 4	Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 24-May-2000 Renewed: 24-May-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Size: 6 Orientation: VUVD Meters: Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Size: 9 O.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkk Notes: Up to serial number K01185	Spare Parts Only: No	0.25% Pb: Yes	Manual: 9	Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 24-May-2000 Renewed: 24-May-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkk Model: Type: DC Manufacturer: Wilkins Model: Type: DC Manufacturer: Wilkins Model:	Bypass:	Renewed: 09-Sep-2013	Approved: 09-Sep-2010	Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 24-May-2000 Renewed: 24-May-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk Notes: Up to serial number K01185 Model: Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk Notes: Up to serial number K01185 Spare F Type: DC Manufacturer: Wilkins Model: Type: DC Manufacturer: Wilkins Model:				Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 24-May-2000 Renewed: 24-May-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkk Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model:				Manual: 90.25% Pb: NoSpare FApproved: 24-May-2000Renewed: 24-May-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllllNotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Type: DCManufacturer: WilkinsModel:Type: DCManufacturer: VilkinsModel:Type: DCManufacturer: WilkinsModel:	Model: 450	Manufacturer: Wilkins	Гуре: DC	Approved: 24-May-2000Renewed: 24-May-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk,lllllNotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkklModel:Type: DCManufacturer: WilkinsModel:Type: DCManufacturer: WilkinsModel:Type: DCManufacturer: WilkinsModel:	Meters:	Orientation: VUVD	Size: 6	Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkk Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkk Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkk Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkk Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkk Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvvv,xxxx,yyyy,aaaaaa,kkkk Bypass	Spare Parts Only: No	0.25% Pb: No	Manual: 9	Notes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkNotes: Up to serial number K01185Model:Type: DCManufacturer: WilkinsModel:	Bypass:	Renewed: 24-May-2015	Approved: 24-May-2000	Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkiNotes: Up to serial number K01185Model:Type: DCManufacturer: WilkinsModel:	aaaa,kkkkk,IIIII	zz,dddd,eeee,ssss,uuuu,vvvv,x>	Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zz	Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:			Notes: Up to serial number K01185	Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherManufacturer: WilkinsModel:Type: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:	Model: 450	Manufacturer: Wilkins	Гуре: DC	Approved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkklNotes: Up to serial number K01185Model:Type: DCManufacturer: WilkinsModel:	Meters:	Orientation: VUVD	Size: 6	Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model:	Spare Parts Only: No	0.25% Pb: Yes	Manual: 9	Notes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:	Bypass:	Renewed: 09-Sep-2013	Approved: 09-Sep-2010	Type: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:		sss,uuuu,vvvv,xxxx,yyyy,aaaaa,	Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ss	Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model:		lher	Notes: Serial number K01185 and high	Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:	Model: 450	Manufacturer: Wilkins	Гуре: DC	Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model:	Meters:	Orientation: VUVD	Size: 8	Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model:	Spare Parts Only: No	0.25% Pb: No	Manual: 9	Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins	Bypass:	Renewed: 14-Apr-2015	Approved: 14-Apr-2003	Type: DC Manufacturer: Wilkins Model:	aaaa,kkkkk,lllll	zz,dddd,eeee,ssss,uuuu,vvvv,x>	Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zz				Notes: Up to serial number K01185		Model: 450	Manufacturer: Wilkins	Type: DC	Size: 8 Orientation: VUVD Meters:	Meters:	Orientation: VUVD	Size: 8	Manual: 9 0.25% Pb: Yes Spare F	Spare Parts Only: No	0.25% Pb: Yes	Manual: 9	Approved: 09-Sep-2010Renewed: 09-Sep-2013Bypass	Bypass:	Renewed: 09-Sep-2013	Approved: 09-Sep-2010
Model: 450	Manufacturer: Wilkins	Гуре: DC																																																																																																													
Approved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllllNotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 24-May-2000Renewed: 24-May-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkk,lllllNotes: Serial number K01185Type: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Approved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkkModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaak,kkkNotes: Up to serial number K01185Model:Type: DCManufacturer: WilkinsModel:	Meters:	Orientation: VUVD	Size: 4																																																																																																												
Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 24-May-2000 Renewed: 24-May-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Size: 6 Orientation: VUVD Meters: Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Size: 9 O.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkk Notes: Up to serial number K01185	Spare Parts Only: No	0.25% Pb: Yes	Manual: 9																																																																																																												
Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 24-May-2000 Renewed: 24-May-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkk Model: Type: DC Manufacturer: Wilkins Model: Type: DC Manufacturer: Wilkins Model:	Bypass:	Renewed: 09-Sep-2013	Approved: 09-Sep-2010																																																																																																												
Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 24-May-2000 Renewed: 24-May-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk Notes: Up to serial number K01185 Model: Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk Notes: Up to serial number K01185 Spare F Type: DC Manufacturer: Wilkins Model: Type: DC Manufacturer: Wilkins Model:																																																																																																															
Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 24-May-2000 Renewed: 24-May-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkk Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model:																																																																																																															
Manual: 90.25% Pb: NoSpare FApproved: 24-May-2000Renewed: 24-May-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllllNotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Type: DCManufacturer: WilkinsModel:Type: DCManufacturer: VilkinsModel:Type: DCManufacturer: WilkinsModel:	Model: 450	Manufacturer: Wilkins	Гуре: DC																																																																																																												
Approved: 24-May-2000Renewed: 24-May-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk,lllllNotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkklModel:Type: DCManufacturer: WilkinsModel:Type: DCManufacturer: WilkinsModel:Type: DCManufacturer: WilkinsModel:	Meters:	Orientation: VUVD	Size: 6																																																																																																												
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model: Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare F Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkk Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkk Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkk Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkk Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaaa,kkkk Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvvv,xxxx,yyyy,aaaaaa,kkkk Bypass	Spare Parts Only: No	0.25% Pb: No	Manual: 9																																																																																																												
Notes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkNotes: Up to serial number K01185Model:Type: DCManufacturer: WilkinsModel:	Bypass:	Renewed: 24-May-2015	Approved: 24-May-2000																																																																																																												
Type: DCManufacturer: WilkinsModel:Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkiNotes: Up to serial number K01185Model:Type: DCManufacturer: WilkinsModel:	aaaa,kkkkk,IIIII	zz,dddd,eeee,ssss,uuuu,vvvv,x>	Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zz																																																																																																												
Size: 6Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:			Notes: Up to serial number K01185																																																																																																												
Manual: 90.25% Pb: YesSpare FApproved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherManufacturer: WilkinsModel:Type: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:	Model: 450	Manufacturer: Wilkins	Гуре: DC																																																																																																												
Approved: 09-Sep-2010Renewed: 09-Sep-2013BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkklNotes: Up to serial number K01185Model:Type: DCManufacturer: WilkinsModel:	Meters:	Orientation: VUVD	Size: 6																																																																																																												
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Serial number K01185 and higher Type: DC Manufacturer: Wilkins Model: Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model:	Spare Parts Only: No	0.25% Pb: Yes	Manual: 9																																																																																																												
Notes: Serial number K01185 and higherType: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:	Bypass:	Renewed: 09-Sep-2013	Approved: 09-Sep-2010																																																																																																												
Type: DCManufacturer: WilkinsModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:		sss,uuuu,vvvv,xxxx,yyyy,aaaaa,	Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ss																																																																																																												
Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare F Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model:		lher	Notes: Serial number K01185 and high																																																																																																												
Manual: 90.25% Pb: NoSpare FApproved: 14-Apr-2003Renewed: 14-Apr-2015BypassShutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkklNotes: Up to serial number K01185Type: DCManufacturer: WilkinsModel:	Model: 450	Manufacturer: Wilkins	Гуре: DC																																																																																																												
Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model:	Meters:	Orientation: VUVD	Size: 8																																																																																																												
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkl Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins Model:	Spare Parts Only: No	0.25% Pb: No	Manual: 9																																																																																																												
Notes: Up to serial number K01185 Type: DC Manufacturer: Wilkins	Bypass:	Renewed: 14-Apr-2015	Approved: 14-Apr-2003																																																																																																												
Type: DC Manufacturer: Wilkins Model:	aaaa,kkkkk,lllll	zz,dddd,eeee,ssss,uuuu,vvvv,x>	Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zz																																																																																																												
			Notes: Up to serial number K01185																																																																																																												
	Model: 450	Manufacturer: Wilkins	Type: DC																																																																																																												
Size: 8 Orientation: VUVD Meters:	Meters:	Orientation: VUVD	Size: 8																																																																																																												
Manual: 9 0.25% Pb: Yes Spare F	Spare Parts Only: No	0.25% Pb: Yes	Manual: 9																																																																																																												
Approved: 09-Sep-2010Renewed: 09-Sep-2013Bypass	Bypass:	Renewed: 09-Sep-2013	Approved: 09-Sep-2010																																																																																																												

Type: DC	Manufacturer: Wilkins	Model: 450
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Sep-2003	Renewed: 11-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	y,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number K01	185	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	v,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	kk,1111
Notes: Serial number K01185 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	0.25% Pb: No Renewed: 14-Apr-2013	Spare Parts Only: No Bypass:
Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss	Renewed: 14-Apr-2013	
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	
Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC	Renewed: 14-Apr-2013 ,tttt,vvvv,wwww,yyyy,zzzz	Bypass:
Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC Size: 2 1/2	Renewed: 14-Apr-2013 .tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins	Bypass: Model: 450XL
Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC Size: 2 1/2 Manual: 9	Renewed: 14-Apr-2013 tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD	Bypass: Model: 450XL Meters:
Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss	Renewed: 14-Apr-2013 tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2013	Bypass: Model: 450XL Meters: Spare Parts Only: No
Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010	Renewed: 14-Apr-2013 tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2013	Bypass: Model: 450XL Meters: Spare Parts Only: No
Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC	Renewed: 14-Apr-2013 tttt,vvvv,www,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2013 tttt,vvvv,www,yyyy,zzzz	Bypass: Model: 450XL Meters: Spare Parts Only: No Bypass:
Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss	Renewed: 14-Apr-2013 tttt,vvvv,www,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2013 tttt,vvvv,www,yyyy,zzzz Manufacturer: Wilkins	Bypass: Model: 450XL Meters: Spare Parts Only: No Bypass: Model: 450XL
Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC Size: 3	Renewed: 14-Apr-2013 tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2013 tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD	Bypass: Model: 450XL Meters: Spare Parts Only: No Bypass: Model: 450XL Meters:
Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC Size: 3 Manual: 9	Renewed: 14-Apr-2013 tttt,vvvv,www,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2013 tttt,vvvv,www,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013	Bypass: Model: 450XL Meters: Spare Parts Only: No Bypass: Model: 450XL Meters: Spare Parts Only: No
Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC Size: 3 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss	Renewed: 14-Apr-2013 tttt,vvvv,www,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2013 tttt,vvvv,www,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013 tttt,vvvv,www,yyyy,zzzz	Bypass: Model: 450XL Meters: Spare Parts Only: No Bypass: Model: 450XL Meters: Spare Parts Only: No Bypass:
Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC Size: 3 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC	Renewed: 14-Apr-2013 tttt,vvvv,www,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2013 tttt,vvvv,www,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013 tttt,vvvv,www,yyyy,zzzz Manufacturer: Wilkins	Bypass: Model: 450XL Meters: Spare Parts Only: No Bypass: Model: 450XL Meters: Spare Parts Only: No Bypass: Model: 450XL
Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Type: DC Size: 3 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss	Renewed: 14-Apr-2013 tttt,vvvv,www,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2013 tttt,vvvv,www,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013 tttt,vvvv,www,yyyy,zzzz	Bypass: Model: 450XL Meters: Spare Parts Only: No Bypass: Model: 450XL Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:

Shutoffs: (gg), hh, ppp, qqq, vvv, www, ssss, tttt, vvvv, www, yyyy, zzzz

Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (hh),ssss,tttt,xxxx,yyyy	z,zzz,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 3/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 1	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 1 1/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 1 1/2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 1 1/2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 2	Orientation: H	Meters:
		Spare Parts Only: Yes
Manual: 5	0.25% Pb: No	Spare Faits Only. Tes

Type: DC	Manufacturer: Wilkins	Model: 550
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Sep-1986	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	isss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 3	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Aug-1979	Renewed: 20-Aug-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-1980	Renewed: 20-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2014	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550A
	Manufacturer: Wilkins Orientation: H	Model: 550A Meters:
Size: 3/4		
Type: DC Size: 3/4 Manual: 7 Approved: 17-Apr-1987	Orientation: H	Meters:
Size: 3/4 Manual: 7 Approved: 17-Apr-1987	Orientation: H 0.25% Pb: No Renewed: 17-Apr-2014	Meters: Spare Parts Only: Yes
Size: 3/4 Manual: 7	Orientation: H 0.25% Pb: No Renewed: 17-Apr-2014	Meters: Spare Parts Only: Yes
Size: 3/4 Manual: 7 Approved: 17-Apr-1987 Shutoffs: (ppp),qqq,sss,ttt,yyy,s	Orientation: H 0.25% Pb: No Renewed: 17-Apr-2014 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Meters: Spare Parts Only: Yes Bypass:
Size: 3/4 Manual: 7 Approved: 17-Apr-1987 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Type: DC	Orientation: H 0.25% Pb: No Renewed: 17-Apr-2014 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins	Meters: Spare Parts Only: Yes Bypass: Model: 550A

Type: DC	Manufacturer: Wilkins	Model: 550M
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 15-Mar-1989	Renewed: 15-Mar-2016	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a
Notes: 4"x4"x8" Manifold Forme	rly MBD	
Type: DC	Manufacturer: Wilkins	Model: 550M
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Apr-1983	Renewed: 11-Apr-2013	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 6"x6"x10" Manifold Form	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa erly MBD	a
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Apr-1991	Renewed: 05-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
ivianual. O		

Type: DC	Manufacturer: Wilkins	Model: 950
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Apr-1991	Renewed: 05-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 26-Nov-1991	Renewed: 26-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-1991	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	уууу,ааааа
Гуре: DC	Manufacturer: Wilkins	Model: 950
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Nov-1991	Renewed: 08-Nov-2015	Bypass:
	vvv zzz dddd eeee ssss uuuu vvvv xxxx	уууу,ааааа
Shutoffs: (ppp),qqq,sss,ttt,www,	yy, <u>222</u> ,4444,0000,0000,4444,****,7000	
	Manufacturer: Wilkins	Model: 950
Type: DC		Model: 950 Meters:
Type: DC Size: 4	Manufacturer: Wilkins	
Type: DC Size: 4 Manual: 8	Manufacturer: Wilkins Orientation: VU	Meters:
Type: DC Size: 4 Manual: 8 Approved: 29-Aug-1995	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No	Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 4 Manual: 8 Approved: 29-Aug-1995 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 29-Aug-2013	Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 4 Manual: 8 Approved: 29-Aug-1995 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 29-Aug-2013 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Meters: Spare Parts Only: Yes Bypass: yyyy,aaaaa
Type: DC Size: 4 Manual: 8 Approved: 29-Aug-1995 Shutoffs: (ppp),qqq,sss,ttt,www, Type: DC Size: 6	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 29-Aug-2013 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins	Meters: Spare Parts Only: Yes Bypass: yyyyy,aaaaa Model: 950
Type: DC Size: 4 Manual: 8 Approved: 29-Aug-1995 Shutoffs: (ppp),qqq,sss,ttt,www, Type: DC Size: 6 Manual: 8	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 29-Aug-2013 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H	Meters: Spare Parts Only: Yes Bypass: yyyyy,aaaaa Model: 950 Meters:
Type: DC Size: 4 Manual: 8 Approved: 29-Aug-1995 Shutoffs: (ppp),qqq,sss,ttt,www, Type: DC Size: 6 Manual: 8 Approved: 18-Mar-1992	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 29-Aug-2013 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes Bypass: yyyyy,aaaaa Model: 950 Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 6 Manual: 8 Approved: 18-Mar-1992	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 29-Aug-2013 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Mar-2016	Meters: Spare Parts Only: Yes Bypass: yyyyy,aaaaa Model: 950 Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 4 Manual: 8 Approved: 29-Aug-1995 Shutoffs: (ppp),qqq,sss,ttt,www, Type: DC Size: 6 Manual: 8 Approved: 18-Mar-1992 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 29-Aug-2013 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Mar-2016 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Meters: Spare Parts Only: Yes Bypass: yyyyy,aaaaa Model: 950 Meters: Spare Parts Only: Yes Bypass: yyyyy,aaaaaa
Type: DC Size: 4 Manual: 8 Approved: 29-Aug-1995 Shutoffs: (ppp),qqq,sss,ttt,www, Type: DC Size: 6 Manual: 8 Approved: 18-Mar-1992 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 29-Aug-2013 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Mar-2016 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins	Meters: Spare Parts Only: Yes Bypass: yyyyy,aaaaa Model: 950 Meters: Spare Parts Only: Yes Bypass: yyyyy,aaaaa Model: 950

	Manufacturer: Wilkins	Model: 950
Type: DC Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Mar-1989	Renewed: 18-Mar-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss		Dypass.
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 8	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Aug-1995	Renewed: 29-Aug-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	/,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-1994	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	y,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950A
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
	/,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950A
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	y,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950A
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: DC	Manufacturer: Wilkins	Model: 950A
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Manual: 8 Approved: 18-Jul-1991	0.25% Pb: No Renewed: 18-Jul-2015	Spare Parts Only: Yes Bypass:

Type: DC Manufacturer: Wilkins Model: 950A Size: 2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 8 Approved: 18-Jul-1991 Renewed: 18-Jul-2015 Bypass: Shutoffs: ii Type: DC Manufacturer: Wilkins Model: 950XL Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 02-Nov-1992 Renewed: 02-Nov-2013 Bypass: Shutoffs: (ii),000 Type: DC Manufacturer: Wilkins Model: 950XL Size: 3/4 Orientation: VU Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 12-Dec-1996 Renewed: 12-Dec-2014 Bypass: Shutoffs: (ii),000 Type: DC Manufacturer: Wilkins Model: 950XL Size: 1 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 02-Nov-1992 Renewed: 02-Nov-2013 **Bypass:** Shutoffs: (ii),000 Model: 950XL Type: DC Manufacturer: Wilkins Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 02-Nov-1992 Renewed: 02-Nov-2013 Bypass: Shutoffs: (ii),000,ggg Manufacturer: Wilkins Model: 950XL Type: DC Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 02-Nov-1992 Renewed: 02-Nov-2013 **Bypass:** Shutoffs: (ii),000 Type: DC Manufacturer: Wilkins Model: 950XL Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 02-Nov-1992 Renewed: 02-Nov-2013 Bypass: Shutoffs: (ii),bbb,ooo

Size: 3/4 Manual: 9 Approved: 15-Sep-1999 Shutoffs: (ii),000 Notes: Starting at Serial # 3863325	Orientation: H 0.25% Pb: Yes Renewed: 15-Sep-2014	Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii) Notes: Up to Serial # 3863324	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed:	Model: 950XLD Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii) Notes: Starting at Serial # 3863325	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:	Model: 950XLD Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii) Notes: Up to Serial # 3863324	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed:	Model: 950XLD Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii) Notes: Starting at Serial # 3863325	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed:	Model: 950XLD Meters: Spare Parts Only: No Bypass:
	2016 © University of Southern California	Page 209 of 615

Manufacturer: Wilkins

Renewed: 15-Sep-2014

Manufacturer: Wilkins

Orientation: H

0.25% Pb: No

Type: DC Size: 3/4 Manual: 9 Approved: 15-Sep-1999 Shutoffs: (ii),000 Notes: Up to Serial # 3863324

Type: DC Size: 3/4 Man Арр Shu Note

Bypass: Model: 950XLD

Spare Parts Only: No

Model: 950XLD

Meters:

Meters:

	Manufacturer: Wilkins	Madal: 050XLD
Type: DC Size: 3/4	Orientation: VU	Model: 950XLD Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Jan-2000	Renewed: 05-Jan-2014	Bypass:
••	Renewed: 05-Jan-2014	bypass.
Shutoffs: (ii),000		
Notes: Up to Serial # 3863324		
Type: DC	Manufacturer: Wilkins	Model: 950XLD
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jan-2000	Renewed: 05-Jan-2014	Bypass:
Shutoffs: (ii),000		
Notes: Starting at Serial # 3863325		
Type: DC	Manufacturer: Wilkins	Model: 950XLT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-May-1997	Renewed: 09-May-2015	Bypass:
Shutoffs: (ii),000		
Type: DC	Manufacturer: Wilkins	Model: 950XLT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-May-1997	Renewed: 09-May-2015	Bypass:
Shutoffs: (ii),000		
Type: DC	Manufacturer: Wilkins	Model: 950XLT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-1998	Renewed: 19-Jun-2013	Bypass:
Shutoffs: (ii),000		
Type: DC	Manufacturer: Wilkins	Model: 950XLT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Apr-1998	Renewed: 09-Apr-2013	Bypass:
Shutoffs: (ii),000		-) -300.

Type: DC Size: 2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 09-Apr-1998 Renewed: 09-Apr-2013 Bypass: Shutoffs: (ii),000,bbbbb,ccccc Type: DC Manufacturer: Wilkins Model: 950XLT2 Size: 3/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 21-Aug-2015 Approved: 21-Aug-2009 Bypass: Shutoffs: (iiii) Type: DC Manufacturer: Wilkins Model: 950XLT2 Size: 1 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 21-Aug-2015 Approved: 21-Aug-2009 Bypass: Shutoffs: (iiii) Type: DC Manufacturer: Wilkins Model: 950XLT2 Size: 1 1/4 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 21-Aug-2009 Renewed: 21-Aug-2015 **Bypass:** Shutoffs: (iiii) Type: DC Manufacturer: Wilkins Model: 950XLT2 Size: 1 1/2 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 9 Approved: 21-Aug-2009 Renewed: 21-Aug-2015 Bypass: Shutoffs: (iiii) Model: 950XLT2 Type: DC Manufacturer: Wilkins Size: 2 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 21-Aug-2009 Renewed: 21-Aug-2015 **Bypass:** Shutoffs: (iiii) Type: DC Manufacturer: Wilkins Model: 950XLT2U Size: 3/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 22-Feb-2011 Renewed: 22-Feb-2014 Bypass: Shutoffs: (mmmmm)

Manufacturer: Wilkins

Model: 950XLT

Type: DC Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (bbbbb)

Type: DC Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (ccccc)

Type: DC Size: 3/4 Manual: 9 Approved: 14-Aug-2006 Shutoffs: (ggg),xxx

Type: DC Size: 1 Manual: 9 Approved: 14-Aug-2006 Shutoffs: (ggg),xxx

Type: DC Size: 3/4 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx

Type: DC Size: 1 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx

Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 14-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 14-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2015 Model: 950XLTBF Meters: Spare Parts Only: No Bypass:

Model: 950XLTBFSS Meters: Spare Parts Only: No Bypass:

Model: 950XLTU Meters: Spare Parts Only: No Bypass:

Model: 950XLTU Meters: Spare Parts Only: No Bypass:

Model: 950XLU Meters: Spare Parts Only: No Bypass:

Model: 950XLU Meters: Spare Parts Only: No Bypass:

Model: 950XLU Meters: Spare Parts Only: No Bypass:

.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Feb-1994	Renewed: 15-Feb-2015	Bypass:
Shutoffs: (ggg),xxx		
Type: DC	Manufacturer: Wilkins	Model: MBD
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: 4"x4"x8" Manifold, Model	designation changed to 550M	
Type: DC	Manufacturer: Wilkins	Model: MBD
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: 6"x6"x10" Manifold, Mode	el designation changed to 550M	
Type: DCDA	Manufacturer: Ames	Model: 3000-1SS
Size: 12	Orientation: H	Meters: (N), H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass: Ames 200B 3/4" (H); Watts 719QT 3/4" (H)
Shutoffs: (mm), II		
Type: DCDA	Manufacturer: Ames	Model: 3000-1SS
Size: 12	Orientation: VU	Meters: (N), H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2014	Bypass: Ames 200B 3/4" (VU); Watts 719QT 3/4" (VU)
Shutoffs: (mm), II		
Type: DCDA	Manufacturer: Ames	Model: 3000B
Size : 2	Orientation: H	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 16-Jun-1997	Renewed: 16-Jun-2015	Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)
Shutoffs: (bbb),jjjj,rrrrr		
· · · · · · · · · · · · · · · · · · ·		

Manufacturer: Wilkins

Model: 950XLU

Type: DC

Type: DCDA	Manufacturer: Ames	Model: 3000B
Size : 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No
		Bypass: Ames 2000B 1/2" (VU), Watts
Approved: 16-Jun-1997	Renewed: 16-Jun-2015	007QT 1/2" (VU)
Shutoffs: (bbb),jjjj,rrrrr		
Type: DCDA	Manufacturer: Ames	Model: 3000B-FP
Size : 2	Orientation: H	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)
Shutoffs: (eeeee)		
Type: DCDA	Manufacturer: Ames	Model: 3000BM1
Size: 2	Orientation: H	Meters:
		(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No Bypass: Ames 2000B 1/2" (H), Watts
Approved: 19-Jun-2015	Renewed:	007QT 1/2" (H)
Shutoffs: (eeeee), bbb, jjjj,rrrrr		
Type: DCDA	Manufacturer: Ames	Model: 3000BM1
Size : 2	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2015	Renewed:	Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)
Shutoffs: (eeeee), bbb, jjjj,rrrrr		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 4	Orientation: H	Meters:
		(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No Bypass: Ames 2000B 1/2"(H),Watts
Approved: 27-Jul-1987	Renewed: 27-Jul-2014	007QT 1/2"(H)
Shutoffs: (pp),hh,uu,eee		

Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 4	Orientation: VU	Meters:
		(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No Bypass: Ames 2000B 1/2"(VU),Watts
Approved: 27-Aug-1996	Renewed: 27-Aug-2014	007QT 1/2"(VU)
Shutoffs: (pp),hh,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 6	Orientation: H	Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-1987	Renewed: 27-Jul-2014	Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)
Shutoffs: (pp),hh,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 6	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size : 8	Orientation: H	Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1987	Renewed: 19-Apr-2014	Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)
Shutoffs: (pp),hh,mm,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 8	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)

Size: 10 Orientation: H Meters: (N),E,F,G,H,I,J,K,L,M,O,P,Q Manual: 6 0.25% Pb: No Spare Parts Only: No Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H) Shutoffs: (pp),hh,mm,uu,eee Type: DCDA Manufacturer: Ames Model: 3000CIV Maters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Manual: 8 0.25% Pb: No Spare Parts Only: No Bypass: Ames 2000B 1/2" (VU), Watt 007QT 1/2" (VU) Manual: 8 0.25% Pb: No Spare Parts Only: No Bypass: Ames 2000B 1/2" (VU), Watt 007QT 1/2" (VU) Shutoffs: (pp),hh,mm,uu,eee Type: DCDA Manufacturer: Ames Model: 3000DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Watts 007QT 3/4" (H) Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,fff,gggg Notes: formerly DCDA Manufacturer: Ames Model: 3000DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Watts 007QT 3/4" (H) Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,fff,gggg Notes: formerly DCDA Manufacturer: Ames Model: 3000DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes Spare Parts Only: Yes Spare Parts Only: Yes Spare Sates Orientation: H Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes Spare Sates Orientation: H Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes Spare Parts Only: Yes	Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Approved: 27-Jul-1987Renewed: 27-Jul-2014Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)Shutoffs: (pp),hh,mm,uu,eeeManufacturer: AmesModel: 3000CIVType: DCDAManufacturer: AmesModel: 3000CIVManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 05-Dec-1996Renewed: 05-Dec-2014Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (pp),hh,mm,uu,eeeManufacturer: AmesModel: 3000DCDAType: DCDAManufacturer: AmesModel: 3000DCDAManual: 70.25% Pb: NoSpare Parts Only: YesApproved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 007QT 3/4" (H)Shutoffs: uu,ee, ff,gg,hh,mm,ou,pp,occ, dd,fff,ggggModel: 3000DCDAManual: 70.25% Pb: NoSpare Parts Only: YesSize: 6Orientation: HMeters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: YesSize: 6Orientation: HMeters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: YesApproved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 709QT 3/4" (H)Shutoffs: uu,ee, ff,gg,hh,mm,oo,pp,occ, dd,fff,ggggSpare Parts Only: YesApproved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 709QT 3/4" (H)Shutoffs: uu,ee, ff,gg,hh,mm,oo,pp,occ, dd,ffff,ggggModel: 3000DCDAMatual: 70.25% Pb: NoSpare Parts Only: YesSize: 8Orientation: HModel: 3000DCDAMatual: 70.25% Pb: NoSpare Parts Only: Yes<	Size: 10	Orientation: H	Meters: (N),E,F,G,H,I,J,K,L,M,O,P,Q
Approved: 27-Jul-1987 Kenewed: 27-Jul-2014 007QT 1/2"(H) Shutoffs: (pp),hh,mm,uu,eee Manufacturer: Ames Model: 3000CIV Type: DCDA Manufacturer: Ames Model: 3000CIV Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 05-Dec-1996 Renewed: 05-Dec-2014 Bypass: Ames 2000B 1/2" (VU), Watt 007QT 1/2" (VU) Shutoffs: (pp),hh,mm,uu,eee Model: 3000DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Type: DCDA Manufacturer: Ames Model: 3000DCDA Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Watts 007QT 3/4" (H) Shutoffs: uu,ee, ff,gg,hh,mm,oo,pp,ccc,ddd,fff,gggg Model: 3000DCDA Manual: 7 0.25% Pb: No Spare Parts Only: Yes Size: 6 Orientation: H Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Watts 709QT 3/4" (H) Shutoffs: uu,ee, ff,gg,hh,mm,oo,pp,ccc,ddd,fff,gggg Model: 3000DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Shutoffs: uu,ee, ff,gg,hh,mm,oo,pp,ccc,ddd,fff,gggg Notes: formerly DCDA-I Type: DCDA Manufacturer: Ames Model: 3000DCDA Size: 8 Orientation	Manual: 6	0.25% Pb: No	Spare Parts Only: No
Type: DCDA Manufacturer: Ames Model: 3000CIV Size: 10 Orientation: VU (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 05-Dec-1996 Renewed: 05-Dec-2014 Bypass: Ames 2000B 1/2" (VU), Watt 007QT 1/2" (VU) Shutoffs: (pp),hh,mm,uu,eee Model: 3000CDA Meters: Type: DCDA Manufacturer: Ames Model: 3000DCDA Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Watts 007QT 3/4" (H) Shutoffs: uu,ee,if,igg,hh,mm,oo,pp,ccc,ddd,ifff,igggg Nodel: 3000DCDA Meters: Type: DCDA Manufacturer: Ames Model: 3000DCDA Manual: 7 0.25% Pb: No Spare Parts Only: Yes Size: 6 Orientation: H (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Watts 709QT 3/4" (H) Shutoffs: uu,ee,if,igg,hh,mm,oo,pp,ccc,ddd,ifff,igggg Nodel: 3000DCDA Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Watts 709QT 3/4" (H) Shutoffs: uu,ee,if,igg,hh,mm,oo,pp,ccc,ddd,ifff,igggg Nodel: 3000DCDA Miters: (m),B,C,D,E,F,G,H	Approved: 27-Jul-1987	Renewed: 27-Jul-2014	
Size:Orientation:VUMeters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,QManual:80.25% Pb: NoSpare Parts Only: NoApproved:05-Dec-1996Renewed:05-Dec-2014Bypass: Ames 2000B 1/2" (VU), Wat 007QT 1/2" (VU)Shutoffs:(pp),hh,mm,uu,eeeModel:3000DCDAType:DCDAManufacturer: AmesModel:3000DCDAManual:70.25% Pb: NoSpare Parts Only: YesApproved:11-Jan-1988Renewed:11-Jan-2015Bypass: Watts 007QT 3/4" (H)Shutoffs:uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,fff,ggggModel:3000DCDANotes:formerty DCDAManufacturer: AmesModel:3000DCDAType:DCDAManufacturer: AmesModel:3000DCDAManual:70.25% Pb: NoSpare Parts Only: YesSpare Parts Only: YesSize:6Orientation: H(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: YesApproved:11-Jan-1988Renewed:11-Jan-2015Bypass: Watts 709QT 3/4" (H)Shutoffs:uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,ggggNotes: formerly DCDA-1Spare Parts Only: YesType:DCDAManufacturer: AmesModel:3000DCDAMeters:(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QSpare Parts Only: YesSpare Spare Spar	Shutoffs: (pp),hh,mm,uu,eee		
Size: 10 Orientation: VU (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Manual: 8 0.25% Pb: No Spare Parts Only: No Bypass: Ames 2000B 1/2" (VU), Wat 007QT 1/2" (VU) Shutoffs: (pp),hh,mm,uu,eee Type: DCDA Manufacturer: Ames Model: 3000DCDA Meters: Size: 4 Orientation: H (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Watts 007QT 3/4" (H) Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,fff,gggg Notes: formerly DCDA Type: DCDA Manufacturer: Ames Model: 3000DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Watts 007QT 3/4" (H) Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,gggg Notes: formerly DCDA Type: DCDA Manufacturer: Ames Model: 3000DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H) Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,gggg Notes: formerly DCDA-1 Type: DCDA Manufacturer: Ames Model: 3000DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes	Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Approved: 05-Dec-1996Renewed: 05-Dec-2014Bypass: Ames 2000B 1/2" (VU), Watt 007QT 1/2" (VU)Shutoffs: (pp),hh,mm,uu,eeeModel: 3000DCDAType: DCDAManufacturer: AmesModel: 3000DCDASize: 4Orientation: HMeters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: YesApproved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 007QT 3/4" (H)Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc.ddd,ffff,ggggModel: 3000DCDANotes: formerly DCDAManufacturer: AmesModel: 3000DCDASize: 6Orientation: HMeters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: YesApproved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 709QT 3/4" (H)Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc.ddd,ffff,ggggNotes: formerly DCDAMatter ? Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QType: DCDAManufacturer: AmesModel: 3000DCDASize: 8Orientation: HModel: 3000DCDAMaufacturer: AmesModel: 3000DCDAManual: 70.25% Pb: NoSpare Parts Only: YesSize: 8Orientation: H(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: Yes	Size: 10	Orientation: VU	
Approved:05-Dec-1996Renewed:05-Dec-2014007QT 1/2" (VU)Shutoffs: (pp),hh,mm,uu,eee </td <td>Manual: 8</td> <td>0.25% Pb: No</td> <td>Spare Parts Only: No</td>	Manual: 8	0.25% Pb: No	Spare Parts Only: No
Type: DCDAManufacturer: AmesModel: 3000DCDASize: 4Orientation: H(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: YesApproved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 007QT 3/4" (H)Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,ggggNotes: formerly DCDAType: DCDAManufacturer: AmesModel: 3000DCDASize: 6Orientation: H(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: YesApproved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 709QT 3/4" (H)Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,ggggNotes: formerly DCDAManual: 70.25% Pb: NoSpare Parts Only: YesApproved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 709QT 3/4" (H)Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,ggggNotes: formerly DCDA-IType: DCDAManufacturer: AmesModel: 3000DCDASize: 8Orientation: H(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: Yes	Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)
Size: 4Orientation: HMeters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: YesApproved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 007QT 3/4" (H)Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,ggggNotes: formerly DCDAManufacturer: AmesType: DCDAManufacturer: AmesModel: 3000DCDASize: 6Orientation: HMeters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: YesApproved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 709QT 3/4" (H)Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,ggggNotes: formerly DCDA-IModel: 3000DCDAType: DCDAManufacturer: AmesModel: 3000DCDASize: 8Orientation: HModel: 3000DCDAMaters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManufacturer: AmesModel: 3000DCDAMaters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSize: 8Orientation: HMeters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: Yes	Shutoffs: (pp),hh,mm,uu,eee		
Size: 4Orientation: H(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: YesApproved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 007QT 3/4" (H)Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,dd,ffff,ggggNotes: formerly DCDAType: DCDAManufacturer: AmesModel: 3000DCDASize: 6Orientation: HMeters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: YesApproved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 709QT 3/4" (H)Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,ggggSpare Parts Only: YesMotes: formerly DCDA-IManufacturer: AmesModel: 3000DCDAType: DCDAManufacturer: AmesModel: 3000DCDASize: 8Orientation: HModel: 3000DCDAManual: 70.25% Pb: NoSpare Parts Only: YesSize: 8Orientation: HModel: 3000DCDAManual: 70.25% Pb: NoSpare Parts Only: Yes	Type: DCDA	Manufacturer: Ames	Model: 3000DCDA
Approved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 007QT 3/4" (H)Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,ggggModel: 3000DCDAType: DCDAManufacturer: AmesModel: 3000DCDASize: 6Orientation: HMeters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: YesApproved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 709QT 3/4" (H)Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,ggggNotes: formerly DCDA-IModel: 3000DCDAType: DCDAManufacturer: AmesModel: 3000DCDASize: 8Orientation: HModel: 3000DCDAManual: 70.25% Pb: NoSpare Parts Only: YesSize: 8Orientation: HMeters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: Yes	Size: 4	Orientation: H	
Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,gggg Notes: formerly DCDA Type: DCDA Manufacturer: Ames Size: 6 Orientation: H Manual: 7 0.25% Pb: No Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,gggg Notes: formerly DCDA-I Type: DCDA Manual: 7 0.25% Pb: No Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H) Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,gggg Notes: formerly DCDA-I Type: DCDA Manufacturer: Ames Model: 3000DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Size: 8 Orientation: H (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes	Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Notes: formerly DCDA Manufacturer: Ames Model: 3000DCDA Type: DCDA Manufacturer: Ames Meters: Size: 6 Orientation: H (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Watts 709QT 3/4" (H) Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,gggg Notes: formerly DCDA-I Manufacturer: Ames Type: DCDA Manufacturer: Ames Model: 3000DCDA Size: 8 Orientation: H (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes	Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 007QT 3/4" (H)
Size: 6Orientation: HMeters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: YesApproved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 709QT 3/4" (H)Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,ggggNotes: formerly DCDA-IManufacturer: AmesType: DCDAManufacturer: AmesModel: 3000DCDASize: 8Orientation: H(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: Yes		pp,ccc,ddd,ffff,gggg	
Size: 6Orientation: H(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: YesApproved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 709QT 3/4" (H)Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,ggggNotes: formerly DCDA-IModel: 3000DCDAType: DCDAManufacturer: AmesModel: 3000DCDASize: 8Orientation: H(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: Yes	Type: DCDA	Manufacturer: Ames	Model: 3000DCDA
Approved: 11-Jan-1988Renewed: 11-Jan-2015Bypass: Watts 709QT 3/4" (H)Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,ggggNotes: formerly DCDA-IManufacturer: AmesModel: 3000DCDAType: DCDAManufacturer: AmesModel: 3000DCDAMeters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QSize: 8Orientation: H(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: Yes	Size: 6	Orientation: H	
Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ccc,ddd,ffff,gggg Notes: formerly DCDA-I Type: DCDA Manufacturer: Ames Model: 3000DCDA Size: 8 Orientation: H Manual: 7 0.25% Pb: No	Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Motes: formerly DCDA-I Type: DCDA Manufacturer: Ames Model: 3000DCDA Size: 8 Orientation: H Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes	Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 709QT 3/4" (H)
Size: 8Orientation: HMeters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 70.25% Pb: NoSpare Parts Only: Yes		pp,ccc,ddd,ffff,gggg	
Size: 8 Orientation: H (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 7 0.25% Pb: No Spare Parts Only: Yes	Type: DCDA	Manufacturer: Ames	Model: 3000DCDA
	Size : 8	Orientation: H	
Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Watts 007QT 3/4" (H)	Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
	Approved 11 Jan 1099	Renewed: 11-Jan-2015	Bypass: Watts 007QT 3/4" (H)

Type: DCDA	Manufacturer: Ames	Model: 3000DCDC
Size: 10	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Aug-1987	Renewed: 04-Aug-2014	Bypass: Watts007M2QT 3/4" (H),Watts 709QT 3/4" (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,oo,pp, Notes: formerly DCDA	.ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000GDCDA
Size: 4	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 007QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo, Notes: formerly DCDA	pp,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000GDCDA
Size: 6	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 709QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo, Notes: formerly DCDA-I	pp,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000GDCDA
Size: 8	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 007QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo, Notes: formerly DCDA	pp,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000GDCDC
Size: 10	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1987	Renewed: 04-Aug-2014	Bypass: Watts 709QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,oo,pp,c	cc,ddd,ffff,gggg	
Notes: formerly DCDC		

Type: DCDA Size: 2 1/2

Manual: 8

Approved: 10-Sep-1996

Shutoffs: (mm),ee,ff,gg,hh,ll,oo,pp,tt,uu,ccc,ddd,ffff,gggg

Manufacturer: Ames

Renewed: 10-Sep-2014

Orientation: H

0.25% Pb: No

Type: DCDAManufacturer: AmesSize: 6Orientation: HManual: 80.25% Pb: NoApproved: 24-May-1995Renewed: 24-May-2013

Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDAManufacturer: AmesSize: 8Orientation: HManual: 80.25% Pb: NoApproved: 09-Sep-1992Renewed: 09-Sep-2013Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDAManufacturer: AmesSize: 8Orientation: HManual: 80.25% Pb: NoApproved: 05-May-1995Renewed: 05-May-2013Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDAManufacturer: AmesSize: 6Orientation: HManual: 80.25% Pb: NoApproved: 22-Nov-1993Renewed: 22-Nov-2014Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,ggggNotes: formerly 3000SS prior to S/N 2EK0320

Type: DCDA Size: 2 1/2 Manual: Approved: Notes: to S/N 2EK0320 m Manufacturer: Ames Orientation: 0.25% Pb: No Renewed: Model: 3000SE Meters: (M),N,O,P,Q Spare Parts Only: No Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)

Model: 3000SE Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)

Model: 3000SE Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Watts 007M1QT 3/4" (H)

Model: 3000SEA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Ames 2000SS 3/4" (H)

Model: 3000SEWM1 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Model: 3000SS Meters: Spare Parts Only: No Bypass:

Notes: to S/N 2EK0320 model designation changed to 3000SEWM1

Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 2 1/2	Orientation: H	Meters:
Size: 2 1/2		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1995	Renewed: 24-May-2013	Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: to S/N 2EK0320 model d	esignation changed to 3000SEWM1	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1995	Renewed: 24-May-2013	Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: to S/N 2EK0320 model d	esignation changed to 3000SEWM1	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1995	Renewed: 24-May-2013	Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	· · ·
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
	esignation changed to 3000SEWM1	

Type: DCDA

Size: 6Orientation: HManual: 80.25% Pb: NoApproved: 09-Sep-1992Renewed: 09-Sep-2013Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Manufacturer: Ames

Manufacturer: Ames

Renewed: 16-Sep-2014

Manufacturer: Ames

Renewed: 16-Feb-2016

Manufacturer: Ames

Renewed: 04-Dec-2015

Manufacturer: Ames

Renewed: 22-Feb-2014

Manufacturer: Ames

Renewed: 05-May-2013

Orientation: H

0.25% Pb: No

Orientation: VU

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Type: DCDA

Size: 8

Manual: 8

Approved: 16-Sep-1996

Shutoffs: (uu),ee,ff,gg,hh,ll,mm,tt,ccc,ddd,ffff,gggg

Type: DCDA Size: 10 Manual: 8 Approved: 16-Feb-2001 Shutoffs: (II),mm,oo,pp,ffff,gggg

Type: DCDA Size: 12 Manual: 9 Approved: 04-Dec-2009 Shutoffs: (mm), II

Type: DCDA Size: 12 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mm), II

Type: DCDA

Size: 6

Manual: 8

Approved: 05-May-1995

Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)

Model: 3000SS Meters: (J),C,E,F,G,H,I,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000B 3/4" (H)

Model: 3000SS Meters: (N), H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: 3000SS Meters: (N), H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: 3000SSA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Ames 2000SS 3/4" (H) Type: DCDA Manufacturer: Ames Size: 4 Orientation: H 0.25% Pb: No Manual: 8 Renewed: 05-May-2013 Approved: 05-May-1995 Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDA Manufacturer: Ames Size: 6 Orientation: H 0.25% Pb: No Manual: 8 Approved: 05-May-1995 Renewed: 05-May-2013 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDA Manufacturer: Ames Size: 2 1/2 Orientation: H Manual: 8 0.25% Pb: No Renewed: 11-Jul-2015 Approved: 11-Jul-1991 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg Notes: formerly 3000SS prior to S/N 2EK0320

Type: DCDA

Size: 3

Size: 4

Manual: 8

Manufacturer: Ames

Orientation: H

0.25% Pb: No Renewed: 11-Jul-2015 Model: 3000SSM Meters: (R) Spare Parts Only: Yes Bypass: Ames 2000SS 1" (H)

Model: 3000SSM Meters: (S) Spare Parts Only: No Bypass: Watts 007M2QT 1 1/2" (H)

Model: 3000SSWM1 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Model: 3000SSWM1 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Model: 3000SSWM1 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Manual: 8

Approved: 11-Jul-1991 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg Notes: formerly 3000SS prior to S/N 2EK0320

Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Notes: formerly 3000SS prior to S/N 2EK0320

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Type: DCDA

Approved: 11-Jul-1991

Manufacturer: Ames

Orientation: H

0.25% Pb: No Renewed: 11-Jul-2015

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (yyy) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013 Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA

Size: 6

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz) Manufacturer: Ames Orientation: VU 0.25% Pb: No

Renewed: 18-Jan-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015 Model: Colt 300aBF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 4 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 03-Nov-2013

Manufacturer: Ames

Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014 Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4 (H)

Model: Colt 300aGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 8

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames

Renewed: 09-Mar-2016

Orientation: H

0.25% Pb: No

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Colt 300BF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Type: DCDA	Manufacturer: Ames	Model: Colt 300BF
		Meters: (N), G, H, I J, K L, M, N, O, P,
Size: 8	Orientation: VU	Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass: Ames 2000BM3 3/4" (H & VU
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300BF
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300BF
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300GV
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005 Shutoffs: (zzz)	Renewed: 04-Oct-2014	Bypass: Ames 2000BM3 3/4" (H)
Type: DCDA	Manufacturer: Ames	Model: Colt 300GV
Size: 2 1/2	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005 Shutoffs: (zzz)	Renewed: 04-Oct-2014	Bypass: Ames 2000BM3 3/4" (VU)
Type: DCDA	Manufacturer: Ames	Model: Colt 300GV
Size: 3	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Ames 2000BM3 3/4" (H)

Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)

Type: DCDA

Size: 8

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames

Renewed: 09-Mar-2016

Orientation: H

0.25% Pb: No

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Colt 300GV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Meters: (N), G, H, I J, K L, M, N, O, Q Spare Parts Only: No : 09-Mar-2016 Bypass: Ames 2000BM3 3/4" (H & V)
: No Spare Parts Only: No
· · · · · · · · · · · · · · · · · · ·
Bypass. Ames 2000 Bivis 3/4 (11 & 1
urer: Ames Model: Colt 300GV
on: H Meters: (N),G,H,I,J,K,L,M,O,P,Q
: No Spare Parts Only: No
: 17-Sep-2015 Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
urer: Ames Model: Colt 300GV
on: VU Meters: (N),G,H,I,J,K,L,M,O,P,Q
: No Spare Parts Only: No
: 17-Sep-2015 Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
urer: Ames Model: Colt 300NBF
m: VUVD Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
: No Spare Parts Only: No
: 07-Apr-2015 Bypass: Ames 2000BM3 3/4" (H)
urer: Ames Model: Colt 300NBF
m: VUVD Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
: No Spare Parts Only: No
: 07-Apr-2015 Bypass: Ames 2000BM3 3/4" (H)
urer: Ames Model: Colt 300NBF
Meters:(N),G,H,I,J,K,L,M,N,O,P,Q
וו : : :

Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No

Renewed:

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: Colt 300NBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NBF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Ames

Renewed: 07-Apr-2015

Manufacturer: Ames

Renewed: 03-Jan-2016

Manufacturer: Ames

Orientation: VUVD

0.25% Pb: No

Renewed:

Orientation: VUVD

0.25% Pb: No

Orientation: VUVD

0.25% Pb: No

Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDAManufacturer: AmesSize: 4Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 3000DCDA

Type: DCDAManufacturer: AmesSize: 4Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 3000GDCDA

Type: DCDAManufacturer: AmesSize: 8Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 3000DCDA

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: DCDA Meters: Spare Parts Only: No Bypass:

Model: DCDA Meters: Spare Parts Only: No Bypass:

Model: DCDA Meters: Spare Parts Only: No Bypass:

Type: DCDA	Manufacturer: Ames	Model: DCDA
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 3000GDCDA	
Type: DCDA	Manufacturer: Ames	Model: DCDA
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 3000DCDC	
Type: DCDA	Manufacturer: Ames	Model: DCDA-I
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 3000DCDA	
Type: DCDA	Manufacturer: Ames	Model: DCDA-I
Size: 6	Orientation:	Meters:
		Spare Parts Only: No
Manual:	0.25% Pb: No	opuro i uno omyrino
Manual: Approved:	Renewed:	Bypass:
	Renewed:	
Approved:	Renewed:	
Approved: Notes: model designation chang	Renewed: ged to 3000GDCDA	Bypass: Model: DCDC Meters:
Approved: Notes: model designation chang Type: DCDA Size: 4	Renewed: ged to 3000GDCDA Manufacturer: Ames	Bypass: Model: DCDC Meters:
Approved: Notes: model designation chang Type: DCDA Size: 4 Manual: 6	Renewed: ged to 3000GDCDA Manufacturer: Ames Orientation: H	Bypass: Model: DCDC Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q
Approved: Notes: model designation chang	Renewed: ged to 3000GDCDA Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015	Bypass: Model: DCDC Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q Spare Parts Only: Yes
Approved: Notes: model designation chang Type: DCDA Size: 4 Manual: 6 Approved: 14-Jun-1985 Shutoffs: ee,ff,gg,hh,oo,pp,ccc,	Renewed: ged to 3000GDCDA Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015	Bypass: Model: DCDC Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,G Spare Parts Only: Yes
Approved: Notes: model designation chang Type: DCDA Size: 4 Manual: 6 Approved: 14-Jun-1985 Shutoffs: ee,ff,gg,hh,oo,pp,ccc, Type: DCDA	Renewed: ged to 3000GDCDA Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015 ddd,ffff,gggg	Bypass: Model: DCDC Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,G Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H) Model: DCDC Meters:
Approved: Notes: model designation chang Type: DCDA Size: 4 Manual: 6 Approved: 14-Jun-1985	Renewed: ged to 3000GDCDA Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015 ddd,ffff,gggg Manufacturer: Ames	Bypass: Model: DCDC Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H) Model: DCDC

Size: 8	Orientation: H	Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1987	Renewed: 04-Aug-2014	Bypass: Watts 709QT 3/4" (H)
Shutoffs: ee,ff,gg,hh,oo,pp,ccc,	ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: DCDC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 3000GDCDC	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 2 1/2	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Shutoffs: (yyy) Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
	ion identified with NSF61 mark on meter Manufacturer: Ames	Model: LFColt 300BF
Notes: Lead free compliant vers		
Notes: Lead free compliant vers	Manufacturer: Ames	Model: LFColt 300BF
Notes: Lead free compliant vers Type: DCDA Size: 2 1/2	Manufacturer: Ames Orientation: VU	Model: LFColt 300BF Meters: (O) Spare Parts Only: No
Notes: Lead free compliant vers Type: DCDA Size: 2 1/2 Manual: 9	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes	Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU),
Notes: Lead free compliant vers Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes	Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Ames LF2000BM3 3/4" (VU)
Notes: Lead free compliant vers Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed:	Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Ames LF2000BM3 3/4" (VU)
Notes: Lead free compliant vers Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter	Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Ames LF2000BM3 3/4" (VU)
Notes: Lead free compliant vers Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames	Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Ames LF2000BM3 3/4" (VU)
Notes: Lead free compliant vers Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 3	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H	Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Ames LF2000BM3 3/4" (VU) Model: LFColt 300BF Meters: (O)
Notes: Lead free compliant vers Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 3 Manual: 9	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Ames LF2000BM3 3/4" (VU) Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),

Model: DCDC

Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant version	on identified with NSF61 mark on mete	۲
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant version	on identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 4	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)	Renewed: on identified with NSF61 mark on mete	Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy) Notes: Lead free compliant versio		Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)	on identified with NSF61 mark on mete	Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy) Notes: Lead free compliant version Type: DCDA	on identified with NSF61 mark on mete Manufacturer: Ames	Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy) Notes: Lead free compliant version Type: DCDA Size: 6	on identified with NSF61 mark on mete Manufacturer: Ames Orientation: H	Ames LF2000BM3 3/4" (VU) er Model: LFColt 300BF Meters: (O)
Shutoffs: (yyy) Notes: Lead free compliant version Type: DCDA Size: 6 Manual: 9	on identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Ames LF2000BM3 3/4" (VU) m Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Shutoffs: (yyy) Notes: Lead free compliant version Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	on identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Ames LF2000BM3 3/4" (VU) Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy) Notes: Lead free compliant version Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant version	on identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:	Ames LF2000BM3 3/4" (VU) Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy) Notes: Lead free compliant version Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	on identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete	Ames LF2000BM3 3/4" (VU) m Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy) Notes: Lead free compliant version Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant version Type: DCDA	on identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete Manufacturer: Ames	Ames LF2000BM3 3/4" (VU) m Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) m Model: LFColt 300BF
Shutoffs: (yyy) Notes: Lead free compliant version Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant version Type: DCDA Size: 6	on identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete Manufacturer: Ames Orientation: VU	Ames LF2000BM3 3/4" (VU) Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFColt 300BF Meters: (O)

Model: LFColt 300BF

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA

	Onemation. II	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (ууу)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (ууу)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er senten en e
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 10	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 2 1/2	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		

Orientation: H

Model: LFColt 300BF

Meters: (O)

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA

Size: 2 1/2	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU) Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete)r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU) Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)	Renewed: ion identified with NSF61 mark on mete	Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz) Notes: Lead free compliant vers		Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA	ion identified with NSF61 mark on mete	Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4	ion identified with NSF61 mark on mete Manufacturer: Ames	Ames LF2000BM3 3/4" (VU) er Model: LFColt 300GV
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H	Ames LF2000BM3 3/4" (VU) er Model: LFColt 300GV Meters: (O)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Ames LF2000BM3 3/4" (VU) er Model: LFColt 300GV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Model: LFColt 300GV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:	Ames LF2000BM3 3/4" (VU) Model: LFColt 300GV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete	Ames LF2000BM3 3/4" (VU) er Model: LFColt 300GV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4	ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames	Ames LF2000BM3 3/4" (VU) er Model: LFColt 300GV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) er Model: LFColt 300GV
Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: VU	Ames LF2000BM3 3/4" (VU) Pr Model: LFColt 300GV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Pr Model: LFColt 300GV Meters: (O)

Model: LFColt 300GV

Notes: Lead free compliant version identified with NSF61 mark on meter

31		
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	Pr
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 6	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	9r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		

Model: LFColt 300GV

Notes: Lead free compliant version identified with NSF61 mark on meter

0.201 10		
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU) Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (ууу)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		

Orientation: VU

Model: LFColt 300GV

Meters: (O)

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA

Manual: 9		
	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (ууу)		
Notes: Lead free compliant versi	on identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant versi	on identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NGV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
••		Ames LF2000BM3 3/4" (H)
		Ames Lr2000bivis 5/4 (H)
Shutoffs: (zzz)	on identified with NSF61 mark on mete	
Shutoffs: (zzz) Notes: Lead free compliant versi	on identified with NSF61 mark on mete Manufacturer: Ames	
Shutoffs: (zzz) Notes: Lead free compliant versi Type: DCDA		r
Shutoffs: (zzz) Notes: Lead free compliant versi Type: DCDA Size: 3	Manufacturer: Ames	r Model: LFColt 300NGV
Shutoffs: (zzz) Notes: Lead free compliant versi Type: DCDA Size: 3 Manual: 9	Manufacturer: Ames Orientation: VUVD	r Model: LFColt 300NGV Meters: (O) Spare Parts Only: No
Shutoffs: (zzz) Notes: Lead free compliant versi Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	r Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Shutoffs: (zzz) Notes: Lead free compliant versi Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	r Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant versi Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed:	r Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant versi Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: DCDA	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete	r Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant versi Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: DCDA Size: 4	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete Manufacturer: Ames	r Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H) r Model: LFColt 300NGV
Shutoffs: (zzz) Notes: Lead free compliant versi Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD	r Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H) r Model: LFColt 300NGV Meters: (O)

Orientation: VUVD

Model: LFColt 300NBF

Meters: (O)

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA

Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	er en
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NGV
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	Pr
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NGV
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 2 1/2	Orientation: H	
Manual: 9	0.25% Pb: Yes	Meters: (O) Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 2 1/2	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		

Model: LFColt 300NGV

Notes: Lead free compliant version identified with NSF61 mark on meter

Manual: 9		
	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant versi	on identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant versi	on identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
	on identified with NSF61 mark on mete	r
Notes: Lead free compliant versi	on identified with NSF61 mark on mete Manufacturer: Ames	r Model: LFMaxim 300BF
Notes: Lead free compliant versi		
Notes: Lead free compliant versi Type: DCDA Size: 4	Manufacturer: Ames	Model: LFMaxim 300BF
Notes: Lead free compliant versi Type: DCDA Size: 4 Manual: 9	Manufacturer: Ames Orientation: VU	Model: LFMaxim 300BF Meters: (O)
Notes: Lead free compliant versi Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes	Model: LFMaxim 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU),
Notes: Lead free compliant versi Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes	Model: LFMaxim 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Notes: Lead free compliant versi Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed:	Model: LFMaxim 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Notes: Lead free compliant versi Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi Type: DCDA	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed:	Model: LFMaxim 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Notes: Lead free compliant versi Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi Type: DCDA Size: 6	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: fon identified with NSF61 mark on mete Manufacturer: Ames	Model: LFMaxim 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) r Model: LFMaxim 300BF
Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: fon identified with NSF61 mark on mete Manufacturer: Ames Orientation: H	Model: LFMaxim 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) r Model: LFMaxim 300BF Meters: (O)

Orientation: H

Model: LFMaxim 300BF

Meters: (O)

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA

Size: 6	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (ууу)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	9 r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	9r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy) Notes: Lead free compliant vers	ion identified with NSF61 mark on mete)r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	0.23 % FD. 165	Bypass: Watts LF007M3QT 3/4" (H),
Approved: 08-Jan-2014	Renewed:	Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 10	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		

Model: LFMaxim 300BF

Notes: Lead free compliant version identified with NSF61 mark on meter

Size: 2 1/2	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant version	on identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 2 1/2	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant version	on identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant version	on identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
	Manufacturer: Ames Orientation: VU	Model: LFMaxim 300GV Meters: (O)
Type: DCDA Size: 3 Manual: 9		
Size: 3	Orientation: VU	Meters: (O) Spare Parts Only: No
Size: 3 Manual: 9	Orientation: VU 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU),
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Orientation: VU 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Orientation: VU 0.25% Pb: Yes Renewed:	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version Type: DCDA	Orientation: VU 0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version Type: DCDA	Orientation: VU 0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete Manufacturer: Ames	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) r Model: LFMaxim 300GV
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version Type: DCDA Size: 4	Orientation: VU 0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete Manufacturer: Ames Orientation: H	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) r Model: LFMaxim 300GV Meters: (O)

Model: LFMaxim 300GV

Notes: Lead free compliant version identified with NSF61 mark on meter

Type. DODA		
Size: 4	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 6	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU) Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Manulacturer. Ames	WODEL LEWIAXIM SOUGV
••	Orientation: H	Meters: (O)
Size: 8		
Size: 8 Manual: 9	Orientation: H 0.25% Pb: Yes	Meters: (O)
Size: 8 Manual: 9	Orientation: H	Meters: (O) Spare Parts Only: No
Size: 8 Manual: 9 Approved: 08-Jan-2014	Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Size: 8 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Size: 8 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Orientation: H 0.25% Pb: Yes Renewed:	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Size: 8 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Size: 8 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 8	Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Size: 8 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VU	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) or Model: LFMaxim 300GV Meters: (O)

Model: LFMaxim 300GV

Notes: Lead free compliant version identified with NSF61 mark on meter

Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 10	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		

Orientation: H

Model: LFMaxim 300GV

Meters: (O)

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA

iype. DODA	manaraotarer. / meo	
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	net in the second se
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy) Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	Pr
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 3	Orientation: VUVD	Meters: (O)
Size: 3 Manual: 9	Orientation: VUVD 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA

Model: LFMaxim 300NBF

•=••	0	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: Maxim 300aBF
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Nov-2003	Renewed: 06-Nov-2015	Bypass: Ames 2000BM3 3/4" (H)

Orientation: VUVD

Model: LFMaxim 300NGV

Meters: (O)

Shutoffs: (yyy)

Type: DCDA

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (yyy)

Type: DCDA

Size: 4

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 03-Nov-2013

Manufacturer: Ames

Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015 Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4 (H)

Model: Maxim 300aBF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (zzz)

Type: DCDA

Size: 4

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 03-Nov-2013

Manufacturer: Ames

Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014 Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4 (H)

Model: Maxim 300aGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

- Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)
- Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)
- Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames Orientation: Vu 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames

Renewed: 09-Mar-2016

Orientation: H

0.25% Pb: No

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Maxim 300BF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Type: DCDA	Manufacturer: Ames	Model: Maxim 300BF Meters: (N), G, H, I J, K L, M, N, O, P,
Size: 6	Orientation: VU	Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass: Ames 2000BM3 3/4" (H & VU)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300BF
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300BF
Size: 8	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300BF
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (ууу)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300BF
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Ames 2000BM3 3/4" (H)
Shutoffs: (zzz)		

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 09-Mar-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2016 Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Maxim 300GV Meters: (N),G,H,IJ,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Model: Maxim 300GV Meters: (N),G,H,IJ,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		,
Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 8	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300NBF
Size: 2 1/2	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,C
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Ames 2000BM3 3/4" (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300NBF
Size: 3	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,C
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Ames 2000BM3 3/4" (H)
Shutoffs: (yyy)		

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

- Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)
- Type: DCDA Size: 8 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9 Approved: 28-May-2013

Shutoffs: (yyy)

- Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)
- Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No

Renewed:

Renewed:

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: Maxim 300NBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NBF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: Maxim 300NBF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9

Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9 Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA Manufacturer: Apollo/Conbraco Size: 10 **Orientation:** 0.25% Pb: No Manual: Renewed: Approved: Notes: model designation changed to DCDA4S

Model: 10DCDA Meters:

Type: DCDA Manufacturer: Apollo/Conbraco Model: 10DCDA Size: 10 **Orientation:** Meters: 0.25% Pb: No Manual: Spare Parts Only: No **Renewed:** Approved: **Bypass:** Notes: model designation changed to DCDA4S

Manufacturer: Ames

Renewed: 07-Apr-2015

Manufacturer: Ames

Renewed: 03-Jan-2016

Manufacturer: Ames

Manufacturer: Ames

Orientation: VUVD

0.25% Pb: No

Renewed:

Orientation: VUVD

0.25% Pb: No

Renewed:

Orientation: VUVD

0.25% Pb: No

Orientation: VUVD

0.25% Pb: No

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: Maxim 300NGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Spare Parts Only: No Bypass:

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Oct-2015	Model: 2 1/2DCDA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA
Size: 2 1/2	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA6
Size: 2 1/2	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2001	Renewed: 10-Apr-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA6
Size: 2 1/2	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2001	Renewed: 10-Apr-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA7
Size: 2 1/2	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]	

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA7
Size: 2 1/2		Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#2	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA8
Size: 2 1/2	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA8
Size: 2 1/2	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		(,
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDAU
Size: 2 1/2	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2001	Renewed: 10-Apr-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA
Size: 3	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		

Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 16-Oct-2000 Renewed: 16-Oct-2015 (VU), Apollo/Conbraco 1/2DC 1 Shutoffs: (III),mm (VU) Shutoffs: (III),mm Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 10-Apr-2001 Renewed: 10-Apr-2013 Mypass: Apollo/Conbraco 1/2DC 1 Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Spare Parts Only: No Bypass: Apollo/Conbraco 1/2DC 1 (H), Apollo/Conbraco 1/2DC 1 (H), Apollo/Conbraco 1/2DC 1 Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA7 Manual: 9 0.25% Pb: No Spare Parts Only: No Spare Parts Only: No Spa	Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA
Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 16-Oct-2000 Renewed: 16-Oct-2015 (VU), Apollo/Conbraco 1/2DC 1. Shutoffs: (III),mm (VU) Apollo/Conbraco W432100 1. Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 10-Apr-2001 Renewed: 10-Apr-2013 Bypass: Apollo/Conbraco 1/2DC 1. Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Model: 3DCDA6 Size: 3 Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 1/2DC 1 (VU), Apollo/Conbraco 1/2DC 1 Approved: 10-Apr-2001 Renewed: 10-Apr-2013 (VU), Apollo/Conbraco 1/2DC 1 Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Spare Parts Only: No Spare Parts Only: No Spare Parts Only: No Ma			
Bypass: Apollo/Conbraco 1/2DC 1 Approved: 16-Oct-2000 Renewed: 16-Oct-2015 (VU), Apollo/Conbraco W432100 1, (VU) Shutoffs: (III),mm (VU) Apollo/Conbraco W432100 1, (VU) Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 1/2DC 1 Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Model: 3DCDA6 Size: 3DCDA6 Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 1/2DC 1 Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Manufacturer: Apollo/Conbraco Model: 3DCDA7 Size: 3 Orientation: H Meters: Model: <td< td=""><td>Manual: 9</td><td>0.25% Pb: No</td><td></td></td<>	Manual: 9	0.25% Pb: No	
Shutoffs: (II),mm (VU) Shutoffs: (II),mm (VU) Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 10-Apr-2001 Renewed: 10-Apr-2013 Bypass: Apollo/Conbraco 1/2DC 1 (H), Apollo/Conbraco W432100 1/2 Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 1/2DC 1 (VU), Apollo/Conbraco 1/2DC 1 (VU), Apollo/Conbraco 1/2DC 1 Approved: 10-Apr-2001 Renewed: 10-Apr-2013 Model: 3DCDA6 Size: 3 Orientation: VU Bypass: Apollo/Conbraco 1/2DC 1 (VU), Apollo/Conbraco 1/2DC 1 Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Type: DCDA Manufacturer: Apollo/Conbraco Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: 2010/Conbraco 1/2DC 1 (VU), Apollo/Conbraco 1/2DC 1 Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA7 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P,<			Bypass: Apollo/Conbraco 1/2DC 1/2"
Shutoffs: (II),mm Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 10-Apr-2001 Renewed: 10-Apr-2013 Bypass: Apollo/Conbraco 1/2DC 1. (H), Apollo/Conbraco W432100 1/2 Shutoffs: (mm)[#1SOV].(nnn)[#2SOV] Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 1/2DC 1 Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Bypass: Apollo/Conbraco 1/2DC 1 Approved: 10-Apr-2001 Renewed: 10-Apr-2013 (VU), Apollo/Conbraco 1/2DC 1 Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Manufacturer: Apollo/Conbraco Model: 3DCDA7 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 29-Sep-2004 Renewed: 29-Sep-2013 Bypass: Apollo/Conbraco 1/2DC 1 Type: DCDA Manufacturer: Apollo/Conbraco Bypass: Apollo/Conbraco 1/2DC 1 Shutoffs: (mm)[#1SOV]. (qqq)[#2SOV]	Approved: 16-Oct-2000	Renewed: 16-Oct-2015	(VU), Apollo/Conbraco W432100 1/2"
Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Apr-2001Renewed: 10-Apr-2013Bypass: Apollo/Conbraco 1/2DC 1. (H), Apollo/Conbraco W432100 1/2Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA6Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 90.25% Pb: NoApproved: 10-Apr-2001Renewed: 10-Apr-2013Model: 3DCDA6Approved: 10-Apr-2001Renewed: 10-Apr-2013(VU), Apollo/Conbraco 1/2DC 1. (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Model: 3DCDA7Approved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1 	Shutoffs: (II),mm		(VU)
Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 10-Apr-2001 Renewed: 10-Apr-2013 Bypass: Apollo/Conbraco 1/2DC 1. (H), Apollo/Conbraco W432100 1/2 Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 10-Apr-2001 Renewed: 10-Apr-2013 Model: 3DCDA6 Approved: 10-Apr-2001 Renewed: 10-Apr-2013 (VU), Apollo/Conbraco 1/2DC 1. (VU), Apollo/Conbraco 1/2DC 1 Approved: 10-Apr-2001 Renewed: 10-Apr-2013 (VU), Apollo/Conbraco 1/2DC 1 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 29-Sep-2004 Renewed: 29-Sep-2013 Bypass: Apollo/Conbraco 1/2DC 1 Shutoffs: (mm)[#1SOV], (qqq)[#2SOV] Model: 3DCDA7 Model: 3DCDA7 Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA7 Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P,	Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA6
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Apr-2001Renewed: 10-Apr-2013Bypass: Apollo/Conbraco 1/2DC 1 (H), Apollo/Conbraco W432100 1/2Shutoffs: (mm)[#1SOV].(nnn)[#2SOV]Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA6Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9Spare Parts Only: NoApproved: 10-Apr-2001Renewed: 10-Apr-2013(VU), Apollo/Conbraco 1/2DC 1 (VU)Shutoffs: (mm)[#1SOV].(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 90.25% Pb: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1 (H), Apollo/Conbraco 1/2DC 1 (H), Apollo/Conbraco 1/2DC 1 			Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Approved: 10-Apr-2001Renewed: 10-Apr-2013(H), Apollo/Conbraco W432100 1/2Shutoffs: (mm)[#1SOV],(nnn)[#2SOV](H), Apollo/Conbraco W432100 1/2Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA6Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoBypass: Apollo/Conbraco 1/2DC 1Renewed: 10-Apr-2013(VU), Apollo/Conbraco W432100 1/2Approved: 10-Apr-2001Renewed: 10-Apr-2013(VU), Apollo/Conbraco W432100 1/2Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco W432100 1/2Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoSproxed: 29-Sep-2004Renewed: 29-Sep-2013Model: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoBypass: Apollo/Conbraco 1/2DC 1(VU), Apollo/Conbraco 1/2DC 1Approved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco 1/2DC 1(VU)NoSpare Parts Only: NoBypass: Apollo/Conbraco 1/2DC 1(VU), Apollo/Conbraco W432100 1/2(VU)NoSpare Parts Only: NoBypass: Apollo/Conbraco 1/2DC 1(VU), Apoll	Manual: 9	0.25% Pb: No	
Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Type: DCDA Manufacturer: Apollo/Conbraco Size: 3 Orientation: VU Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 1/2DC 1 Approved: 10-Apr-2001 Renewed: 10-Apr-2013 (VU), Apollo/Conbraco 1/2DC 1 Kenewed: 10-Apr-2013 (VU), Apollo/Conbraco 1/2DC 1 Manual: 9 0.25% Pb: No Bypass: Apollo/Conbraco 1/2DC 1 Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA7 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 29-Sep-2004 Renewed: 29-Sep-2013 Bypass: Apollo/Conbraco 1/2DC 1 Shutoffs: (mm)[#1SOV], (qqq)[#2SOV] Manufacturer: Apollo/Conbraco Model: 3DCDA7 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9 0.25% Pb: No Spare Parts Only: No Spare Parts Only: No Spare Parts Only: No Bypass: Apollo/Conbraco 1/2DC 1 (VU), Apollo/Conbraco	Approved: 10-Apr-2001	Renewed: 10-Apr-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Apr-2001Renewed: 10-Apr-2013(VU), Apollo/Conbraco 1/2DC 1.Approved: 10-Apr-2001Renewed: 10-Apr-2013(VU), Apollo/Conbraco 1/2DC 1.Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1.Type: DCDAManufacturer: Apollo/ConbracoBypass: Apollo/Conbraco 1/2DC 1.Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoSize: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoBypass: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoBypass: Apollo/Conbraco 1/2DC 1.(VU), Apollo/Conbraco 1/2DC 1.Approved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco W432100 1/2(VU)NoSpare Parts Only: NoSpare Parts Only: NoBypass: Apollo/Conbraco 1/2DC 1.(VU), Apollo/Conbraco W432100 1/2(VU)NoSpare Parts Only: No	Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]		
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Apr-2001Renewed: 10-Apr-2013(VU), Apollo/Conbraco 1/2DC 1. (VU), Apollo/Conbraco W432100 1/ (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 90.25% Pb: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco W432100 1/2Type: DCDAManufacturer: Apollo/ConbracoBypass: Apollo/Conbraco W432100 1/2Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P, 	Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA6
Approved: 10-Apr-2001Renewed: 10-Apr-2013Bypass: Apollo/Conbraco 1/2DC 1. (VU), Apollo/Conbraco W432100 1/ (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 90.25% Pb: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1. (H), Apollo/Conbraco W432100 1/2Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9Manufacturer: Apollo/ConbracoApproved: 29-Sep-2004Renewed: 29-Sep-2013Model: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 9Manufacturer: Apollo/ConbracoApproved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco 1/2DC 1. (VU), Apollo/Conbraco W432100 1/2	Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Approved: 10-Apr-2001Renewed: 10-Apr-2013(VU), Apollo/Conbraco W432100 1/ (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Type: DCDAManufacturer: Apollo/ConbracoSize: 3Orientation: HManual: 90.25% Pb: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Type: DCDAManufacturer: Apollo/ConbracoBypass: Apollo/Conbraco 1/2DC 1. (H), Apollo/Conbraco W432100 1/2Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUManual: 90.25% Pb: NoSpare Parts Only: NoBypass: Apollo/Conbraco 1/2DC 1. (H), Apollo/Conbraco W432100 1/2Type: DCDAManufacturer: Apollo/ConbracoSize: 3Orientation: VUManual: 90.25% Pb: NoSpare Parts Only: NoBypass: Apollo/Conbraco 1/2DC 1. (VU), Apollo/Conbraco 1/2DC 1. (VU), Apollo/Conbraco W432100 1/2	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Model: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco 1/2DC 1(VU), Apollo/Conbraco 1/2DC 1(VU)Renewed: 29-Sep-2013(VU), Apollo/Conbraco 1/2DC 1	Approved: 10-Apr-2001	Renewed: 10-Apr-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2"
Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1. (H), Apollo/Conbraco W432100 1/2Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoType: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P, Manual: 90.25% Pb: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco 1/2DC 1. (VU), Apollo/Conbraco 1/2DC 1. 	Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]		(00)
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1. (H), Apollo/Conbraco W432100 1/2Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco W432100 1/2	Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA7
Approved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1. (H), Apollo/Conbraco W432100 1/2Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco W432100 1/2	Size: 3	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Approved: 29-Sep-2004Renewed: 29-Sep-2013Intervention (H), Apollo/Conbraco W432100 1/2Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco W432100 1/2	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco U432100 1/ (VU)	Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco U432100 1/ (VU)	Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]		
Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 29-Sep-2004 Renewed: 29-Sep-2013 (VU), Apollo/Conbraco W432100 1/ (VU)	Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA7
Approved: 29-Sep-2004 Renewed: 29-Sep-2013 (VU), Apollo/Conbraco 1/2DC 1. (VU) (VU) (VU)	Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Approved: 29-Sep-2004 Renewed: 29-Sep-2013 (VU), Apollo/Conbraco W432100 1/ (VU)	Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
	Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]		(· -)

Type: DCDA Size: 3 Manual: 9	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: 3DCDA8 Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA8
Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDAU
Size: 3	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2001	Renewed: 10-Apr-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 40600000
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Aug-1996	Renewed: 20-Aug-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060003		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060003
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 40600000	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060003
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 40600C3
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Aug-1996	Renewed: 20-Aug-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060003		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060A03
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to	4060AC3	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060A03
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to	4060AE3	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060AC3
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm		
Notes: formerly 4060A03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060AC6
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
		()

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060AE3
1)po . <i>b</i> o <i>b</i> / (Meters:
Size: 4	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060A03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060AE6
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2S	OV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060C03
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved: Notes: model designation change	Renewed: ged to 4060CC3	Bypass:
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060C03
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 4060CE3	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CC3
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Jun-1993	Renewed: 02-Jun-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060C03		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CC6
Size: 6	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CE3
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Jun-1993	Renewed: 02-Jun-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm		
Notes: formerly 4060C03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CE6
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060E03
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to	4060EC3	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060E03
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060EC3
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes
		Bypass: Apollo/Conbraco 4010402 3/4"
Approved: 13-Apr-1993	Renewed: 13-Apr-2014	(H)
Shutoffs: uu,cc,mm Notes: formerly 4060E03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060EC6
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060EE3
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060E03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060EE6
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060G03
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060G03
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed	d to 4060GE3	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060GC3
Size: 10	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060G03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060GC6
Size: 10	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SO	V]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060GE3
Size: 10	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Apr-1993	Renewed: 13-Mar-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm		
Notes: formerly 4060G03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060GE6
Size : 10	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SO	V]	

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA6
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2001	Renewed: 10-Apr-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV],(nnn)[#2	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA6
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2001	Renewed: 10-Apr-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV],(nnn)[#2	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA7
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#2	2SOV]	

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA7
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#2SOV	l	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA8
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA8
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDAU
Size: 4	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2001	Renewed: 10-Apr-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to I	DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to I	DCDA4SGN	

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	changed to DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	hanged to DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 2 1/2	Orientation:	Meters:
Size: 2 1/2 Manual:	Orientation: 0.25% Pb: No	Meters: Spare Parts Only: No
Manual:	0.25% Pb: No Renewed:	Spare Parts Only: No
Manual: Approved:	0.25% Pb: No Renewed:	Spare Parts Only: No
Manual: Approved: Notes: model designation c	0.25% Pb: No Renewed: changed to DCDA4SG	Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation of Type: DCDA	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-600
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 4SG-600 Meters:
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual:	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved:	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA Size: 3	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters:
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA Size: 3 Manual:	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA Size: 3 Manual: Approved:	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA Size: 3 Manual: Approved: Notes: model designation of	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA Size: 3 Manual: Approved: Notes: model designation of Type: DCDA	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	changed to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	changed to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	changed to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	changed to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	changed to DCDA4SG	
	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Type: DCDA		Matana
Size: 8	Orientation:	Meters:
	Orientation: 0.25% Pb: No	Meters: Spare Parts Only: No

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA6
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2001	Renewed: 10-Apr-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV],(nnn)[#2	SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA6
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2001	Renewed: 10-Apr-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV],(nnn)[#2	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA7
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#2	2SOV]	

Type: DCDA	Manufacturar: Apollo/Conbraco	Model: 6DCDA7
Size: 6	Manufacturer: Apollo/Conbraco Orientation: VU	Model: 6DCDA7 Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	0.23701 0.100	Bypass: Apollo/Conbraco 1/2DC 1/2"
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	(VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA8
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA8
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
		Bypass: Apollo/Conbraco 1/2DC 1/2"
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	(VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDAU
Size: 6	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2001	Renewed: 10-Apr-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA
Size: 8	Orientation: H	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm),ll		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA
Size: 8	Orientation: VU	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm),ll		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA7
Size: 8	Orientation: H	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA7
Size: 8	Orientation: VU	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#	2SOV]	(('))
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA8
Size: 8	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA8
Size: 8	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		√ - /

Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4S Size: 10 Orientation: H Meters: (M),F,G,H,I,J,K,L,N,O,P,Q 0.25% Pb: No Spare Parts Only: No Manual: 9 Bypass: Apollo/Conbraco 1/2DC 1/2" Approved: 16-Jan-2003 Renewed: 16-Jan-2015 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (mm),II, xxxxx, zzzzz, bbbbbb, cccccc Notes: formerly 10DCDA Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4S Size: 10 Orientation: VU Meters: (M),F,G,H,I,J,K,L,N,O,P,Q 0.25% Pb: No Manual: 9 Spare Parts Only: No Bypass: Apollo/Conbraco 1/2DC 1/2" Renewed: 16-Jan-2015 (VU), Apollo/Conbraco W432100 1/2" Approved: 16-Jan-2003 (VU)Shutoffs: (mm), II, xxxxx, zzzzz, bbbbbb, cccccc Notes: formerly 10DCDA Type: DCDA Model: DCDA4SG Manufacturer: Apollo/Conbraco Size: 2 1/2 **Orientation:** H Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2013 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaaa Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 2 1/2 Orientation: VU Meters: (M), E, F, G, H, I, J, K, L, M, N, O, P, Q 0.25% Pb: No Manual: 9 Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" (VU), Apollo/Conbraco W432100 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2013 (V) Shutoffs: (yyy)ppp,qqq,ttt,xxxx,yyyyy,zzzz,aaaaaa Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 3 Orientation: H Meters: (M), E, F, G, H, I, J, K, L, M, N, O, P, Q Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2013 (H), Apollo/Conbraco W432100 1/2" (H)

2016 © University of Southern California

Shutoffs: (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaaa **Notes:** formerly 4SG-600

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass: Apollo/Conbraco 4S103 1/2" (VU), Apollo/Conbraco W432100 1/2" (V)
Shutoffs: (yyy)ppp,qqq,ttt,xxxxx	,yyyyy,zzzz,aaaaaa	
Notes: formerly 4SG-600		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt,xxxxx	,yyyyy,zzzz,aaaaaa	
Notes: formerly 4SG-600		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass: Apollo/Conbraco 4S103 1/2" (VU), Apollo/Conbraco W432100 1/2" (V)
Shutoffs: (yyy)ppp,qqq,ttt,xxxxx	.vvvv.zzzz.aaaaaa	
Notes: formerly 4SG-600		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt,xxxxx	,yyyyy,zzzz,aaaaaa	
Notes: formerly 4SG-600		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass: Apollo/Conbraco 4S103 1/2" (VU), Apollo/Conbraco W432100 1/2" (V)
Shutoffs: (yyy)ppp,qqq,ttt,xxxxx	yyyyy,zzzz,aaaaaa	\~/

Notes: formerly 4SG-600

Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 8 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q 0.25% Pb: No Manual: 9 Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2013 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaaa Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 8 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" Renewed: 18-Oct-2013 (VU), Apollo/Conbraco W432100 1/2" Approved: 18-Oct-2007 (V) Shutoffs: (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaaa Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SGN Size: 2 1/2 Orientation: VUVD Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2013 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SGN **Size:** 3 Orientation: VUVD Meters: (M), E, F, G, H, I, J, K, L, M, N, O, P, Q 0.25% Pb: No Manual: 9 Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2013 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SGN Size: 4 Orientation: VUVD Meters: (M), E, F, G, H, I, J, K, L, M, N, O, P, Q 0.25% Pb: No Manual: 9 Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2013 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SGN
Size: 6	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG 600U		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SGN
Size: 8	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG 600U		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 2 1/2	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Oct-2013	Renewed:	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmm	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco	Model: DCDALF4A
		Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q
Type: DCDA	Manufacturer: Apollo/Conbraco	
Type: DCDA Size: 2 1/2	Manufacturer: Apollo/Conbraco Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes	Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No
Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed:	Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No
Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU)
Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco	Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU) Model: DCDALF4A
Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 3	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q
Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 3 Manual: 10 Approved: 30-Oct-2013	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes	Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No
Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 3 Manual: 10 Approved: 30-Oct-2013	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed:	Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No
Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 3 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H)
Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 3 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco	Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H) Model: DCDALF4A

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 4	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 4	Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass: Apollo DCLF4A 1/2" (VU)
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 6	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 6	Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass: Apollo DCLF4A 1/2" (VU)
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 8	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2014	Renewed:	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Type: DCDA	•	
	Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Size: 8		Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No
Size: 8 Manual: 10	Orientation: VU	
Type: DCDA Size: 8 Manual: 10 Approved: 15-May-2014 Shutoffs: (yyy), cccc, dddd, mmr	Orientation: VU 0.25% Pb: Yes	Spare Parts Only: No
Size: 8 Manual: 10 Approved: 15-May-2014	Orientation: VU 0.25% Pb: Yes Renewed:	Spare Parts Only: No
Size: 8 Manual: 10 Approved: 15-May-2014 Shutoffs: (yyy), cccc, dddd, mmr	Orientation: VU 0.25% Pb: Yes Renewed: nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU)

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Renewed:

Approved: 10-Jun-2014

Page 275 of 615

Bypass: Apollo DCLF4A 1/2" (H)

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN
Size: 3	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Apr-2014	Renewed:	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN
Size: 4	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2014	Renewed:	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN
Size: 6	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed:	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN
Size: 8	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Mar-2014	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 2 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2' (H)
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 1/8"	ooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 34" and max. 47
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 2 1/2	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2'

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 34" and max. 47 1/8"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 3	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 3	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (VU)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 4	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max. 62 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 4	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (VU)
Shutoffs: (cccc) dddd mmmm noon	XXXXX \AAAAA 77777 222222	

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max. 62 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 6	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 46" and max. 71 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 6	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (VU)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 46" and max. 71 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 8	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 55 3/4" and max. 86"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 8	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (VU)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 55 3/4" and max. 86"

Type: DCDA	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco)	

Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size: 3	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 26-Sep-1988	Renewed: 26-Sep-2015	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,f	fff,gggg	· ·
Notes: formerly 806 Type YD		

Type: DCDA	Manufacturer: Febco	Model: 806YD
Size: 4	Orientation: H	Meters: (F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2014	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,fff	ff,gggg	
Notes: formerly 806 Type YD		
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size: 6	Orientation: H	Meters: (F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2014	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffl Notes: formerly 806 Type YD	ff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size: 8	Orientation: H	Meters: (F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2014	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffl Notes: formerly 806 Type YD	ff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size : 10	Orientation: H	Meters: (F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2014	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffl	ff,gggg	
Notes: formerly 806 Type YD		
Type: DCDA	Manufacturer: Febco	Model: 856
Size: 2 1/2	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Mar-1997	Renewed: 19-Mar-2015	Bypass: Febco 805YB 3/4" (H)

Shutoffs: (ff),mm,oo,pp,uu,zzz,cccc,ffff,gggg

Size: 2 1/2

Manual: 8 Approved: 05-Jan-2000 Shutoffs: (ff),mm,oo,pp,uu,zzz,cccc,ffff,gggg

Type: DCDA

Type: DCDA

Size: 3

Manual: 8

Size: 3

Manual: 8 Approved: 19-Mar-1997 Shutoffs: (ff),mm,oo,pp,uu,zzz,cccc,ffff,gggg

Manufacturer: Febco **Orientation:** H

Manufacturer: Febco

Renewed: 05-Jan-2014

Orientation: VU

0.25% Pb: No

0.25% Pb: No Renewed: 19-Mar-2015

Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (VU)

Model: 856 Meters: (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Manufacturer: Febco Model: 856 Meters: Orientation: VU (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q 0.25% Pb: No Spare Parts Only: Yes Approved: 05-Jan-2000 Renewed: 05-Jan-2014 Bypass: Febco 805YB 3/4" (VU) Shutoffs: (ff),mm,oo,pp,uu,zzz,cccc,ffff,gggg

Type: DCDA Manufacturer: Febco Model: 856 Meters: Orientation: H Size: 4 (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 04-May-1994 Renewed: 04-May-2015 Bypass: Febco 805YB 3/4" (H) Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Type: DCDA	Manufacturer: Febco	
Size: 4	Orientation: VU	
Manual: 8	0.25% Pb: No	
Approved: 16-Apr-1996	Renewed: 16-Apr-2014	
Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg		

Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (VU)

Type: DCDA Manufacturer: Febco **Size:** 6 **Orientation:** H 0.25% Pb: No Manual: 8 Approved: 04-May-1994 Renewed: 04-May-2015

Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Orientation: VU Size: 6 Manual: 8 0.25% Pb: No Approved: 16-Apr-1996 Renewed: 16-Apr-2014 Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Type: DCDA

Size: 8

Manual: 8 Approved: 04-Oct-1995 Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Manufacturer: Febco **Orientation:** H

Manufacturer: Febco

0.25% Pb: No Renewed: 04-Oct-2013 Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (VU)

Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Type: DCDA Manufacturer: Febco Model: 856 Meters: Size: 8 Orientation: VU Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 05-Jan-2000 Renewed: 05-Jan-2014 Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Type: DCDA Manufacturer: Febco Size: 2 1/2 **Orientation: H** Manual: 9 0.25% Pb: No Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 2 1/2 Orientation: VU 0.25% Pb: No Manual: 9 Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 3 Orientation: H Manual: 9 0.25% Pb: No Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

(M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q Bypass: Febco 805YB 3/4" (VU)

Model: 856ST Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (VU)

Model: 856ST

Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H) Type: DCDA Manufacturer: Febco Size: 3 Orientation: VU 0.25% Pb: No Manual: 9 Renewed: 22-May-2015 Approved: 22-May-2012 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 4 Orientation: H 0.25% Pb: No Manual: 9 Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 4 Orientation: VU Manual: 9 0.25% Pb: No Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 6 Orientation: H Manual: 9 0.25% Pb: No Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 6 Orientation: VU 0.25% Pb: No Manual: 9 Approved: 09-Aug-2012 Renewed: 09-Aug-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 8 Orientation: H 0.25% Pb: No Manual: 9 Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Size: 8 Manual: 9 Approved: 09-Aug-2012

Manufacturer: Febco Orientation: VU 0.25% Pb: No Renewed: 09-Aug-2015

Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (VU)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (VU)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H) Type: DCDAManufacturer: FebcoSize: 10Orientation: HManual: 90.25% Pb: NoApproved: 03-Sep-2013Renewed:Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 10
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 03-Sep-2013
 Renewed:

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Manufacturer: Febco

Renewed: 01-Aug-2015

Manufacturer: Febco

Renewed: 01-Aug-2015

Manufacturer: Febco

Renewed: 01-Aug-2015

Orientation: H

0.25% Pb: No

Orientation: VU

0.25% Pb: No

Orientation: H

0.25% Pb: No

Type: DCDA Size: 2

Manual: 9 Approved: 01-Aug-2006 Shutoffs: bbb,jjjj

Type: DCDA

Size: 2

Manual: 9 Approved: 01-Aug-2006 Shutoffs: bbb,jjjj

Type: DCDA

Size: 2 1/2

Manual: 8

Approved: 01-Aug-2006

Shutoffs: (pp), gg, hh,ll, mm, oo, tt, uu, zz, fff

Type: DCDAManufacturer: FebcoModel: 858Size: 2 1/2Orientation: VUMeters:
(H),D,E,F,G,H,I,J,K,L,M,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 01-Aug-2006Renewed: 01-Aug-2015Bypass: Watts 007M2QT 3/4" (VU)Shutoffs: (pp), gg, hh,II, mm, oo, tt, uu, zz, fff

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 858 Meters: (H),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (H)

Model: 858 Meters: (H),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (VU)

Model: 858 Meters: (H),D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: Yes Bypass: Watts 007M2QT 3/4" (H), Watts 007M1QT 3/4" (H)

Type: DCDA	Manufacturer: Febco	Model: 858
Size : 3	Orientation: H	Meters: (H),D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass: Watts 007M2QT 3/4" (H), Watts 007M1QT 3/4" (H)
Shutoffs: (pp), gg, hh,ll, mm, oo,	, tt, uu, zz, fff	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 2 1/2	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2016	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,z	zz,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 3	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2016	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,z	zz,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 4	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,z	zz,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 6	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,z	zz,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 8	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-1995	Renewed: 24-May-2013	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,zz	zz,ffff,gggg	

Size: 10

Manual: 8

Approved: 04-Oct-1996

Shutoffs: ff,mm,oo,pp,uu,cccc,zzz,ffff,gggg

Type: DCDA

Size: 2 1/2

Type: DCDA

Size: 2 1/2

Manual: 8

Manual: 8 Approved: 08-Mar-1996 **Shutoffs:** (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Manufacturer: Febco

Orientation: VUVD

Manufacturer: Febco

Renewed: 04-Oct-2014

Orientation: VUVD

0.25% Pb: No

0.25% Pb: No Renewed: 08-Mar-2014 Model: 876 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Manufacturer: Febco **Orientation: VUVU** 0.25% Pb: No Approved: 08-Mar-1996 Renewed: 08-Mar-2014

Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA Manufacturer: Febco **Orientation: VUVD** Size: 3 Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ff),ee,II,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA Size: 3 Manual: 8 Approved: 08-Mar-1996 0.25% Pb: No Renewed: 08-Mar-2014

Manufacturer: Febco **Orientation: VUVU** 0.25% Pb: No Renewed: 08-Mar-2014 Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA Manufacturer: Febco Size: 4 Orientation: VUVD 0.25% Pb: No Manual: 8 Approved: 08-Mar-1996 Renewed: 08-Mar-2014

Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Model: 876V Meters: (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Size: 4 Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Size: 6

Type: DCDA

Type: DCDA

Size: 6

Manual: 8

Approved: 08-Mar-1996

Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ff),ee,II,mm,oo,pp,tt,uu,zzz,ffff,gggg

Manufacturer: Febco **Orientation: VUVD**

Manufacturer: Febco

Renewed: 08-Mar-2014

Orientation: VUVU

0.25% Pb: No

0.25% Pb: No Renewed: 08-Mar-2014 Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Manufacturer: Febco Model: 876V Meters: **Orientation: VUVU** (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q 0.25% Pb: No Spare Parts Only: Yes Renewed: 08-Mar-2014 Bypass: Febco 805YB 3/4" (H) Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA

Size: 8 Manual: 8 Approved: 06-Jan-1997 Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,gggg

Manufacturer: Febco **Orientation: VUVD** 0.25% Pb: No Renewed: 06-Jan-2014

Manufacturer: Febco

Renewed: 06-Jan-2014

Manufacturer: Febco

Renewed: 11-Jul-2015

Orientation: VUVD

0.25% Pb: No

Orientation: VUVU

0.25% Pb: No

Type: DCDA

Size: 8 Manual: 8

Approved: 06-Jan-1997 Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,gggg

Type: DCDA

Size: 10

Manual: 8

Approved: 11-Jul-1997

Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Size: 10

 Manual: 8
 0.25% Pb: No

 Approved: 11-Jul-1997
 Renewed: 11-Jul-2015

 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

 Type: DCDA
 Manufacturer: Febco

 Size: 2 1/2
 Orientation: VUVD

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Manufacturer: Febco

Orientation: VUVU

 Type: DCDA
 Manufacturer: Febco

 Size: 2 1/2
 Orientation: VUVU

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 3
 Orientation: VUVD

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 3
 Orientation: VUVU

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 4
 Orientation: VUVD

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876VST Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Manufacturer: Watts

Orientation: H

2016 © University of Southern California

Type: DCDA Manufacturer: Febco Size: 4 **Orientation: VUVU** 0.25% Pb: No Manual: 9 Renewed: 22-May-2015 Approved: 22-May-2012 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 6 **Orientation: VUVD** 0.25% Pb: No Manual: 9 Renewed: 22-May-2015 Approved: 22-May-2012 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 6 Orientation: VUVU Manual: 9 0.25% Pb: No Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 8 Orientation: VUVD Manual: 9 0.25% Pb: No Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 8 Orientation: VUVU 0.25% Pb: No Manual: 9 Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA

Size: 2

Manual: 9 0.25% Pb: No Approved: 16-Jun-1997 Renewed: 16-Jun-2015 Shutoffs: (bbb),jjjj,rrrrr Notes: Previously Approved 8th Ed. (19 Apr 1996)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 007DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (H)

Type: DCDA

Size: 2Orientation: VUManual: 90.25% Pb: NoApproved: 16-Jun-1997Renewed: 16-Jun-2015Shutoffs: (bbb),jjjj,rrrrrNotes: Previously Approved 8th Ed. (10 Sept 1996)

Model: 007DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (VU)

Meters: (H), D, E, F, G, I, J, K, L, M, N, O, P, Q

Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q

Bypass: Watts 007M2QT 3/4" (VU)

Bypass: Watts 007M2QT 3/4" (H),

Model: 007DCDA

Model: 007DCDA

Spare Parts Only: No

Spare Parts Only: No

Watts 007M1QT 3/4" (H)

Type: DCDA Size: 2 1/2 Manual: 8

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Oct-2014

Manufacturer: Watts

Approved: 11-Oct-1993

Shutoffs: (pp),gg,hh,ll,mm,oo,tt,uu,zz,ffff,gggg

Type: DCDAManufacturer: WattsSize: 2 1/2Orientation: VUManual: 80.25% Pb: NoApproved: 27-Aug-1996Renewed: 27-Aug-2014Shutoffs: (pp),gg,hh,ll,mm,oo,tt,uu,zz,fff,gggg

Type: DCDAManufaSize: 3OrientaManual: 80.25%Approved: 19-Sep-1992Renew

Shutoffs: (pp),hh,mm,uu,zz,ffff,gggg

Type: DCDA

Size: 2

Manual: 9

Approved: 01-Sep-2009

Shutoffs: (eeeee)

Type: DCDA

Size: 2

Manual: 9 Approved: 19-Jun-2015 Shutoffs: (eeeee), bbb, jjjj,rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: No

Renewed: 19-Sep-2013

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Watts

Orientation: H

0.25% Pb: No

Renewed:

Model: 007DCDA Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M2QT 3/4" (H), Watts 007M1QT 3/4" (H)

Model: 007DCDA-FP Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)

Model: 007M1DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (H)

Type: DCDA Size: 2 Manual: 9 Approved: 19-Jun-2015 Shutoffs: (eeeee), bbb, jjjj,rrrrr	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed:	Model: 007M1DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (VU)
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 3	Orientation: H	Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1987	Renewed: 19-Apr-2014	Bypass: Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,uu,zz,eee,ffff,gggg Notes: formerly 709DDC		
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 4	Orientation: H	Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-1987	Renewed: 27-Jul-2014	Bypass: Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,uu,zz,eee,ffff,gggg Notes: formerly 709DDC		
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 4	Orientation: VU	Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Aug-1996	Renewed: 27-Aug-2014	Bypass: Watts 007QT 1/2" (VU), Watts 007M2QT 3/4" (VU)
Shutoffs: (pp),hh,uu,zz,eee,ffff,gggg Notes: formerly 709DDC		

Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No
	0.2370 F D. NO	Bypass: Watts 007QT 1/2" (H), Watts
Approved: 27-Jul-1987	Renewed: 27-Jul-2014	007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,uu,zz,eee,ffff,g	9999	
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 6	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,zz,eee	,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 8	Orientation: H	Meters:
0126.0		(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1987	Renewed: 19-Apr-2014	Bypass: Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,mm,uu,zz,eee	,ffff,gggg	、 <i>,</i>
Notes: formerly 709DDC		
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 8	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,zz,eee	,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 10	Orientation: H	Meters: (N),E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-1987	Renewed: 27-Jul-2014	Bypass: Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,mm,uu,zz,eee	,ffff,gggg	、 <i>/</i>

Notes: formerly 709DDC

Type: DCDA

Size: 10

Manual: 8 C Approved: 05-Dec-1996 F Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg

Type: DCDAManufacturer: WattsSize: 3Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 709DCDA

Manufacturer: Watts

Renewed: 05-Dec-2014

Orientation: VU

0.25% Pb: No

Type: DCDAManufacturer: WattsSize: 4Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 709DCDA

Type: DCDAManufacturer: WattsSize: 4Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 709DCDA

Type: DCDAManufacturer: WattsSize: 6Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 709DCDA

Type: DCDAManufacturer: WattsSize: 8Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 709DCDA

Model: 709DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (VU)

Model: 709DDC Meters: Spare Parts Only: No Bypass:

Model: 709DDC Meters: Spare Parts Only: No Bypass: Type: DCDAManufacturer: WattsSize: 10Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 709DCDA

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy) Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015 Manufacturer: Watts Orientation: VII

Manufacturer: Watts

Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015 Model: 709DDC Meters: Spare Parts Only: No Bypass:

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU) Type: DCDA Size: 6 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 03-Nov-2013

Manufacturer: Watts
Orientation: VU

0.25% Pb: No Renewed: 18-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015 Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4 (H)

Model: 757aDCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU) Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts

Orientation: H **0.25% Pb:** No **Renewed:** 18-Jan-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014 Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V) Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

- Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)
- Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)
- Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts

Orientation: H 0.25% Pb: No Renewed: 23-Mar-2016

Manufacturer: Watts

Orientation: VU

0.25% Pb: No Renewed: 23-Mar-2016 Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Type: DCDA	Manufacturer: Watts	Model: 757DCDABF
Size: 8	Orientation: H	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007 Shutoffs: (yyy)	Renewed: 09-Mar-2016	Bypass: Watts 007M3QT 3/4" (H & VU
Type: DCDA	Manufacturer: Watts	Model: 757DCDABF
Size: 8	Orientation: VU	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007 Shutoffs: (yyy)	Renewed: 09-Mar-2016	Bypass: Watts 007M3QT 3/4" (H & VU
Type: DCDA	Manufacturer: Watts	Model: 757DCDABF
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDABF
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Watts 007M3QT 3/4" (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 2 1/2	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Watts 007M3QT 3/4" (V)

Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts

Orientation: H 0.25% Pb: No Renewed: 23-Mar-2016

Manufacturer: Watts

Orientation: VU

0.25% Pb: No Renewed: 23-Mar-2016 Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 8	Orientation: H	Meters: (N), G, H, I J, K L, M, N, O, P Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007 Shutoffs: (zzz)	Renewed: 09-Mar-2016	Bypass: Watts 007M3QT 3/4" (H & V
Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 8	Orientation: VU	Meters: (N), G, H, I J, K L, M, N, O, P Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass: Watts 007M3QT 3/4" (H & V
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 757NDCDABF
Size: 2 1/2	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Watts 007M3QT 3/4" (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 757NDCDABF
Size: 3	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Watts 007M3QT 3/4" (H)

Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

- Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)
- Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)
- Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed:

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: 757NDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDABF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H) Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015 Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU) Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA

Size: 4

Manual: 9 Approved: 30-Aug-2006 Shutoffs: (yyy)

Type: DCDA

Size: 4

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts

Orientation: H 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015 Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU) Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

- Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)
- Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA

Size: 4

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts

Orientation: VU

0.25% Pb: No Renewed: 18-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014 Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V) Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA

Size: 4

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 4

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts

Orientation: H 0.25% Pb: No Renewed: 23-Mar-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 23-Mar-2016

Manufacturer: Watts

Orientation: H

0.25% Pb: No Renewed: 09-Mar-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2016 Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 767DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Model: 767DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H) Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 8	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H) Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V) Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005 Shutoffs: (zzz)	Renewed: 04-Oct-2014	Bypass: Watts 007M3QT 3/4" (H)
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 2 1/2	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Watts 007M3QT 3/4" (V)
Shutoffs: (zzz)		(

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA

Size: 4

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz)

Type: DCDA

Size: 4

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts

Orientation: H 0.25% Pb: No Renewed: 23-Mar-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 23-Mar-2016

Manufacturer: Watts

Orientation: H

0.25% Pb: No Renewed: 09-Mar-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2016 Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 767DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Model: 767DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 8	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 767NDCDABF
Size: 2 1/2	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,C
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Watts 007M3QT 3/4" (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767NDCDABF
Size: 3	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,C
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Watts 007M3QT 3/4" (H)
Shutoffs: (yyy)		

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

- Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)
- Type: DCDA Size: 8 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9 Approved: 28-May-2013

Shutoffs: (yyy)

- Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)
- Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed:

Renewed:

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: 767NDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDABF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767NDCDABF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H) Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9

Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9 Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA Size: 4

Manual: 8 Approved: 20-May-1992 Shutoffs: pp,hh,mm,uu,zz

Type: DCDA Size: 8 Manual: 8 Approved: 13-Jan-1993 Shutoffs: oo,gg,hh,ll,mm,pp,tt,uu Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed:

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed:

Manufacturer: Watts

Orientation: H

0.25% Pb: No Renewed: 20-May-2013

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 13-Jan-2014 Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDAGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767NDCDAGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 770DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: Yes Bypass: Watts 007M1QT 3/4" (H)

Model: 770DCDA Meters: (N),D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: Yes Bypass: Watts 007M1QT 3/4" (H)

Type: DCDA	Manufacturer: Watts	Model: 772DCDA
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: Yes
Approved: 01-Aug-1992	Renewed: 01-Aug-2013	Bypass: Watts 007M1QT 3/4" (H)
Shutoffs: 00		
Type: DCDA	Manufacturer: Watts	Model: 772DCDA
Size: 10	Orientation: H	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2014	Bypass: Watts 007M1QT 3/4" (H)
Shutoffs: 00		
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 2 1/2	Orientation: H	Meters:
Marria I. O		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No Bypass: Watts 007M2QT 3/4: (H),
Approved: 24-May-1995	Renewed: 24-May-2013	Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 3	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1995	Renewed: 24-May-2013	Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 4	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1995	Renewed: 24-May-2013	Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	

Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2013	Bypass: Watts 007M1QT 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,o	o,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-1996	Renewed: 16-Sep-2014	Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)
Shutoffs: (mm),ee,ff,gg,hh,ll,oo,p	p,tt,uu,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 10	Orientation: H	Meters: (J),C,E,F,G,H,I,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Feb-2001	Renewed: 16-Feb-2016	Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)
Shutoffs: (II),mm,ffff,gggg		
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 12	Orientation: H	Meters: (N),H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass: Ames 2000BM3 3/4" (H); Watts 007M3QT 3/4" (H)
Shutoffs: (mm), II		
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 12	Orientation: VU	Meters: (N),H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2014	Bypass: Ames 2000BM3 3/4" (H); Watts 007M3QT 3/4" (H)
Shutoffs: (mm), II		
Type: DCDA	Manufacturer: Watts	Model: 774DCDA-1
Size: 12	Orientation: H	Meters: (N),H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass: Ames 200B 3/4" (H); Watts 719QT 3/4" (H)

Shutoffs: (mm), II

Type: DCDA

Size: 12

Manual: 9

Approved: 21-Mar-2011

Shutoffs: (mm), II

Type: DCDA Size: 2 1/2 Manual: 8

Type: DCDA

Size: 6

Manual: 8

Type: DCDA

Size: 8

Manual: 8

Approved: 10-Sep-1996

Approved: 24-May-1995

Approved: 09-Sep-1992

Shutoffs: (mm),ee,ff,gg,hh,ll,oo,pp,tt,uu,ccc,ddd,ffff,gggg

Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,uu,ccc,ddd,ffff,gggg

Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Manufacturer: Watts Orientation: VU 0.25% Pb: No

Renewed: 21-Mar-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No

Renewed: 10-Sep-2014

Manufacturer: Watts

Renewed: 24-May-2013

Manufacturer: Watts

Renewed: 09-Sep-2013

Manufacturer: Watts

Orientation: VU

0.25% Pb: Yes

Renewed:

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Model: 774DCDA-1 Meters: (N), H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 200B 3/4" (VU); Watts 719QT 3/4" (VU)

Model: 774XDCDA Meters: (M),N,O,P,Q Spare Parts Only: No Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)

Model: 774XDCDA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)

Model: 774XDCDA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Type: DCDA Manufacturer: Watts Size: 2 1/2 Orientation: H 0.25% Pb: Yes Manual: 9 Approved: 08-Jan-2014 **Renewed:** Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LF757DCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)

Model: LF757DCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)

Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 4	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	۲
	Manufacturer: Watts	Model: LF757DCDABF
Type: DCDA		
Type: DCDA Size: 6	Orientation: VU	Meters: (O)
	Orientation: VU 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No

Shutoffs: (yyy)

	Manufacturer: Watts	Model: LF757DCDABF
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant versi	on identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant versi	on identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant versi	on identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 10	Orientation: VU	Meters: (O)
Size: 10 Manual: 9	Orientation: VU 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No
		Spare Parts Only: No
Manual: 9	0.25% Pb: Yes	
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	0.25% Pb: Yes	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	0.25% Pb: Yes Renewed:	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi Type: DCDA	0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi Type: DCDA	0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete Manufacturer: Watts	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) r Model: LF757DCDAGV
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi Type: DCDA Size: 2 1/2	0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete Manufacturer: Watts Orientation: H	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) r Model: LF757DCDAGV Meters: (O)
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi Type: DCDA Size: 2 1/2 Manual: 9	0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete Manufacturer: Watts Orientation: H 0.25% Pb: Yes	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) r Model: LF757DCDAGV Meters: (O) Spare Parts Only: No
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete Manufacturer: Watts Orientation: H 0.25% Pb: Yes	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) r Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) r Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi	0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) r Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: DCDA	0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete Manufacturer: Watts	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) r Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) r Model: LF757DCDAGV

Shutoffs: (zzz)

Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 4	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	Pr
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter)r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 6	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU)

Shutoffs: (zzz)

Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 10	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDABF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDABF
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)

Shutoffs: (yyy)

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Watts	Model: LF757NDCDABF
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	9r
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDABF
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter)r
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDABF
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDABF
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	9r
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDAGV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter)r
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDAGV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Renewed:

Approved: 08-Jan-2014

Shutoffs: (zzz)

Bypass: Watts LF007M3QT 3/4" (H)

Type: DCDA Size: 4 Manual: 9	Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Model: LF757NDCDAGV Meters: (O) Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDAGV
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDAGV
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDAGV
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 2 1/2	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu	,vvvv,xxxx,yyyy,kkkkk,IIIII	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffer (aga) ttt waraw yaar yyyy		

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Lead free compliant version: Starting Serial # V39030; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 2 1/2	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 2 1/2	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2014	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu	,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu	,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 3	Orientation: VU	Meters: (O), M

Manual: 9

Approved: 18-Feb-2014

Orientation: VU 0.25% Pb: Yes Renewed: Model: 350ADA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Lead free compliant version: Starting Serial # V39030; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 3	Orientation: VU	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2014	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,	vvvv,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 4	Orientation: H	Meters:
0126. 4	Chemation. It	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-2004	Renewed: 16-Mar-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 4	Orientation: H	Meters: (O), M
	Orientation: H 0.25% Pb: Yes	Meters: (O), M Spare Parts Only: No
Size: 4 Manual: 9 Approved: 18-Feb-2014		
Manual: 9	0.25% Pb: Yes Renewed:	Spare Parts Only: No
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant vers	0.25% Pb: Yes Renewed: <,yyyy,kkkkk,lllll	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant vers with NSF61 mark on meter	0.25% Pb: Yes Renewed: <,yyyy,kkkkk,lllll	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxx Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA	0.25% Pb: Yes Renewed: k,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass As	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) ssembly Starting Serial # 3863325 and identified
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 4	0.25% Pb: Yes Renewed: k,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass As Manufacturer: Wilkins	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) seembly Starting Serial # 3863325 and identified Model: 350ADA
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 4 Manual: 9	0.25% Pb: Yes Renewed: x,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass As Manufacturer: Wilkins Orientation: VU	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (O), M
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxx	0.25% Pb: Yes Renewed: k,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed:	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (O), M Spare Parts Only: No
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 4 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant vers	0.25% Pb: Yes Renewed: x,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: x,yyyy,kkkkkk,IIIII	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (O), M Spare Parts Only: No
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 4 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant vers with NSF61 mark on meter	0.25% Pb: Yes Renewed: x,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: x,yyyy,kkkkkk,IIIII	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) seembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 4 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx	0.25% Pb: Yes Renewed: x,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: x,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass As	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) seembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) seembly Starting Serial # 3863325 and identified
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 4 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA	0.25% Pb: Yes Renewed: x,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: x,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass As Manufacturer: Wilkins	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) seembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) seembly Starting Serial # 3863325 and identified Model: 350ADA Meters:

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 6		Meters:
SIZE: 0	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Nov-2003	Renewed: 25-Nov-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxxx	د,yyyy,kkkkk,IIIII	
Notes: Lead free compliant versi with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
		Matara (O) M
Size: 6	Orientation: VU	Meters: (O), M
	0.25% Pb: Yes	Spare Parts Only: No
Manual: 9		
Size: 6 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx	0.25% Pb: Yes Renewed:	Spare Parts Only: No
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx	0.25% Pb: Yes Renewed: ĸ,yyyy,kkkkk,lllll	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter	0.25% Pb: Yes Renewed: ĸ,yyyy,kkkkk,lllll	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA	0.25% Pb: Yes Renewed: k,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass A	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ssembly Starting Serial # 3863325 and identified
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 6	0.25% Pb: Yes Renewed: k,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters:
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi	0.25% Pb: Yes Renewed: k,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 6 Manual: 9 Approved: 25-Nov-2003	0.25% Pb: Yes Renewed: k,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU 0.25% Pb: No	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 6 Manual: 9 Approved: 25-Nov-2003	0.25% Pb: Yes Renewed: x,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 25-Nov-2015	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 6 Manual: 9 Approved: 25-Nov-2003 Shutoffs: (qqq),ttt,www,yyy,zzz,	0.25% Pb: Yes Renewed: x,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 25-Nov-2015 eeeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 6 Manual: 9 Approved: 25-Nov-2003 Shutoffs: (qqq),ttt,www,yyy,zzz, Type: DCDA	0.25% Pb: Yes Renewed: x,yyyy,kkkkk,IIIII ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 25-Nov-2015 eeeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII Manufacturer: Wilkins	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) Model: 350ADA

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA	
Size: 8	Orientation: H	Meters: (O), M	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)	
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll		
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA	
Size: 8	Orientation: VU	Meters: (O), M	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)	
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll		
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA	
Size: 8	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 12-Feb-2004	Renewed: 12-Feb-2016	Bypass: Wilkins 950XLD 3/4" (VU)	
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII		
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA	
Size: 10	Orientation: H	Meters: (N), F, G, H, I J, K L, M, N, O, P, Q	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 06-Apr-2006	Renewed: 06-Apr-2015	Bypass: Wilkins 950XLD 3/4" (H)	
Shutoffs: (qqq),ttt,yyy,uuuu,vvvv	v,xxxx,yyyy,kkkkk,lllll		
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA	
Size: 10	Orientation: H	Meters: (O), M	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)	

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Lead free compliant version: Starting Serial # V39030; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 10	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 10	Orientation: VU	Meters: (N), F, G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2006	Renewed: 06-Apr-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,yyy,uuuu,vvv	v,xxxx,yyyy,kkkkk,IIIII	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 2 1/2	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu	,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemble	ly length: min. 34 1/4" and max. 47 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
		ly length: min. 34 1/4" and max. 47 1/8" and Lead rting Serial # 3863325 and identified with NSF61
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 2 1/2	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 1/4" and max. 47 1/8" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 2 1/2	Orientation: VU	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,		
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 34 1/4" and max. 47 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 3	Orientation: H	Meters:
	Chemation. Th	(M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,	vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 34 3/4" and max. 48 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx		
		y length: min. 34 3/4" and max. 48 1/8" and Lead
		ting Serial # 3863325 and identified with NSF61
mark on meter		
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 3	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxxx	(,vvvv.kkkkk,IIIII	· · · · · · · · · · · · · · · · · · ·
		y length: min. 34 3/4" and max. 48 1/8" and Lead
	•	ting Serial # 3863325 and identified with NSF61
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 3	Orientation: VU	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,	vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 34 3/4" and max. 48 1/8"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,	uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Integral grooved spool between	n the #2 ck and #2 SOV - assembly leng	gth: min. 35 3/4" and max. 62 1/4"
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy	,kkkk,lllll	
free compliant version: Starting Serial mark on meter	# E00687; By-pass Assembly Starting S	Serial # 3863325 and identified with NSF61
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 4	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy	,kkkk,lllll	
	, ,	gth: min. 35 3/4" and max. 62 1/4" and Lead Serial # 3863325 and identified with NSF61
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,	uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Integral grooved spool between	n the #2 ck and #2 SOV - assembly leng	gth: min. 35 3/4" and max. 62 1/4"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size : 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll		

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 6	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 6	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll		

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 8	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll		

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 8	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 8	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll		

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 10	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll		

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 10	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR	
Size : 10	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (H)	
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll		
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembl	y length: min. 61 3/8" and max. 100 5/8"	
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA	
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q	
Manual: 10	0.25% Pb: No	Spare Parts Only: No	
Approved: 18-Apr-2013	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)	
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll		
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA	
Size: 2 1/2	Orientation: H	Meters: (O), M	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)	
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll		
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # 1458B; By-pass As	ssembly Starting Serial # 3863325 and identified	
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA	
Size: 2 1/2	Orientation: VU	Meters: (O), M	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)	
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll		
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # 1458B; By-pass As	sembly Starting Serial # 3863325 and identified	
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA	
Size: 2 1/2	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q	
Manual: 10	0.25% Pb: No	Spare Parts Only: No	
Approved: 18-Apr-2013	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)	
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll		
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA	
Size: 3	Orientation: H	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q	
Manual: 10	0.25% Pb: No	Spare Parts Only: No	
Approved: 18-Apr-2013	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)	

Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll

manaan 10		oparo i anto omyrino
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # 1458B; By-pass As	ssembly Starting Serial # 3863325 and identifie
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 3	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # 1458B; By-pass As	ssembly Starting Serial # 3863325 and identifie
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 3	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Apr-2013	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 4	Orientation: H	Meters: (N),F, G,H,I,J,K,L,M,N,O,P,C
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Apr-2013	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 4	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers	ion: Starting Serial # 1458B; By-pass As	ssembly Starting Serial # 3863325 and identified

Manufacturer: Wilkins

Orientation: H

0.25% Pb: Yes

Model: 350ASTDA

Spare Parts Only: No

Meters: (O), M

with NSF61 mark on meter

Type: DCDA

Manual: 10

Size: 3

Type. DODA		
Size: 4	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	ıu,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers	sion: Starting Serial # 1458B; By-pass As	ssembly Starting Serial # 3863325 and identified
with NSF61 mark on meter		
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 4	Orientation: VU	Meters: (N),F, G,H,I,J,K,L,M,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Apr-2013	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	ıu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 6	Orientation: H	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	ıu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 6	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	ıu,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	sion: Starting Serial # 1458B; By-pass As	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 6	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	ıu,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	sion: Starting Serial # 1458B; By-pass As	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 6	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)

Manufacturer: Wilkins

Model: 350ASTDA

Type: DCDA

Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 8	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers meter	ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark on
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 8	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers meter	ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark on
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 10	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers meter	ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark on
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 10	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers meter	ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark on
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uut	uu,vvvv,xxxx,kkkkk,lllll	

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 31" and max. 47 1/8"

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 2 1/2	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uuu	uu,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemb	ly length: min. 31" and max. 47 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 3	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuu	u,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemb	ly length: min. 31 1/2" and max. 48 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 3	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uuu	JU,VVVV,XXXX,KKKKK,IIIII	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemble	ly length: min. 31 1/2" and max. 48 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 4	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuu	u,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemble	ly length: min. 32 5/8" and max. 62 1/4"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 4	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uut	u,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemb	ly length: min. 32 5/8" and max. 62 1/4"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 6	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
		()

Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 39" and max. 71 1/4"

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 6	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uuu		
Notes: Integral grooved spool be	tween the #2 ck and #2 SOV - assembl	y length: min. 39" and max. 71 1/4"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 8	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuu	u,vvvv,xxxx,kkkk,lllll	
Notes: Integral grooved spool be	tween the #2 ck and #2 SOV - assembl	y length: min. 48 3/4" and max. 86"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 8	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uuu	u,vvvv,xxxx,kkkkk,lllll	
	tween the #2 ck and #2 SOV - assemble	y length: min. 48 3/4" and max. 86"
Notes: Integral grooved spool be	ween the π 2 ck and π 2 00 v - assemble	
	Manufacturer: Wilkins	Model: 350ASTDAR
Type: DCDA		Model: 350ASTDAR Meters: (O), M
Type: DCDA Size: 10	Manufacturer: Wilkins	
Type: DCDA Size: 10 Manual: 10	Manufacturer: Wilkins Orientation: H	Meters: (O), M
Type: DCDA Size: 10 Manual: 10 Approved: 18-Sep-2014	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:	Meters: (O), M Spare Parts Only: No
Type: DCDA Size: 10 Manual: 10 Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: u,vvvv,xxxx,kkkkk,lllll	Meters: (O), M Spare Parts Only: No
Type: DCDA Size: 10 Manual: 10 Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: u,vvvv,xxxx,kkkkk,lllll	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)
Type: DCDA Size: 10 Manual: 10 Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: u,vvvv,xxxx,kkkkk,IIIII etween the #2 ck and #2 SOV - assembl	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) y length: min. 52 5/8" and max. 100 5/8"
Type: DCDA Size: 10 Manual: 10 Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be Type: DCDA Size: 10	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: u,vvvv,xxxx,kkkkk,IIIII wween the #2 ck and #2 SOV - assembl Manufacturer: Wilkins	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) y length: min. 52 5/8" and max. 100 5/8" Model: 350ASTDAR
Type: DCDA Size: 10 Manual: 10 Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be Type: DCDA Size: 10 Manual: 10	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: u,vvvv,xxxx,kkkkk,IIIII otween the #2 ck and #2 SOV - assembl Manufacturer: Wilkins Orientation: VU	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) y length: min. 52 5/8" and max. 100 5/8" Model: 350ASTDAR Meters: (O), M Spare Parts Only: No
Type: DCDA Size: 10 Manual: 10 Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be Type: DCDA Size: 10	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: u,vvvv,xxxx,kkkkk,IIIII wween the #2 ck and #2 SOV - assembl Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed:	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) y length: min. 52 5/8" and max. 100 5/8" Model: 350ASTDAR Meters: (O), M

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk	
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz,kkkk	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz,kkkk	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2014	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,vvvv, Notes: Up to Serial # N4230	www,yyyy,zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk	
Notes: Up to Serial # N4230		

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,v	www,yyyy,zzzz,kkkkk	
Notes: Starting Serial # N4231; E with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyyy	/,ZZZZ	
Notes: Lead free compliant version with NSF61 mark on meter	on: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyyy	,ZZZZ	
Notes: Lead free compliant version with NSF61 mark on meter	on: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: VU	Meters:
	Chentalion. Vo	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2014	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,v	www,yyyy,zzzz,kkkkk	
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2014	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzz,kkkkk

Notes: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and Lead free compliant version identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Sep-1999	Renewed: 15-Sep-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkk
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Sep-1999	Renewed: 15-Sep-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkk
Notes: Starting Serial # N4231; I with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-2000	Renewed: 09-Sep-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkk
Notes: Up to Serial # N4230		

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2000	Renewed: 09-Sep-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,v	vww,zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkk	k
Notes: Starting Serial # N4231; By-p with NSF61 mark on meter	ass Assembly Starting Serial # 3863325 a	and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size : 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,w	vww,zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkk	k
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,w	vww,zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkk	k
Notes: Starting Serial # N4231; By-p with NSF61 mark on meter	ass Assembly Starting Serial # 3863325 a	and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyyy,zzz	ZZ	
Notes: Lead free compliant version: with NSF61 mark on meter	Starting Serial # N4231; By-pass Assemb	ly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyyy,zz;	ZZ	

Notes: Lead free compliant version: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Jan-2000	Renewed: 05-Jan-2014	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzz	z,kkkk
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: VU	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jan-2000	Renewed: 05-Jan-2014	Bypass: Wilkins 950XLD 3/4" (VU)
	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzz;	
Notes: Starting Serial # N4231; with NSF61 mark on meter	By-pass Assembly Starting Serial # 386	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2002	Renewed: 03-Jul-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www,zzz,eeee,vvvv,wwww,yyyy.zzz	z,kkkk
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2002	Renewed: 03-Jul-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www,zzz,eeee,vvvv,wwww,yyyy.zzz	z,kkkk
Notes: Starting Serial # N4231; with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz

Notes: Lead free compliant version: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyyy	/,ZZZ	
Notes: Lead free compliant version with NSF61 mark on meter	on: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v Notes: Up to Serial # N4230	vv,www,zzz,eeee,vvvv,wwww,yyyy.zzzz	z,kkkk
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass: Wilkins 950XLD 3/4" (VU)
	vv,www,zzz,eeee,vvvv,wwww,yyyy.zzzz 8y-pass Assembly Starting Serial # 3863	z, kkkkk 3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 10	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-2002	Renewed: 28-Aug-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v Notes: Up to Serial # N4230	vv,www,zzz,eeee,vvvv,wwww,yyyy.zzzz	z,kkkk
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 10	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-Aug-2002	Renewed: 28-Aug-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vv,www,zzz,eeee,vvvv,wwww,yyyy.zzzz	z,kkkk
Notes: Starting Serial # N4231; E with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified

Type: DCDA Size: 10 Manual: 9	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 350DA Meters: (O), M Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz		
Notes: Lead free compliant version: Sta with NSF61 mark on meter	arting Serial # N4231; By-pass Assembly	Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 10	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz		
Notes: Lead free compliant version: Sta with NSF61 mark on meter	arting Serial # N4231; By-pass Assembly	Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 10	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Mar-2003	Renewed: 14-Mar-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,ww Notes: Up to Serial # N4230	w,zzz,eeee,vvvv,wwww,yyyy.zzzz,kkkkk	
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 10	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Mar-2003	Renewed: 14-Mar-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,ww	w,zzz,eeee,vvvv,wwww,yyyy.zzzz,kkkkk	
Notes: Starting Serial # N4231; By-pas with NSF61 mark on meter	s Assembly Starting Serial # 3863325 an	d Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 12	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),vvvv,wwww,yyyy,zzzz,k Notes: Up to Serial # N4230	kkkk	

		Madale 250DA
Type: DCDA Size: 12	Manufacturer: Wilkins Orientation: H	
	0.25% Pb: Yes	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9		Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ssss,tttt,uuuu,vvv		225 and Load free compliant version identified
with NSF61 mark on meter	by-pass Assembly Starting Senai # 5005	325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 12	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),vvvv,www,yyyy,		bypass. Wikins 930ALD 3/4 (II)
. ,		sembly Starting Serial # 3863325 and identified
with NSF61 mark on meter	on. Starting Senai # 194231, Dy-pass As	sembly Starting Senal # 5003525 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 4	Orientation: VUVD	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2000	Renewed: 12-Apr-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 4	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant version with NSF61 mark on meter	ion: Starting Serial # P07372; By-pass As	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 6	Orientation: VUVD	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-2000	Renewed: 24-May-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	

Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 6	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	/y,zzz	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # P07372; By-pass A	ssembly Starting Serial # 3863325 and identifie
Type: DCDA	Manufacturer: Wilkins	
Size: 8	Orientation: VUVD	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Aug-2004	Renewed: 03-Aug-2013	Bypass: Wilkins 950XLD 3/4" (H)
Snutons: (qqq),ttt,www,yyy,222	,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
	Manufacturer: Wilkins	Model: 450DA
Type: DCDA		
	Orientation: VUVD	Meters: (O), M
Size: 8		Meters: (O), M Spare Parts Only: No
Type: DCDA Size: 8 Manual: 9 Approved: 18-Feb-2014	Orientation: VUVD	
Size: 8 Manual: 9	Orientation: VUVD 0.25% Pb: Yes Renewed:	Spare Parts Only: No
Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers	Orientation: VUVD 0.25% Pb: Yes Renewed:	Spare Parts Only: No
Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy	Orientation: VUVD 0.25% Pb: Yes Renewed:	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)
Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter	Orientation: VUVD 0.25% Pb: Yes Renewed:	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)
Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter	Orientation: VUVD 0.25% Pb: Yes Renewed: /y,zzzz sion: Starting Serial # P07372; By-pass A	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) Assembly Starting Serial # 3863325 and identifie
Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 10	Orientation: VUVD 0.25% Pb: Yes Renewed: /y,zzzz sion: Starting Serial # P07372; By-pass A Manufacturer: Wilkins	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) Assembly Starting Serial # 3863325 and identifie Model: 450DA
Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers	Orientation: VUVD 0.25% Pb: Yes Renewed: /y,zzzz sion: Starting Serial # P07372; By-pass A Manufacturer: Wilkins Orientation: VUVD	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) Assembly Starting Serial # 3863325 and identifie Model: 450DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 10 Manual: 9 Approved: 03-Aug-2004	Orientation: VUVD 0.25% Pb: Yes Renewed: /y,zzzz sion: Starting Serial # P07372; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) Assembly Starting Serial # 3863325 and identifie Model: 450DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No
Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 10 Manual: 9 Approved: 03-Aug-2004	Orientation: VUVD 0.25% Pb: Yes Renewed: /y,zzzz sion: Starting Serial # P07372; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Aug-2013	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) Assembly Starting Serial # 3863325 and identifie Model: 450DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No
Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 10 Manual: 9 Approved: 03-Aug-2004 Shutoffs: (qqq),ttt,www,yyy,zzz	Orientation: VUVD 0.25% Pb: Yes Renewed: /y,zzzz sion: Starting Serial # P07372; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Aug-2013 ,eeeee,uuuu,vvvv,xxxx,yyyy,kkkkk,llll	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) Assembly Starting Serial # 3863325 and identifie Model: 450DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)
Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 10 Manual: 9 Approved: 03-Aug-2004 Shutoffs: (qqq),ttt,www,yyy,zzz Type: DCDA Size: 10	Orientation: VUVD 0.25% Pb: Yes Renewed: /y,zzzz sion: Starting Serial # P07372; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Aug-2013 ,eeeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll Manufacturer: Wilkins	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) Assembly Starting Serial # 3863325 and identifie Model: 450DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) Model: 450DA
Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 10 Manual: 9 Approved: 03-Aug-2004 Shutoffs: (qqq),ttt,www,yyy,zzz	Orientation: VUVD 0.25% Pb: Yes Renewed: /y,zzzz sion: Starting Serial # P07372; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Aug-2013 ,eeeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII Manufacturer: Wilkins Orientation: VUVD	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) Assembly Starting Serial # 3863325 and identifie Model: 450DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) Model: 450DA Meters: (O), M

with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 2 1/2	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Jan-1994	Renewed: 02-Jan-2014	Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w	/www,yyyy,zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 2 1/2	Orientation: VU	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Dec-1996	Renewed: 12-Dec-2014	Bypass: Wilkins 950XL 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w	/www,yyyy,zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size : 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
	Benewed: 02 Jan 2014	Bypass: Wilkins 950XL 3/4" (H), Wilkins
Approved: 02-Jan-1994	Renewed: 02-Jan-2014	950 3/4" (H)
Approved: 02-Jan-1994 Shutoffs: (hh),ff,mm,uu,zz,vvvv,w		950 3/4" (H)
		950 3/4" (H) Model: 950DA
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w	/www,yyyy,zzzz	
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w	www,yyyy,zzzz Manufacturer: Wilkins	Model: 950DA
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA Size: 3	www,yyyy,zzzz Manufacturer: Wilkins Orientation: VU	Model: 950DA Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA Size: 3 Manual: 8	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014	Model: 950DA Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA Size: 3 Manual: 8 Approved: 12-Dec-1996	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014	Model: 950DA Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA Size: 3 Manual: 8 Approved: 12-Dec-1996 Shutoffs: (hh),ff,mm,uu,zz,vvvv,w	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014	Model: 950DA Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA Size: 3 Manual: 8 Approved: 12-Dec-1996 Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014 //www,yyyy,zzzz Manufacturer: Wilkins	Model: 950DA Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (VU) Model: 950DA
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA Size: 3 Manual: 8 Approved: 12-Dec-1996 Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA Size: 4	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014 www,yyyy,zzzz Manufacturer: Wilkins Orientation: H	Model: 950DA Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (VU) Model: 950DA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA Size: 3 Manual: 8 Approved: 12-Dec-1996 Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA Size: 4 Manual: 8	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014 www,yyyy,zzzz Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Jun-2014	Model: 950DA Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (VU) Model: 950DA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 950XL 3/4" (H), Wilkins
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA Size: 3 Manual: 8 Approved: 12-Dec-1996 Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA Size: 4 Manual: 8 Approved: 09-Jun-1993	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014 www,yyyy,zzzz Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Jun-2014	Model: 950DA Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (VU) Model: 950DA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 950XL 3/4" (H), Wilkins
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA Size: 3 Manual: 8 Approved: 12-Dec-1996 Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA Size: 4 Manual: 8 Approved: 09-Jun-1993 Shutoffs: hh,ff,mm,uu,zz,vvvv,wv	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014 www,yyyy,zzzz Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Jun-2014	Model: 950DA Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (VU) Model: 950DA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA Size: 3 Manual: 8 Approved: 12-Dec-1996 Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: DCDA Size: 4 Manual: 8 Approved: 09-Jun-1993 Shutoffs: hh,ff,mm,uu,zz,vvvv,wv Type: DCDA	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014 www,yyyy,zzzz Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Jun-2014 www,yyyy,zzzz	Model: 950DA Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (VU) Model: 950DA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H) Model: 950DA Meters:

Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Jun-1993	Renewed: 09-Jun-2014	Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
Shutoffs: hh,ff,mm,uu,zz,vvvv,ww	ww,yyyy,zzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 6	Orientation: VU	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Dec-1996 Shutoffs: hh,ff,mm,uu,zz,vvvv,ww	Renewed: 12-Dec-2014	Bypass: Wilkins 950XL 3/4" (VU)
	·····	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 8	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Jun-1993	Renewed: 09-Jun-2014	Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,wv	www,yyyy.zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 8	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Dec-1996	Renewed: 12-Dec-2014	Bypass: Wilkins 950XL 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,wv	www,yyyy.zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 10	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 23-Jun-1994	Renewed: 23-Jun-2015	Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,wv	www,yyyy.zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950XLTDA
Size: 2	Orientation: H	Meters: (N), F, G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Renewed: 19-May-2015	Bypass: Wilkins 350D 3/4" (H)

Manufacturer: Wilkins

Model: 950DA

Type: DCDA

Type: DCDA

Size: 2

Manual: 9 Approved: 22-Jun-2009 Shutoffs: (bbb)

Type: DCDA

Size: 2

Manual: 9 Approved: 19-May-2009 Shutoffs: (bbbbb), ccccc

Type: DCDA

Size: 2 Manual: 9

Approved: 22-Jun-2009 Shutoffs: (bbbbb), ccccc

Type: DCDA

Size: 2 1/2

Manual: 7 Approved: 05-Mar-1987 Shutoffs: hh,ff,mm,uu,zz

Type: DCDA

Size: 3

Manual: 7 Approved: 05-Mar-1987 Shutoffs: hh,ff,mm,uu,zz

Type: DCDA

Size: 4

Manual: 7 Approved: 18-May-1988 Shutoffs: hh,ff,mm,uu,zz Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2015

Manufacturer: Wilkins

Orientation: H

0.25% Pb: No Renewed: 19-May-2015

Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Mar-2014

Manufacturer: Wilkins

Orientation: H

0.25% Pb: No Renewed: 05-Mar-2014

Manufacturer: Wilkins

Orientation: H

0.25% Pb: No Renewed: 18-May-2015 Model: 950XLTDA Meters: (N), F, G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Wilkins 350D 3/4" (VU)

Model: 950XLTDABF Meters: (N), F, G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Wilkins 350D 3/4" (H)

Model: 950XLTDABF Meters: (N), F, G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Wilkins 350D 3/4" (VU)

Model: DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 550A 3/4" (H)

Model: DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 550A 3/4" (H)

Model: DCDA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 550A 3/4" (H) Type: DCDA

Size: 6 Manual: 7 Approved: 02-Jun-1988 Shutoffs: hh,ff,mm,uu,zz

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)

Type: DCDA-II Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)

Type: DCDA-II Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)

Type: DCDA-II Size: 4 Manual: 10 Approved: 30-Sep-2015 Shutoffs: (int) Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 01-Jun-2015

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: Model: DCDA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 550A 3/4" (H)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD) Type: DCDA-II Size: 4 Manual: 10 Approved: 30-Sep-2015 Shutoffs: (int)

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed: Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU) Type: DCDA-II Size: 6 Manual: 10 Approved: 13-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 6 Manual: 10 Approved: 13-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 10 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 10 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU) Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 6 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 6 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed: Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876V Meters: (O),J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Type: DCDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II Type: DCDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015	Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:	Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU) Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)
Shutoffs: (mm), II		
Type: PVB Size: 3/4 Manual: 8 Approved: 06-Apr-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VUH 0.25% Pb: No Renewed: 06-Apr-2014	Model: A200 Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1 Manual: 8 Approved: 25-May-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VUH 0.25% Pb: No Renewed: 25-May-2014	Model: A200 Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1 1/2 Manual: 8 Approved: 21-Jun-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VUH 0.25% Pb: No Renewed: 21-Jun-2014	Model: A200 Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 2 Manual: 8 Approved: 21-Jun-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VUH 0.25% Pb: No Renewed: 21-Jun-2014	Model: A200 Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1/2 Manual: 8 Approved: 06-Sep-1991 Shutoffs: dd	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 06-Sep-2015	Model: 4050302 Meters: Spare Parts Only: Yes Bypass:

Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050402
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1991	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (dd)		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050502
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1991	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (dd)		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050602
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Dec-1993	Renewed: 01-Dec-2014	Bypass:
Shutoffs: (dd)		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050702
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Dec-1993	Renewed: 01-Dec-2014	Bypass:
Shutoffs: (dd)		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050802
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Dec-1993	Renewed: 01-Dec-2014	Bypass:
Shutoffs: (dd)		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No

Notes: model designation changed to PVB4V

Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4A
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Nov-2010	Renewed: 18-Nov-2013	Bypass:
Shutoffs: (iiiii),sssss		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4A
	Manufacturer: Apollo/Conbraco Orientation: VUH	Model: PVB4A Meters:
Size: 3/4	•	
Size: 3/4 Manual: 9	Orientation: VUH	Meters:
Size: 3/4 Manual: 9 Approved: 18-Nov-2010	Orientation: VUH 0.25% Pb: No	Meters: Spare Parts Only: No
Type: PVB Size: 3/4 Manual: 9 Approved: 18-Nov-2010 Shutoffs: (iiiii),sssss Type: PVB	Orientation: VUH 0.25% Pb: No	Meters: Spare Parts Only: No
Size: 3/4 Manual: 9 Approved: 18-Nov-2010 Shutoffs: (iiiii),sssss	Orientation: VUH 0.25% Pb: No Renewed: 18-Nov-2013	Meters: Spare Parts Only: No Bypass:
Size: 3/4 Manual: 9 Approved: 18-Nov-2010 Shutoffs: (iiiii),sssss Type: PVB	Orientation: VUH 0.25% Pb: No Renewed: 18-Nov-2013 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: PVB4A
Size: 3/4 Manual: 9 Approved: 18-Nov-2010 Shutoffs: (iiiiii),sssss Type: PVB Size: 1	Orientation: VUH 0.25% Pb: No Renewed: 18-Nov-2013 Manufacturer: Apollo/Conbraco Orientation: VUH	Meters: Spare Parts Only: No Bypass: Model: PVB4A Meters:

Type: PVB Size: 1 1/4 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiiii),sssss	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 27-Apr-2014	Model: PVB4A Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1 1/2 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiii),sssss	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 27-Apr-2014	Model: PVB4A Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 2 Manual: 9 Approved: 30-Jan-2012 Shutoffs: (iiiii),sssss	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 30-Jan-2015	Model: PVB4A Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1/2 Manual: 9 Approved: 23-Sep-1999 Shutoffs: (dd) Notes: formerly PVB	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 23-Sep-2014	Model: PVB4V Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 3/4 Manual: 9 Approved: 23-Sep-1999 Shutoffs: (dd) Notes: formerly PVB	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 23-Sep-2014	Model: PVB4V Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1 Manual: 9 Approved: 23-Sep-1999 Shutoffs: (dd) Notes: formerly PVB	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 23-Sep-2014	Model: PVB4V Meters: Spare Parts Only: No Bypass:

Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4V
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly PVB		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4V
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly PVB		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4V
Size: 2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Jun-2003	Renewed: 18-Jun-2015	Bypass:
Shutoffs: (dd)		
Notes: formerly PVB		
Type: PVB	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		
Type: PVB	Manufacturer: Febco	Model: 765
Size: 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Type: PVB	Manufacturer: Febco	Model: 765
Size: 3/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (ii),fff,jjj,ooo,xxx		

Type: PVB	Manufacturer: Febco	Model: 765
Size: 1	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (ii),fff,jjj,ooo,xxx		
Type: PVB	Manufacturer: Febco	Model: 765
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Type: PVB	Manufacturer: Febco	Model: 765
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (ii),fff,jjj,ooo,xxx		
Type: PVB	Manufacturer: Febco	Model: 765
Size: 2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (ii),fff,ooo,xxx		
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (vv), xx,pppp,rrrrr		
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (vv), xx,pppp,rrrrr		
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (vv), xx,pppp,rrrrr		

Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (vv), xx,pppp,rrrrr	Nononou. or Aug-2010	Dypass.
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (vv), xx,pppp,rrrrr		
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (vv), xx,pppp,rrrrr		
Type: PVB	Manufacturer: Febco	Model: LF767FR
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-May-2010	Renewed: 04-May-2013	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: PVB	Manufacturer: Febco	Model: LF767FR
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-May-2010	Renewed: 04-May-2013	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: PVB	Manufacturer: Febco	Model: LF767FR
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-May-2010	Renewed: 04-May-2013	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: PVB	Manufacturer: Febco	Model: LF767FR
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-May-2010	Renewed: 04-May-2013	Bypass:
Shutoffs: (hhhh),rrrrr		

Type: PVB	Manufacturer: Febco	Model: LF767FR
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-May-2010	Renewed: 04-May-2013	Bypass:
Shutoffs: (hhhh),rrrr		
Type: PVB	Manufacturer: Febco	Model: LF767FR
Size: 2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-May-2010	Renewed: 04-May-2013	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: PVB	Manufacturer: Flomatic	Model: PVB
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Nov-1997	Renewed: 21-Nov-2015	Bypass:
Shutoffs: (ii)		
Type: PVB	Manufacturer: Flomatic	Model: PVB
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Nov-1997	Renewed: 21-Nov-2015	Bypass:
Shutoffs: (ii)		
Type: PVB	Manufacturer: Neptune	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Wilkins		
Type: PVB	Manufacturer: Watts	Model: 800CMQT
Size: 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1989	Renewed: 18-Jul-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800CMQT
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1989	Renewed: 18-Jul-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: PVB	Manufacturer: Watts	Model: 800M2QT
Size: 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Jul-1991	Renewed: 09-Jul-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800M2QT
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Jul-1991	Renewed: 09-Jul-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800M2QT
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Jul-1991	Renewed: 09-Jul-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800M2QT
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Mar-1993	Renewed: 25-Mar-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800M2QT
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Mar-1993	Renewed: 25-Mar-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800M2QT
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Mar-1993	Renewed: 25-Mar-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800M3QT
Size: 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1992	Renewed: 24-Feb-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: PVB	Manufacturer: Watts	Model: 800M3QT
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1992	Renewed: 24-Feb-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-May-1998	Renewed: 12-May-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rr	rrr	
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-May-1998	Renewed: 12-May-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rr	rrr	
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-1995	Renewed: 01-Sep-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rr	rrr	
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-May-1997	Renewed: 13-May-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rr	rrr	
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-May-1997	Renewed: 13-May-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rr	·rrr	
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-May-1997	Renewed: 13-May-2015	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: PVB	Manufacturer: Watts	Model: 800M4QT
Size: 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1993	Renewed: 06-Sep-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: PVB	Manufacturer: Watts	Model: 800M4QT
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-1993	Renewed: 06-Apr-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: PVB	Manufacturer: Watts	Model: 800M4QT
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 25-May-1993	Renewed: 25-May-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: PVB	Manufacturer: Watts	Model: 800M4QT
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1994	Renewed: 24-May-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: PVB	Manufacturer: Watts	Model: 800M4QT
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Jun-1993	Renewed: 21-Jun-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: PVB	Manufacturer: Watts	Model: 800M4QT
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Jun-1993	Renewed: 21-Jun-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: PVB	Manufacturer: Watts	Model: 800MQT
Size: 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1989	Renewed: 18-Jul-2013	Bypass:

Shutoffs: vv,xx,ooo,hhhh,pppp

Type: PVB Manufacturer: Waits Model: 800MQT Size: 3/4 Orientation: VUH Meters: Approved: 18-Jul-1989 Renewed: 18-Jul-2013 Bypass: Shutoffs: vv.xx.coo.hhhh.pppp Manufacturer: Waits Model: 800QT Size: 3/4 Orientation: VUH Meters: Manual: 5 0.25% Pb: No Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass: Shutoffs: vv.xx.coo.hhhh.pppp Manufacturer: Waits Model: 800QT Size: 1 Orientation: VUH Meters: Manual: 5 0.25% Pb: No Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass: Shutoffs: vv.xx.coo.hhhh.pppp Manufacturer: Waits Model: 800QT Size: 1 Orientation: VUH Meters: Manual: 5 0.25% Pb: No Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass: Shutoffs: vv.xx.coo.hhhh.pppp Manufacturer: Waits Model: 800QT Size: 1 0rientation: VUH Meters: Manual: 5 0.25% Pb: No Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass: Shutoffs: vv.xx.coo.hhhh.pppp Morietation: VUH Meters:			
Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 18-Jul-1989Renewed: 18-Jul-2013Bypass:Shutoffs: vv,xx,cool.hhh.ppppManufacturer: WattsModel: 800QTSize: 3/4Orientation: VUHMeters:Approved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,cool.hhh.ppppManufacturer: WattsModel: 800QTSize: 1Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesByproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,cool.hhhh.ppppManufacturer: WattsModel: 800QTSize: 1Orientation: VUHMeters:Approved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,cool.hhhh.pppSpare Parts Only: YesSize: 1 1/4Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesSize: 1 1/4Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Stutoffs: vv,xx,cool.hhhh.pppManufacturer: WattsModel: 800QTSize: 1 1/2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,cool.hhhh.pppType: PVBManufacturer: WattsModel: 800QTSize: 1 1/2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesAp			
Approved:18-Jul-1989 Shutoffs:Renewed:18-Jul-2013Bypass:Type:PVBManufacturer:WattsModel:800QTSize:3/4Orientation:VUHMeters:Manual:50.25% Pb: NoSpare Parts Only:YesApproved:14-Feb-1978Renewed:14-Feb-2014Bypass:Shutoffs:w.xx.ooo.hhhh.pppManufacturer:WattsModel:800QTType:PVBManufacturer:WattsModel:800QTSize:1Orientation:VUHMeters:Manual:50.25% Pb: NoSpare Parts Only:YesApproved:14-Feb-1978Renewed:14-Feb-2014Bypass:Shutoffs:w.xx.ooo.hhhh.pppManufacturer:WattsModel:800QTSize:11/4Orientation:VUHMeters:Manufacture:Matts:Manual:50.25% Pb: NoSpare Parts Only:YesApproved:14-Feb-1978Renewed:14-Feb-2014Bypass:Shutoffs:v.xx.ooo.hhhh.pppVUHMeters:Manual:50.25% Pb: NoSpare Parts Only:YesSproved:14-Feb-1978Renewed:14-Feb-2014Bypass:Shutoffs:v.xx.ooo.hhhh.pppVUHMeters:Manual:50.25% Pb: NoSpare Parts Only:YesApproved:14-Feb-1978Renewed:14-Feb-2014Bypass:Shutoffs:v.xx.ooo.hhhh.pppVHMeters:			
Shutoffs: vv.xx.ooo.hhhh.pppp Manufacturer: Watts Model: 8000T Size: 3/4 Orientation: VUH Meters: Manual: 5 0.25% Pb: No Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass: Shutoffs: vv.xx.ooo.hhhh.pppp Manufacturer: Watts Model: 8000T Size: 1 Orientation: VUH Meters: Manual: 5 0.25% Pb: No Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass: Shutoffs: vv.xx.ooo.hhhh.pppp Manufacturer: Watts Model: 8000T Size: 1 Orientation: VUH Meters: Manual: 5 0.25% Pb: No Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass: Shutoffs: vv.xx.ooo.hhhh.pppp Manufacturer: Watts Model: 8000T Size: 1 1/2 Orientation: VUH Meters: Manual: 5 0.25% Pb: No Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass: Shutoffs: vv.xx.ooo.hhhh.pppp Manufacturer: Watts Model: 8000T Type: PVB Manufacturer: Watts Model: 8000T Size: 1 1/2 Orientation: VUH Meters: Manual: 5 0.25% Pb: No Spare Parts Only: Yes			
Type: PVBManufacturer: WattsModel: 800QTSize: 3/4Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv.xx.ooo.hhhh.ppppManufacturer: WattsModel: 800QTSize: 1Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv.xx.ooo.hhhh.ppppManufacturer: WattsModel: 800QTType: PVBManufacturer: WattsModel: 800QTSize: 1 1/4Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv.xx.ooo.hhhh.ppppSpare Parts Only: YesType: PVBManufacturer: WattsModel: 800QTSize: 1 1/2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv.xx.ooo.hhhh.ppppManufacturer: WattsModel: 800QTType: PVBManufacturer: WattsModel: 800QTSize: 2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv.xx.ooo.hhhh.ppppSpare Parts Only: YesType: PVBManufacturer: WattsModel: 800QTSize: 2Orientation: VUHMeters:	••	Renewed: 18-Jul-2013	Bypass:
Size: 3/4Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx.ooo,hhhh,ppppManufacturer: WattsModel: 800QTType: PVBManufacturer: WattsModel: 800QTSize: 1Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: 800QTType: PVBManufacturer: WattsModel: 800QTSize: 1 1/4Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppVerence: WattsModel: 800QTType: PVBManufacturer: WattsModel: 800QTSize: 1 1/2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: 800QTSize: 2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppPrestion: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesSpare Parts 0.19: YesSpare Parts Only: YesShutoffs: vv,xx,ooo,hhhh,ppppDie	Shutoffs: vv,xx,ooo,hhhh,pppp		
Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,pppManufacturer: WattsModel: 800QTType: PVBManufacturer: WattsModel: 800QTSize: 1Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,pppRenewed: 14-Feb-2014Bypass:Type: PVBManufacturer: WattsModel: 800QTSize: 1 1/4Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppp0.25% Pb: NoSpare Parts Only: YesType: PVBManufacturer: WattsModel: LF800M4FR<	Type: PVB	Manufacturer: Watts	Model: 800QT
Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppRenewed: 14-Feb-2014Bypass:Type: PVB Manufacturer: Watts Manual: 5 Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: Watts Model: 800QT Bypass:Model: 800QT Model: 800QT Bypass:Type: PVB Manual: 5 Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: Watts Model: 800QT Model: 800QT Size: 1 1/4 Orientation: VUH Meters: Manual: 5 Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass:Model: 800QT Spare Parts Only: Yes Bypass: Shutoffs: vv,xx,ooo,hhhh,ppppType: PVB Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: Watts Orientation: VUH Meters: Manual: 5 Approved: 14-Feb-1978 State: 1 1/2 Orientation: VUH Manual: 5 Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass: Shutoffs: vv,xx,ooo,hhhh,ppppType: PVB Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: Watts Model: 800QT Size: 1 1/2 Orientation: VUH Meters: Manual: 5 Approved: 14-Feb-1978 Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppType: PVB Manual: 5 Approved: 14-Feb-1978 Size: 2 Manual: 5 Approved: 14-Feb-2014 Bypass:Model: 800QT Spare Parts Only: Yes Bypass: Shutoffs: vv,xx,ooo,hhhh,pppType: PVB Shutoffs: vv,xx,ooo,hhhh,pppManufacturer: Watts Model: 14-Feb-2014 Bypass:Model: 14-Feb-2014 Bypass:Type: PVB Shutoffs: vv,xx,ooo,hhhh,pppManufacturer: Watts Model: 14-Feb-2014 Bypass:Model: LF800M4FR Size: 12 Model: LF800M4FR Size: 12 Manual: 9 Manufacturer	Size: 3/4	Orientation: VUH	Meters:
Shutoffs: vv,xx,ooo,hhhh,ppppType: PVBManufacturer: WattsModel: 800QTSize: 1Orientation: VUHMeters:Manula: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppType: PVBManufacturer: WattsModel: 800QTSize: 1 1/4Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppSize: 1 1/4Orientation: VUHManual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppOrientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppType: PVBManufacturer: WattsModel: 800QTSize: 2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,pppType: PVBManufacturer: WattsModel: 800QTSize: 12Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,pppType: PVBManufacturer: WattsModel: LF800M4FRSize: 1/2Orientatio	Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Type: PVBManufacturer: WattsModel: 800QTSize: 1Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: Yes.Approved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: 800QTSize: 1 1/4Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppSpare Parts Only: YesType: PVBManufacturer: WattsModel: 800QTSize: 1 1/2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppSpare Parts Only: YesType: PVBManufacturer: WattsModel: 800QTSize: 10.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,pppManufacturer: WattsModel: 800QTSize: 2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,pppSpare Parts Only: YesType: PVBManufacturer: WattsModel: 800QTSize: 2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renew	Approved: 14-Feb-1978	Renewed: 14-Feb-2014	Bypass:
Size: 1Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: 800QTSize: 1 1/4Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppSpare Parts Only: YesType: PVBManufacturer: WattsModel: 800QTSize: 1 1/2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppOrientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: 800QTType: PVBManufacturer: WattsModel: 800QTSize: 2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppSpare Parts Only: YesType: PVBManufacturer: WattsModel: LF800M4FRSize: 1/2Orientation: VUHMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Jan-2010Renewed: 12-Jan-2016Bypass:	Shutoffs: vv,xx,ooo,hhhh,pppp		
Jack Size: 1Orientation: VUHMeters: Spare Parts Only: Yes Byproved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppType: FVB Size: 1 1/4Manufacturer: WattsModel: 800QT Meters: Spare Parts Only: Yes Bypass:Manual: 5 Approved: 14-Feb-1978 Size: 1 1/4Manufacturer: WattsModel: 800QT Meters: Spare Parts Only: Yes Spare Parts Only: Yes Spare Parts Only: Yes Bypass:Manual: 5 Approved: 14-Feb-1978 Size: 1 1/2Manufacturer: WattsModel: 800QT Meters: Bypass:Type: FVB Size: 1 1/2Manufacturer: WattsModel: 800QT Meters:Type: FVB Size: 1 1/2Orientation: VUHMeters: Meters:Manual: 5 Approved: 14-Feb-1978 Size: 1 1/2Manufacturer: WattsModel: 800QT Meters:Type: FVB Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: 800QT Meters:Type: PVB Size: 2Orientation: VUHMeters: Meters:Manual: 5 Approved: 14-Feb-1978 Size: 2Orientation: VUHMeters: Meters:Manual: 5 Approved: 14-Feb-1978 Size: 14-Feb-1978 Size: 12Manufacturer: Watts Orientation: VUHModel: 800QT Meters:Type: PVB Size: 1/2 Manual: 5Manufacturer: Watts Orientation: VUH Meters:Model: LF800M4FR Model: LF800M4FRSize: 1/2 Manual: 9 Approved: 12-Jan-2010Manufacturer: Watts Renewed: 12-Jan-2016Model: LF800M4FR Bypass:	Type: PVB	Manufacturer: Watts	Model: 800QT
Approved:14-Feb-1978 Shutoffs:Renewed:14-Feb-2014Bypass:Type:PVB Size:Manufacturer:Watts VUHModel:800QTSize:11/4Orientation:VUH Meters:Meters:Manual:50.25% Pb: No Spare Parts Only:Spare Parts Only:YesApproved:14-Feb-1978 Stare:Renewed:14-Feb-2014 Sypass:Bypass:Shutoffs:vv,xx,ooo,hhhh,ppppManufacturer:Watts WattsModel:800QTType:PVB Size:Manufacturer:Watts WattsModel:800QTSize:11/2 Orientation:VUH Weters:Meters:Model:800QTShutoffs:vv,xx,ooo,hhhh,ppppOrientation:VUH Weters:Model:800QTType:PVB Size:Manufacturer:Watts Model:Model:800QTSize:2Orientation:VUH Weters:Model:800QTSize:2Orientation:VUH Weters:Model:800QTSize:2Orientation:VUH Weters:Model:800QTSize:2Orientation:VUH Weters:Model:800QTSize:2Orientation:VUH Weters:Model:800QTSize:2Orientation:VUH Weters:Model:800QTSize:1/2Orientation:WUH Weters:Model:12800M4FRSize:1/2Orientation:VUH Weters:Model: <td< td=""><td>••</td><td>Orientation: VUH</td><td>Meters:</td></td<>	••	Orientation: VUH	Meters:
Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppRenewed: 14-Feb-2014 Bypass:Bypass:Type: PVB Size: 1 1/4Manufacturer: Watts Orientation: VUH Banual: 5Model: 800QT Meters: Spare Parts Only: Yes Bypass:Manual: 5 Approved: 14-Feb-1978 Size: 1 1/20.25% Pb: No D.25% Pb: No Spare Parts Only: Yes Bypass:Spare Source Bypass:Type: PVB Size: 1 1/2Manufacturer: Watts Orientation: VUH Orientation: VUH Meters: Manual: 5 Approved: 14-Feb-1978 Spare Parts Only: Yes Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhh,ppppManufacturer: Watts Model: 800QT Spare Parts Only: Yes Bypass: Shutoffs: vv,xx,ooo,hhh,ppppType: PVB Size: 2 Manual: 5 Approved: 14-Feb-1978 Size: 2 Crientation: VUH Manufacturer: Watts Manual: 5 Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass:Model: 800QT Spare Parts Only: Yes Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass:Type: PVB Size: 2 Approved: 14-Feb-1978 Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass:Model: Renewed: 14-Feb-2014 Bypass:Type: PVB Size: 1/2 Manual: 5 Approved: 14-Feb-1978 Size: 1/2 Manual: 9 Approved: 12-Jan-2010Manufacturer: Watts Manufacturer: Watts Model: LF800M4FR Meters: Spare Parts Only: No Bypass:	Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Shutoffs: vv,xx,ooo,hhhh,ppppType: PVBManufacturer: WattsModel: 800QTSize: 1 1/4Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: 800QTType: PVBManufacturer: WattsModel: 800QTSize: 1 1/2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppSpare Parts Only: YesType: PVBManufacturer: WattsModel: 800QTSize: 2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: 800QTType: PVBManufacturer: WattsModel: 800QTSize: 2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppType: PVBManufacturer: WattsModel: LF800M4FRSize: 1/2Orientation: VUHMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Jan-2010Renewed: 12-Jan-2016Bypass:	Approved: 14-Feb-1978	Renewed: 14-Feb-2014	
Size: 1 1/4Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: 800QTSize: 1 1/2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppRenewed: 14-Feb-2014Bypass:Type: PVBManufacturer: WattsModel: 800QTSize: 2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppSpare Parts Only: YesType: PVBManufacturer: WattsModel: LF800M4FRSize: 1/2Orientation: VUHMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Jan-2010Renewed: 12-Jan-2016Bypass:	Shutoffs: vv,xx,ooo,hhhh,pppp		
Size: 1 1/4Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: 800QTSize: 1 1/2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppRenewed: 14-Feb-2014Bypass:Type: PVBManufacturer: WattsModel: 800QTSize: 2Orientation: VUHBypass:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppVUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppType: PVBManufacturer: WattsModel: LF800M4FRSize: 1/2Orientation: VUHMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Jan-2010Renewed: 12-Jan-2016Bypass:	Type: PVB	Manufacturer: Watts	Model: 800QT
Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppRenewed: 14-Feb-2014Bypass:Type: PVB Size: 1 1/2 Manual: 5 Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: Watts Orientation: VUH Meters: Manual: 5 Manual: 5 Manufacturer: Watts Orientation: VUH Meters:Model: 800QT Meters: Bypass: Spare Parts Only: Yes Bypass:Type: PVB Size: 2 Manual: 5 Approved: 14-Feb-1978 Size: 2 Manual: 5 Approved: 14-Feb-1978 Size: 2 Manual: 5 Approved: 14-Feb-1978 Size: 2 Manual: 5 Approved: 14-Feb-1978 Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass:Model: 800QT Meters: Model: 800QTType: PVB Size: 2 Manual: 5 Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: Watts Model: 14-Feb-2014 Bypass:Model: 14-Feb-1978 Spare Parts Only: Yes Bypass:Type: PVB Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: Watts VUH Meters:Model: LF800M4FR Meters:Type: PVB Size: 1/2 Manual: 9 Approved: 12-Jan-2010Manufacturer: Watts Renewed: 12-Jan-2016 Bypass:Model: LF800M4FR Meters:	••	Orientation: VUH	Meters:
Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppRenewed: 14-Feb-2014Bypass:Type: PVB Size: 1 1/2 Manual: 5 Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: Watts O.25% Pb: No Renewed: 14-Feb-2014 Size: 2 Orientation: VUH Manual: 5 Shutoffs: vv,xx,ooo,hhhh,ppppModel: 800QT Size: 2 Manufacturer: Watts Manufacturer: Watts Model: 800QT Size: 2 Manual: 5 Shutoffs: vv,xx,ooo,hhhh,ppppType: PVB Size: 2 Manual: 5 Approved: 14-Feb-1978 Size: 2 Manual: 5 Approved: 14-Feb-1978 Size: 2 Manual: 5 Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppModel: 800QT Meters: Model: 800QTType: PVB Size: 2 Manual: 5 Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: Watts Model: 14-Feb-2014 Bypass: Model: LF800M4FR Meters: Model: LF800M4FRType: PVB Size: 1/2 Manufacturer: Watts Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: Watts Model: LF800M4FR Meters: Model: LF800M4FR Meters: Manual: 9 Approved: 12-Jan-2010 Renewed: 12-Jan-2016 Bypass:	Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Shutoffs: vv,xx,ooo,hhhh,pppp Type: PVB Manufacturer: Watts Model: 800QT Size: 1 1/2 Orientation: VUH Meters: Manual: 5 0.25% Pb: No Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Manufacturer: Watts Model: 800QT Type: PVB Manufacturer: Watts Model: 800QT Size: 2 Orientation: VUH Meters: Manual: 5 0.25% Pb: No Spare Parts Only: Yes Approved: 14-Feb-1978 Renewed: 14-Feb-2014 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Spare Parts Only: Yes Approved: 14-Feb-1978 Type: PVB Manufacturer: Watts Model: LF800M4FR Size: 1/2 Orientation: VUH Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 12-Jan-2010 Renewed: 12-Jan-2016 Bypass:	Approved: 14-Feb-1978	Renewed: 14-Feb-2014	
Size: 1 1/2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,pppManufacturer: WattsModel: 800QTType: PVBManufacturer: WattsModel: 800QTSize: 2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppRenewed: 14-Feb-2014Bypass:Type: PVBManufacturer: WattsModel: LF800M4FRSize: 1/2Orientation: VUHMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Jan-2010Renewed: 12-Jan-2016Bypass:			
Size: 1 1/2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: 800QTType: PVBManufacturer: WattsModel: 800QTSize: 2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppRenewed: 14-Feb-2014Bypass:Type: PVBManufacturer: WattsModel: LF800M4FRSize: 1/2Orientation: VUHMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Jan-2010Renewed: 12-Jan-2016Bypass:	Type: PVB	Manufacturer: Watts	Model: 800QT
Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppRenewed: 14-Feb-2014Bypass:Type: PVB Size: 2 Manual: 5 Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: Watts Orientation: VUH Meters: Spare Parts Only: Yes Bypass:Model: 800QT Meters: Spare Parts Only: Yes Bypass:Type: PVB Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: Watts VUHModel: LF800M4FR Meters:Type: PVB Size: 1/2 Manual: 9 Approved: 12-Jan-2010Manufacturer: Watts Orientation: VUH Meters:Model: LF800M4FR Meters:Manual: 9 Approved: 12-Jan-20100.25% Pb: Yes Renewed: 12-Jan-2016Spare Parts Only: No Bypass:		Orientation: VUH	Meters:
Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppRenewed: 14-Feb-2014Bypass:Type: PVB Size: 2 Manual: 5 Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: Watts Orientation: VUH Renewed: 14-Feb-2014Model: 800QT Meters: Spare Parts Only: Yes Bypass:Type: PVB Shutoffs: vv,xx,ooo,hhhh,ppppRenewed: 14-Feb-2014Bypass:Type: PVB Size: 1/2Manufacturer: Watts Orientation: VUHModel: LF800M4FR Meters:Size: 1/2 Manual: 9 Approved: 12-Jan-20100.25% Pb: Yes Renewed: 12-Jan-2016Spare Parts Only: No Bypass:	Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Type: PVBManufacturer: WattsModel: 800QTSize: 2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: LF800M4FRSize: 1/2Orientation: VUHMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Jan-2010Renewed: 12-Jan-2016Bypass:	Approved: 14-Feb-1978	Renewed: 14-Feb-2014	Bypass:
Size: 2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: LF800M4FRType: PVBManufacturer: WattsModel: LF800M4FRSize: 1/2Orientation: VUHMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Jan-2010Renewed: 12-Jan-2016Bypass:	Shutoffs: vv,xx,ooo,hhhh,pppp		
Size: 2Orientation: VUHMeters:Manual: 50.25% Pb: NoSpare Parts Only: YesApproved: 14-Feb-1978Renewed: 14-Feb-2014Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: LF800M4FRType: PVBManufacturer: WattsModel: LF800M4FRSize: 1/2Orientation: VUHMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Jan-2010Renewed: 12-Jan-2016Bypass:	Type: PVB	Manufacturer: Watts	Model: 800QT
Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppRenewed: 14-Feb-2014Bypass:Type: PVB Size: 1/2Manufacturer: WattsModel: LF800M4FRSize: 1/2Orientation: VUHMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Jan-2010Renewed: 12-Jan-2016Bypass:	••	Orientation: VUH	Meters:
Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,ppppRenewed: 14-Feb-2014Bypass:Type: PVBManufacturer: WattsModel: LF800M4FRSize: 1/2Orientation: VUHMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Jan-2010Renewed: 12-Jan-2016Bypass:	Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Type: PVBManufacturer: WattsModel: LF800M4FRSize: 1/2Orientation: VUHMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Jan-2010Renewed: 12-Jan-2016Bypass:	Approved: 14-Feb-1978	Renewed: 14-Feb-2014	Bypass:
Size: 1/2Orientation: VUHMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Jan-2010Renewed: 12-Jan-2016Bypass:	Shutoffs: vv,xx,ooo,hhhh,pppp		
Size: 1/2Orientation: VUHMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Jan-2010Renewed: 12-Jan-2016Bypass:	Type: PVB	Manufacturer: Watts	Model: LF800M4FR
Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 12-Jan-2010 Renewed: 12-Jan-2016 Bypass:			
Approved: 12-Jan-2010Renewed: 12-Jan-2016Bypass:			
	Shutoffs: (hhhh),rrrr		<i>.</i>

Type: PVB Size: 3/4 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 Manual: 9 Approved: 05-Dec-2014 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 1/4 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 1/2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1/2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 3/4 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016 Model: LF800M4FR Meters: Spare Parts Only: No Bypass:

Model: LF800M4QT Meters: Spare Parts Only: No Bypass:

Model: LF800M4QT Meters: Spare Parts Only: No Bypass: Type: PVB Size: 1 Manual: 9 Approved: 05-Dec-2014 Shutoffs: (hhhh),rrrrr

Type: PVB

Size: 1 1/4

Manual: 9

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed:

> Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

> Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 17-Jul-2014

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 17-Jul-2014

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 29-Sep-2015 Model: LF800M4QT Meters: Spare Parts Only: No Bypass:

Model: 420 Meters: Spare Parts Only: No Bypass:

Model: 420 Meters: Spare Parts Only: No Bypass:

Model: 420 Meters: Spare Parts Only: No Bypass:

Shutoffs: (hhhh),rrrrr Type: PVB Size: 1 1/2 Manual: 9 Approved: 12-Jan-2010

Shutoffs: (hhhh),rrrrr

Approved: 12-Jan-2010

Type: PVB Size: 2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1/2 Manual: 9 Approved: 17-Jul-1999 Shutoffs: (ii),000

Type: PVB Size: 3/4 Manual: 9 Approved: 17-Jul-1999 Shutoffs: (ii),000

Type: PVB Size: 1 Manual: 9 Approved: 29-Sep-2000 Shutoffs: (ii),000

Type: PVB	Manufacturer: Wilkins	Model: 420XL
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2014	Bypass:
Shutoffs: (iiii)		
Type: PVB	Manufacturer: Wilkins	Model: 420XL
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2014	Bypass:
Shutoffs: (iiii)		
Type: PVB	Manufacturer: Wilkins	Model: 420XL
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 03-Aug-2011	Renewed: 03-Aug-2014	Bypass:
Shutoffs: (iiii)		
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (ii),000		
Notes: Beginning with Serial No.	. T00001 the test cocks were moved from	n the body to the shutoff valves.
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 3/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (ii),000		
Notes: Beginning with Serial No.	. T00001 the test cocks were moved fron	n the body to the shutoff valves.
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1	Orientation: VUH	Meters:
		Spore Darte Only No
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Manual: 5 Approved: 28-Aug-1978	0.25% Pb: No Renewed: 28-Aug-2014	Bypass:

Notes: Beginning with Serial No. T00001 the test cocks were moved from the body to the shutoff valves.

Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (ii),000		
Notes: Beginning with Serial No.	T00001 the test cocks were moved from	n the body to the shutoff valves.
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (ii),000		
Notes: Beginning with Serial No.	T00001 the test cocks were moved from	n the body to the shutoff valves.
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (ii),000		
	T00001 the test cocks were moved from	n the body to the shutoff valves.
Notes: Beginning with Serial No.	T00001 the test cocks were moved from Manufacturer: Ames	n the body to the shutoff valves. Model: 4000B
Notes: Beginning with Serial No.		
Notes: Beginning with Serial No. Type: RP Size: 1/2	Manufacturer: Ames	Model: 4000B
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9	Manufacturer: Ames Orientation: H	Model: 4000B Meters:
	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014	Model: 4000B Meters: Spare Parts Only: No
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 ,rrrrr	Model: 4000B Meters: Spare Parts Only: No
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 ,rrrrr	Model: 4000B Meters: Spare Parts Only: No
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 ,rrrrr Ed. (26 May 1993)	Model: 4000B Meters: Spare Parts Only: No Bypass:
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 ,rrrrr Ed. (26 May 1993) Manufacturer: Ames	Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4 Manual: 8	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 ,rrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H	Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters:
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4 Manual: 8 Approved: 31-Oct-1992	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 ,rrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 31-Oct-2013	Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 ,rrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 31-Oct-2013	Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4 Manual: 8 Approved: 31-Oct-1992 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 ,rrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 31-Oct-2013	Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No Bypass:
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4 Manual: 8 Approved: 31-Oct-1992 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 ,rrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 31-Oct-2013 ,rrrrr	Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4 Manual: 8 Approved: 31-Oct-1992 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 ,rrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 31-Oct-2013 ,rrrrr Manufacturer: Ames Orientation: H	Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No

Type: RP	Manufacturer: Ames	Model: 4000B
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 4000B
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 4000B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1996	Renewed: 10-Sep-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 4000B-FP
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: RP	Manufacturer: Ames	Model: 4000B-FP
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: RP	Manufacturer: Ames	Model: 4000B-FP
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: RP	Manufacturer: Ames	Model: 4000B-FP
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		

Type: RP	Manufacturer: Ames	Model: 4000B-FP
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: RP	Manufacturer: Ames	Model: 4000BM2
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-May-1998	Renewed: 18-May-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,	rrrr	
Type: RP	Manufacturer: Ames	Model: 4000BM2-FP
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: RP	Manufacturer: Ames	Model: 4000BM3
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Mar-2000	Renewed: 27-Mar-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,	rrrr	
Type: RP	Manufacturer: Ames	Model: 4000BM3-FP
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: RP	Manufacturer: Ames	Model: 4000CIV
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jul-2000	Renewed: 07-Jul-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	u	
Type: RP	Manufacturer: Ames	Model: 4000CIV
Size: 3	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jul-2000	Renewed: 07-Jul-2015	Bypass:
		-,

Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu

Type: RP	Manufacturer: Ames	Model: 4000CIV
Size: 4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2000	Renewed: 19-Jun-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu	,eee	
Type: RP	Manufacturer: Ames	Model: 4000CIV
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2000	Renewed: 19-Jun-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu	,666	
Type: RP	Manufacturer: Ames	Model: 4000CIV
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2000	Renewed: 19-Jun-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu		
Type: RP	Manufacturer: Ames	Model: 4000CIV
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2000	Renewed: 19-Jun-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu		
Type: RP	Manufacturer: Ames	Model: 4000RP
Size: 4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Oct-1987	Renewed: 13-Oct-2014	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model RP	pp,uu,ccc,ddd,ffff,gggg	
Type: RP	Manufacturer: Ames	Model: 4000RP
Size: 6	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Oct-1987	Renewed: 13-Oct-2014	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,p	pp,uu,ccc,ddd,ffff,gggg	

Type: RPManufacturer: AmesSize: 8Orientation: HManual: 70.25% Pb: NoApproved: 13-Oct-1987Renewed: 13-Oct-2014Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggNotes: formerly Model RP

Type: RPManufacturer: AmesSize: 10Orientation: HManual: 70.25% Pb: NoApproved: 13-Oct-1987Renewed: 13-Oct-2014Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,ggggNotes: formerly Model RP

Type: RPManufacturer: AmesSize: 2 1/2Orientation: HManual: 80.25% Pb: NoApproved: 15-Apr-1994Renewed: 15-Apr-2015Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd

Type: RP Size: 2 1/2 Manual: 8 Approved: 15-Apr-1994 Shutoffs: II,mm,oo,ffff,gggg

Type: RPManufacturer: AmesSize: 3Orientation: HManual: 80.25% Pb: NoApproved: 15-Apr-1994Renewed: 15-Apr-2015Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd

Type: RP Size: 3 Manual: 8 Approved: 15-Apr-1994 Shutoffs: II,mm,oo,ffff,gggg

Orientation: H 0.25% Pb: Yes Renewed: 15-Apr-2015

Manufacturer: Ames

Manufacturer: Ames

Renewed: 15-Apr-2015

Orientation: H

0.25% Pb: Yes

Model: 4000RP Meters: Spare Parts Only: No Bypass:

Model: 4000RP Meters: Spare Parts Only: No Bypass:

Model: 4000SS Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: 4000SS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,c		_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Type: RP	Manufacturer: Ames	Model: 4000SS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: RP	Manufacturer: Ames	Model: 4000SS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Sep-1997	Renewed: 22-Sep-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,c	cc,ddd	
Type: RP	Manufacturer: Ames	Model: 4000SS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Sep-1997	Renewed: 22-Sep-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrrr	
Type: RP	Manufacturer: Ames	Model: 400B
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrr	
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Chuteffer (va) vy ooo bbbb pppp		

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP Size: 1 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015	Model: 400B Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Renewed: 20-Jun-2015	Bypass:
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Renewed: 30-Aug-2015	Bypass:
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Renewed: 20-Jun-2015	Bypass:
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Renewed: 30-Aug-2015	Bypass:
Type: RP	Manufacturer: Ames	Model: 400B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Renewed: 20-Jun-2015	Bypass:
Type: RP	Manufacturer: Ames	Model: 400B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Sep-2006	Renewed: 05-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 1 1/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,ppp	þ,rrrr	
Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,ppp	D,rrrrr	
Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,ppp	p,rrrr	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnnn	
Notes: Check valve discs may b	be black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,ł	kkk,IIII,mmmm,nnnn	
Notes: Check valve discs may b	be black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	

Notes: Check valve discs may be black EPDM or orange Silicone

Type: RP	Manufacturer: Ames	Model: Colt 400	
Size: 3	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:	
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn		
Notes: Check valve discs may be	e black EPDM or orange Silicone		
Type: RP	Manufacturer: Ames	Model: Colt 400	
Size: 4	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:	
Shutoffs: (ppp),qqq,aaaa,bbbb,r	าทททท		
Notes: Check valve discs may be	e black EPDM or orange Silicone		
Type: RP	Manufacturer: Ames	Model: Colt 400	
Size: 4	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
mailual. J			
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k		Bypass:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be	kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone		
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,ki Notes: Check valve discs may be Type: RP	kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames	Model: Colt 400	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 6	kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H	Model: Colt 400 Meters:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9	kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No	Model: Colt 400 Meters: Spare Parts Only: No	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 6	kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013	Model: Colt 400 Meters:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb,r	kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013	Model: Colt 400 Meters: Spare Parts Only: No Bypass:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb,r	kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013	Model: Colt 400 Meters: Spare Parts Only: No	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb,r	kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb,r Type: RP Size: 6 Manual: 9	kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013 nnnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters: Spare Parts Only: No	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb,r Type: RP Size: 6	kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013 nnnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 29-Sep-2013	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbbb,r Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004	kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013 nnnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 29-Sep-2013	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters: Spare Parts Only: No	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb,r Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: zzz,dddd,eeee,gggg,kl	kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013 Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 29-Sep-2013 kkk,IIII,mmmm,nnnn	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters: Spare Parts Only: No Bypass:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb,r Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: zzz,dddd,eeee,gggg,kl Type: RP	kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013 Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 29-Sep-2013 kkk,IIII,mmmm,nnnn	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb,r Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: zzz,dddd,eeee,gggg,kl Type: RP Size: 8	kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013 nnnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 29-Sep-2013 kkk,IIII,mmmm,nnnn Manufacturer: Ames Orientation: H	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters:	

Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2013	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,H	kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,aaaa	a,bbbb,nnnnn	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Shutoffs: zzz,cccc,dddd,eeee,g	lggg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Ames	Model: Colt 400BF
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2007	Renewed: 17-Sep-2013	Bypass:
Shutoffs: (yyy)		
Notes: Check valve discs may b	be black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400BF
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2007	Renewed: 17-Sep-2013	Bypass:
Shutoffs: (yyy)		
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	he black EPDM or orange Silicone	

Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may be black EPDM or orange Silicone		
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	าทททท	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	าทททท	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2013	Bypass:

Manufacturer: Ames

Orientation: VUVD

0.25% Pb: Yes

Model: Colt 400N

Spare Parts Only: No

Meters:

Type: RP

Size: 2 1/2

Manual: 9

Type: RPManufacturer: AmesSize: 6Orientation: VUVDManual: 90.25% Pb: YesApproved: 15-Nov-2010Renewed: 15-Nov-2013Shutoffs: zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnnn

Type: RPManufacturer: AmesSize: 8Orientation: VUVDManual: 90.25% Pb: YesApproved: 14-Jun-2013Renewed:Shutoffs: (yyy), zzz, dddd, eeee, gggg, kkkk, IIII, mmmm, nnnn

Type: RPManufacturer: AmesSize: 2 1/2Orientation: VUVUManual: 90.25% Pb: NoApproved: 14-Apr-2003Renewed: 14-Apr-2015Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange Silicone

Type: RPManufacturer: AmesSize: 2 1/2Orientation: VUVUManual: 90.25% Pb: YesApproved: 14-Apr-2003Renewed: 14-Apr-2015Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,IIII,mmm,nnnnNotes: Check valve discs may be black EPDM or orange Silicone

Type: RPManufacturer: AmesSize: 3Orientation: VUVUManual: 90.25% Pb: NoApproved: 14-Apr-2003Renewed: 14-Apr-2015Shutoffs: (ppp),qqq,aaaa,bbbb,nnnn

Notes: Check valve discs may be black EPDM or orange Silicone

Type: RPManufacturer: AmesSize: 3Orientation: VUVUManual: 90.25% Pb: YesApproved: 14-Apr-2003Renewed: 14-Apr-2015Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnnNotes: Check valve discs may be black EPDM or orange Silicone

Model: Colt 400N Meters: Spare Parts Only: No Bypass:

Model: Colt 400Z Meters: Spare Parts Only: No Bypass:

Model: Colt 400Z Meters: Spare Parts Only: No Bypass:

Model: Colt 400Z Meters: Spare Parts Only: No Bypass:

Model: Colt 400Z Meters: Spare Parts Only: No Bypass:

Page 378 of 615

Model: Colt 400N Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	, gggg, kkkk, llll, mmmm, nnnn	
Type: RP	Manufacturer: Ames	Model: LF4000B
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 25-Sep-2013	Renewed:	Bypass:
Shutoffs: (hhhh)		
Type: RP	Manufacturer: Ames	Model: LF4000BM2
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Sep-2013	Renewed:	Bypass:
Shutoffs: (hhhh)		

Type: RP Size: 1 1/4 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: RP Size: 2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: RP Size: 3/4 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: RP Manufacturer: Ames Size: 2 1/2 Orientation: H 0.25% Pb: No Manual: 9 Renewed: 07-Oct-2014 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaa,bbbb,nnnnn Notes: Check valve discs may be black EPDM or orange Silicone

Type: RP Manufacturer: Ames Size: 2 1/2 Orientation: H Manual: 9 0.25% Pb: Yes Approved: 07-Oct-2002 Renewed: 07-Oct-2014 Shutoffs: zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Notes: Check valve discs may be black EPDM or orange Silicone

Manufacturer: Ames Orientation: H 0.25% Pb: Yes **Renewed:**

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Model: LF4000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF4000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF4000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF4000BM3 Meters: Spare Parts Only: No **Bypass:**

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Maxim 400
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaa,bbbb,nr	าททก	
	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Maxim 400
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Maxim 400
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Jan-2005	Renewed: 18-Jan-2014	Bypass:
Shutoffs: (ppp),qqq,aaa,bbbb,nr	nnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Jan-2005	Renewed: 18-Jan-2014	Bypass:
Shutoffs: kkkk,llll,mmmm,nnnn		
Type: RP	Manufacturer: Ames	Model: Maxim 400
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,aaaa,	bbbb,nnnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2013	Bypass:
Shutoffs: cccc,dddd,kkkk,llll,mm	mm,nnnn	

Type: RP	Manufacturer: Ames
Size: 8	Orientation: H
Manual: 9	0.25% Pb: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015
Shutoffs: (ppp),qqq,sss,ttt,aaaa,bbbb,n	nnnn

Type: RP	Manufacturer: Ames
Size: 8	Orientation: H
Manual: 9	0.25% Pb: Yes
Approved: 22-Jul-2009	Renewed: 22-Jul-2015
Shutoffs: zzz,cccc,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn

Type: RPManufacturer: AmesSize: 10Orientation: HManual: 90.25% Pb: NoApproved: 22-Jul-2009Renewed: 22-Jul-2015Shutoffs: (ppp),qqq,sss,ttt,aaaa,bbbb

Type: RPManufacturer: AmesSize: 10Orientation: HManual: 90.25% Pb: YesApproved: 22-Jul-2009Renewed: 22-Jul-2015Shutoffs: zzz,cccc,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

 Type: RP
 Manufacturer: Ames

 Size: 2 1/2
 Orientation: VUVD

 Manual: 9
 0.25% Pb: No

 Approved: 14-Apr-2003
 Renewed: 14-Apr-2015

 Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn
 VUVD

 Type: RP
 Manufacturer: Ames

 Size: 2 1/2
 Orientation: VUVD

 Manual: 9
 0.25% Pb: Yes

 Approved: 14-Apr-2003
 Renewed: 14-Apr-2015

 Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Maxim 400N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2013	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nr	าททท	
Type: RP	Manufacturer: Ames	Model: Maxim 400N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Ames	Model: Maxim 400N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,ı	าทททท	
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:

Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb	,	
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	e, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Ames	Model: RP
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chan	ged to 4000RP	
Type: RP	Manufacturer: Ames	Model: RP
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 4000RP	
Type: RP	Manufacturer: Ames	Model: RP
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 4000RP

Type: RP	Manufacturer: Ames	Model: RP
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed	to 4000RP	
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffer (w/) wy ago bbbb popp		

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RP Size: 2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015 Manufacturer: Ames Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015	Model: U400B Meters: Spare Parts Only: No Bypass: Model: U400B Meters: Spare Parts Only: No Bypass:
Type: RP Size: 3/4 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 20-Jun-2015	Model: U400B-A Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 20-Jun-2015	Model: U400B-A Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 1/4 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 20-Jun-2015	Model: U400B-A Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 1/2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 20-Jun-2015	Model: U400B-A Meters: Spare Parts Only: No Bypass:
Type: RP Size: 2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 20-Jun-2015	Model: U400B-A Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 2020499T
Size: 3/4	Orientation:	Model: 20204991 Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang		Буразэ.
	Manufacturer Apollo/Conbross	Madel: 1020002
Type: RP Size: 3	Manufacturer: Apollo/Conbraco Orientation:	Model: 4020002 Meters:
Manual:	0.25% Pb: No	
	Renewed:	Spare Parts Only: No Bypass:
Approved: Notes: model designation chang		Bypass:
		•• • • • • • • • • • • • • • • • • • • •
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020003
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved: Notes: model designation chang	Renewed: ed to RP40	Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020005
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020102
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-May-1991	Demouse de 00 Mars 0045	_
Approved. 03-may-1991	Renewed: 03-May-2015	Bypass:
	Renewed: 03-may-2015	Bypass:
Shutoffs: dd	Manufacturer: Apollo/Conbraco	Bypass: Model: 4020199T
Shutoffs: dd Type: RP		
Shutoffs: dd Type: RP Size: 1/4 Manual:	Manufacturer: Apollo/Conbraco	Model: 4020199T
Shutoffs: dd Type: RP Size: 1/4 Manual:	Manufacturer: Apollo/Conbraco Orientation:	Model: 4020199T Meters:
Shutoffs: dd Type: RP Size: 1/4 Manual: Approved:	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Model: 4020199T Meters: Spare Parts Only: No
Shutoffs: dd Type: RP Size: 1/4 Manual: Approved: Notes: model designation chang	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: red to RP40	Model: 4020199T Meters: Spare Parts Only: No Bypass:
Shutoffs: dd Type: RP Size: 1/4 Manual: Approved: Notes: model designation chang Type: RP	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Model: 4020199T Meters: Spare Parts Only: No
Shutoffs: dd Type: RP Size: 1/4 Manual: Approved: Notes: model designation chang Type: RP Size: 1/4	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: red to RP40 Manufacturer: Apollo/Conbraco Orientation: H	Model: 4020199T Meters: Spare Parts Only: No Bypass: Model: 40201A2 Meters:
Shutoffs: dd Type: RP Size: 1/4 Manual: Approved: Notes: model designation chang Type: RP	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: led to RP40 Manufacturer: Apollo/Conbraco	Model: 4020199T Meters: Spare Parts Only: No Bypass: Model: 40201A2

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40201A2S
Size: 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40201T2
Size: 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40201T2S
Size: 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020202
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-May-1991	Renewed: 03-May-2015	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020299T
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202A2
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202A2S
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202T2
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202T2S
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020302
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-May-1991	Renewed: 03-May-2014	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020399T
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40203A2
Type: RP Size: 1/2	Manufacturer: Apollo/Conbraco Orientation: H	Model: 40203A2 Meters:
	·	
Size: 1/2 Manual: 8	Orientation: H	Meters:
Size: 1/2 Manual: 8 Approved: 19-Apr-1996	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes
Size: 1/2 Manual: 8 Approved: 19-Apr-1996 Shutoffs: dd	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes
Size: 1/2 Manual: 8 Approved: 19-Apr-1996 Shutoffs: dd Type: RP	Orientation: H 0.25% Pb: No Renewed: 19-Apr-2014	Meters: Spare Parts Only: Yes Bypass:
Size: 1/2 Manual: 8 Approved: 19-Apr-1996 Shutoffs: dd Type: RP Size: 1/2	Orientation: H 0.25% Pb: No Renewed: 19-Apr-2014 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: Yes Bypass: Model: 40203A2S
Size: 1/2	Orientation: H 0.25% Pb: No Renewed: 19-Apr-2014 Manufacturer: Apollo/Conbraco Orientation:	Meters: Spare Parts Only: Yes Bypass: Model: 40203A2S Meters:
Size: 1/2 Manual: 8 Approved: 19-Apr-1996 Shutoffs: dd Type: RP Size: 1/2 Manual:	Orientation: H 0.25% Pb: No Renewed: 19-Apr-2014 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: Yes Bypass: Model: 40203A2S Meters: Spare Parts Only: No
Size: 1/2 Manual: 8 Approved: 19-Apr-1996 Shutoffs: dd Type: RP Size: 1/2 Manual: Approved:	Orientation: H 0.25% Pb: No Renewed: 19-Apr-2014 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: Yes Bypass: Model: 40203A2S Meters: Spare Parts Only: No
Size: 1/2 Manual: 8 Approved: 19-Apr-1996 Shutoffs: dd Type: RP Size: 1/2 Manual: Approved: Notes: model designation chang	Orientation: H 0.25% Pb: No Renewed: 19-Apr-2014 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ged to RPS40	Meters: Spare Parts Only: Yes Bypass: Model: 40203A2S Meters: Spare Parts Only: No Bypass:
Size: 1/2 Manual: 8 Approved: 19-Apr-1996 Shutoffs: dd Type: RP Size: 1/2 Manual: Approved: Notes: model designation chang	Orientation: H 0.25% Pb: No Renewed: 19-Apr-2014 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ged to RPS40 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: Yes Bypass: Model: 40203A2S Meters: Spare Parts Only: No Bypass: Model: 40203T2

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40203T2S
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020402
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-May-1989	Renewed: 08-May-2013	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204A2
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Nov-1991	Renewed: 27-Nov-2015	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204A2S
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204A2U
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40N	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204A2Z
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40Z	
	Manufacturer: Apollo/Conbraco	Model: 40204T2
Type: RP		
Type: RP Size: 3/4	Orientation:	Meters:
		Meters: Spare Parts Only: No

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204TC2
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204TCU
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Nov-1998	Renewed: 22-Nov-2013	Bypass:
Shutoffs: (dd)		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020502
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-May-1989	Renewed: 08-May-2013	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020599T
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205A2
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Nov-1991	Renewed: 27-Nov-2015	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205A2S
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to 40205T2S	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205A2U
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No

Notes: model designation changed to 40205T2U

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205A2Z
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to 40205T2Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205T2
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205T2S
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Aug-1994	Renewed: 16-Aug-2015	Bypass:
Shutoffs: (uuu)		
Notes: formerly 40205A2S		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205T2U
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Sep-1993	Renewed: 15-Sep-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40205A2U		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205T2Z
Size: 1	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Sep-1993	Renewed: 15-Sep-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40205A2Z		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205TC2
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205TCU
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Nov-1998	Renewed: 22-Nov-2013	Bypass:
Shutoffs: (dd)		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020602
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Apr-1992	Renewed: 06-Apr-2016	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020699T
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206A2
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jun-1993	Renewed: 21-Jun-2014	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206A2U
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40N	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206A2Z
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206T2
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206T2U
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40N	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206T2Z
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020702
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2016	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020799T
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207A2
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1992	Renewed: 16-Sep-2013	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207A2U
	Manufacturer: Apollo/Conbraco Orientation:	Model: 40207A2U Meters:
Size: 1 1/2		
Size: 1 1/2 Manual:	Orientation:	Meters:
Size: 1 1/2 Manual: Approved:	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Type: RP Size: 1 1/2 Manual: Approved: Notes: model designation chang	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Size: 1 1/2 Manual: Approved: Notes: model designation chang	Orientation: 0.25% Pb: No Renewed: ged to RP40U	Meters: Spare Parts Only: No Bypass:
Size: 1 1/2 Manual: Approved: Notes: model designation chang	Orientation: 0.25% Pb: No Renewed: ged to RP40U Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: 40207A2Z

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207T2
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207T2U
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40U	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207T2Z
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020802
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2016	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020899T
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208A2
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1992	Renewed: 16-Sep-2013	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208A2U
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208A4
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-2000	Renewed: 24-May-2015	Bypass:
Shutoffs: rrr		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208AZ2
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208T2
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208T2U
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40U	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208T2Z
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020902
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020903
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No

Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020905
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020A02
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020A03
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020A05
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Manual:	0.25% Pb: No Renewed:	Spare Parts Only: No Bypass:
	Renewed:	
Manual: Approved: Notes: model designation	Renewed:	
Manual: Approved: Notes: model designation Type: RP	Renewed: changed to RP40	Bypass:
Manual: Approved: Notes: model designation Type: RP Size: 6	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco	Bypass: Model: 4020C02
Manual: Approved: Notes: model designation Type: RP Size: 6 Manual:	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation:	Bypass: Model: 4020C02 Meters:
Manual: Approved: Notes: model designation Type: RP Size: 6 Manual: Approved:	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Bypass: Model: 4020C02 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation Type: RP Size: 6 Manual: Approved: Notes: model designation	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Bypass: Model: 4020C02 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation Type: RP Size: 6 Manual: Approved: Notes: model designation Type: RP	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40	Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation Type: RP Size: 6 Manual: Approved: Notes: model designation Type: RP Size: 6	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco	Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03
Manual: Approved: Notes: model designation Type: RP Size: 6 Manual: Approved: Notes: model designation Type: RP Size: 6 Manual:	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: O.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation:	Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03 Meters:
Manual: Approved: Notes: model designation Type: RP Size: 6 Manual: Approved: Notes: model designation Type: RP Size: 6 Manual: Approved:	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Renewed:	Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation Type: RP Size: 6 Manual: Approved: Notes: model designation Type: RP Size: 6 Manual: Approved: Notes: model designation	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Renewed:	Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03 Meters: Spare Parts Only: No
Manual: Approved:	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40	Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03 Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation Type: RP Size: 6 Manual: Approved: Notes: model designation Type: RP Size: 6 Manual: Approved: Notes: model designation Type: RP	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40	Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03 Meters: Spare Parts Only: No Bypass: Model: 4020C05

Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020E02
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change		5,5005.
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020E03
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020G02
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020G03
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4D-200
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass:
Shutoffs: (yyy), cccc, dddd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4D-200
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass:
Shutoffs: (yyy), cccc, dddd		
	Manufacturer: Apollo/Conbraco	Model: 4D-200
Type: RP	•	
	Orientation: H	Meters:
Size: 4		Meters: Spare Parts Only: Yes
Type: RP Size: 4 Manual: 9 Approved: 11-Mar-2009	Orientation: H	

Type: RP Size: 2 1/2 Manual: 9 Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 11-Mar-2015	Model: 4D-200U Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 3 Manual: 9 Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 11-Mar-2015	Model: 4D-200U Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 4 Manual: 9 Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 11-Mar-2015	Model: 4D-200U Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 1/4 Manual: 8 Approved: 16-Sep-1998 Shutoffs: (dd) Notes: formerly 4020199T, 40201T2	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Sep-2013	Model: RP40 Meters: Spare Parts Only: No Bypass:
Type: RP Size: 3/8 Manual: 8 Approved: 16-Sep-1998 Shutoffs: (dd) Notes: formerly 4020299T, 40202T2	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Sep-2013	Model: RP40 Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1/2 Manual: 8 Approved: 15-Sep-1994 Shutoffs: (dd) Notes: formerly 4020399T, 40203T2	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 15-Sep-2013	Model: RP40 Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-1998	Renewed: 16-Sep-2013	Bypass:
Shutoffs: (dd)		
Notes: formerly 2020499T, 40204T2,	40204TC2	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-1998	Renewed: 16-Sep-2013	Bypass:
Shutoffs: (dd)		
Notes: formerly 4020599T, 40205T2,	40205TC2	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-1998	Renewed: 16-Sep-2013	Bypass:
Shutoffs: (dd)		
Notes: formerly 4020699T, 40206T2		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-1998	Renewed: 16-Sep-2013	Bypass:
Shutoffs: (dd)		
Notes: formerly 4020799T, 40207T2		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-1998	Renewed: 16-Sep-2013	Bypass:
Shutoffs: (dd)	•	
Notes: formerly 4020899T, 40208T2		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 2 1/2	Orientation: H	Meters:
	0.0E% Dhe No	Spare Parts Only: No
Manual: 8	0.25% Pb: No	
Manual: 8 Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:

-		
Type: RP	Manufacturer: Apollo/Conbraco Orientation: H	Model: RP40 Meters:
Size: 3	0.25% Pb: No	
Manual: 8		Spare Parts Only: No
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: (tt),bb,cc,ee,ll,mm,uu,n		
Notes: formerly 4020002, 402000	03, 4020005	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: (tt),bb,cc,ee.ll,mm,uu,n	nmm	
Notes: formerly 4020A02, 4020A	03, 4020A05	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: (tt),bb,ee,ll	•	
Notes: formerly 4020C02, 4020C	03, 4020C05	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 22-Oct-1991	Renewed: 22-Oct-2015	Bypass:
Shutoffs: (tt),bb,cc,ee,ll,mm,uu		
Notes: formerly 4020E02, 4020E	03	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size : 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Apr-1993	Renewed: 13-Apr-2014	Bypass:
Shutoffs: (tt),bb,cc,ee,ll,mm,uu		
Notes: formerly 4020G02, 4020G	603	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40N
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Nov-1992	Renewed: 06-Nov-2013	Bypass:
Shutoffs: (dd)		
· · · · · · · · · · · · · · · · · · ·		

Notes: formerly 40204A2U

Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40N
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40206A2U, 40206T2U		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40U
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40207A2U, 40207T2U	I	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40U
Size: 2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40208A2U, 40208T2U	I	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40Z
Size: 3/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Nov-1992	Renewed: 06-Nov-2013	Bypass:
Shutoffs: (dd)		
Notes: formerly 40204A2Z		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40Z
Size: 1 1/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40206A2Z, 40206T2Z		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40Z
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		

Notes: formerly 40207A2Z, 40207T2Z

Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40Z
Size: 2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40208AZ2, 40208T2Z		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
Shutoffs: (iiiii),sssss		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2011	Renewed: 14-Jun-2014	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-2011	Renewed: 27-Sep-2014	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Dec-2013	Renewed:	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Dec-2013	Renewed:	Bypass:
Shutoffs: (iiiii),sssss,wwww		

Type: RP Size: 2 Manual: 9 Approved: 29-Nov-2011 Shutoffs: (iiiiii),sssss,wwww Type: RP Size: 1/2	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 29-Oct-2014 Manufacturer: Apollo/Conbraco Orientation: H	Model: RP4A Meters: Spare Parts Only: No Bypass: Model: RPLF40 Meters:
Manual: 9 Approved: 18-Nov-2010	0.25% Pb: Yes Renewed: 18-Nov-2013	Spare Parts Only: No Bypass:
Shutoffs: (jjjjj)		
Type: RP Size: 1 1/4 Manual: 9 Approved: 18-Nov-2010 Shutoffs: (jjjjj)	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 18-Nov-2013	Model: RPLF40 Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 1/2 Manual: 9 Approved: 18-Nov-2010 Shutoffs: (jjjjj)	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 18-Nov-2013	Model: RPLF40 Meters: Spare Parts Only: No Bypass:
Type: RP Size: 2 Manual: 9 Approved: 18-Nov-2010 Shutoffs: (jjjjj)	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 18-Nov-2013	Model: RPLF40 Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1/2 Manual: 9 Approved: 29-Nov-2011 Shutoffs: (jjjjj),ttttt,uuuuu	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 29-Oct-2014	Model: RPLF4A Meters: Spare Parts Only: No Bypass:
Type: RP Size: 3/4 Manual: 9 Approved: 14-Jun-2011 Shutoffs: (jjjjj),ttttt,vvvvv	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 14-Jun-2014	Model: RPLF4A Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Sep-2011	Renewed: 27-Sep-2014	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Dec-2013	Renewed:	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Dec-2013	Renewed:	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 3	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 3	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
	Orientation: VUVD	Meters:
Size: 4		
	0.25% Pb: Yes	Spare Parts Only: No
Manual: 10	0.25% Pb: Yes Renewed:	Spare Parts Only: No Bypass:
Manual: 10 Approved: 15-May-2014		
Manual: 10 Approved: 15-May-2014 Shutoffs: (yyy), cccc, dddd, mmr	Renewed:	
Manual: 10 Approved: 15-May-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RP	Renewed: nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	Bypass:
Size: 4 Manual: 10 Approved: 15-May-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RP Size: 4 Manual: 10	Renewed: nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco	Bypass: Model: RPLF4AN

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 6	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 6	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jun-2014	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AR
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
A	Renewed:	Bypass:
	nnnn, xxxxx, yyyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SO\	
Shutoffs: (cccc), dddd, mmmm, i Notes: Integral Stainless Steel gr 1/8"	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 34" and max. 47
Shutoffs: (cccc), dddd, mmmm, i Notes: Integral Stainless Steel gr 1/8" Type: RP	nnnn, xxxxx, yyyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SO\ Manufacturer: Apollo/Conbraco	/ - assembly length: min. 34" and max. 47 Model: RPLF4AR
Shutoffs: (cccc), dddd, mmmm, i Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO\ Manufacturer: Apollo/Conbraco Orientation: H	/ - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters:
Shutoffs: (cccc), dddd, mmmm, i Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10	nnnn, xxxxx, yyyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	 / - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No
Shutoffs: (cccc), dddd, mmmm, i Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10 Approved: 21-Dec-2015	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed:	/ - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters:
Shutoffs: (cccc), dddd, mmmm, i Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (cccc), dddd, mmmm, i	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO\ Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	 / - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No Bypass:
Shutoffs: (cccc), dddd, mmmm, i Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (cccc), dddd, mmmm, i	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed:	/ - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No Bypass:
Shutoffs: (cccc), dddd, mmmm, n Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (cccc), dddd, mmmm, n Notes: Integral Stainless Steel gr 1/8"	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO\ Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	/ - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No Bypass:
Shutoffs: (cccc), dddd, mmmm, i Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (cccc), dddd, mmmm, i Notes: Integral Stainless Steel gr 1/8" Type: RP	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO	 / - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No Bypass: / - assembly length: min. 35" and max. 48
Shutoffs: (cccc), dddd, mmmn, i Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (cccc), dddd, mmmn, i Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 4	Annn, xxxx, yyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: Annnn, xxxxx, yyyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco	 / - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No Bypass: / - assembly length: min. 35" and max. 48 Model: RPLF4AR
Shutoffs: (cccc), dddd, mmmn, i Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (cccc), dddd, mmmm, i Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 4 Manual: 10	Annn, xxxx, yyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: Annnn, xxxxx, yyyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco Orientation: H	 / - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No Bypass: / - assembly length: min. 35" and max. 48 Model: RPLF4AR Meters:
Shutoffs: (cccc), dddd, mmmm, i Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (cccc), dddd, mmmm, i Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 4 Manual: 10 Approved: 21-Dec-2015	Annn, xxxx, yyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: Annn, xxxxx, yyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	 / - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No Bypass: / - assembly length: min. 35" and max. 48 Model: RPLF4AR Meters: Spare Parts Only: No

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AR
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 1/4"	rooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 46" and max. 71
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPS40
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: (uuu)		
Notes: formerly 40201A2S, 4020	1T2S	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPS40
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: (uuu)		
Notes: formerly 40202A2S, 4020	2T2S	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPS40
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40203A2S, 4020	3T2S	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPS40
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Aug-1994	Renewed: 16-Aug-2015	Bypass:
Shutoffs: (uuu)		
Notes: formerly 40204A2S		
Type: RP	Manufacturer: ARI	Model: RP 500
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: (00000), ii, 000		

Turne: DD	Manufacturer: ARI	Model: RP 500
Type: RP Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass:
Shutoffs: (00000)	Renewed.	bypass.
Type: RP	Manufacturer: ARI	Model: RP 500
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Mar-2007	Renewed: 02-Mar-2016	Bypass:
Shutoffs: (ii),000, 00000		
Type: RP	Manufacturer: ARI	Model: RP 500
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass:
Shutoffs: (00000)		
Type: RP	Manufacturer: ARI	Model: RP 500
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Mar-2007	Renewed: 02-Mar-2016	Bypass:
Shutoffs: (ii),000, 00000		
Type: RP	Manufacturer: ARI	Model: RP 500
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass:
Shutoffs: (00000)		
Type: RP	Manufacturer: ARI	Model: RP 500
Size: 1 1/4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass:
Shutoffs: (00000)		
Type: RP	Manufacturer: ARI	Model: RP 500
Size: 1 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass:
Shutoffs: (00000)		

Type: RP	Manufacturer: ARI	Model: RP 500
Size: 2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass:
Shutoffs: (00000)		
Type: RP	Manufacturer: Cash Acme	Model: RP 500
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 19-Apr-2012	Renewed: 19-Apr-2015	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Cash Acme	Model: RP 500
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 19-Apr-2012	Renewed: 19-Apr-2015	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Cash Acme	Model: RP100
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ii)		
Type: RP	Manufacturer: Cash Acme	Model: RP100
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ii)		
Type: RP	Manufacturer: Cash Acme	Model: RP100
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ii)		
Type: RP	Manufacturer: Cash Acme	Model: RP100
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ii)		

Type: RP	Manufacturer: Cash Acme	Model: RP200
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ii)		
Type: RP	Manufacturer: Cash Acme	Model: RP200
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ii)		
Type: RP	Manufacturer: Cla-Val	Model: RP4
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jun-1989	Renewed: 22-Jun-2013	Bypass:
Shutoffs: (gg),hh,qq,rr		
Type: RP	Manufacturer: Cla-Val	Model: RP4
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jun-1989	Renewed: 22-Jun-2013	Bypass:
Shutoffs: (gg),hh,qq,rr		
Type: RP	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		
Type: RP	Manufacturer: Febco	Model: 760
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

Type: RP	Manufacturer: Febco	Model: 760
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kk	kk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kk	kk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kk	kk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760
Size : 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Shutoffs: (ppp),qqq,sss,ttt,aaaa,bbbb

Type: RP	Manufacturer: Febco	Model: 760
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,cccc,dddd,eeee,gg	ggg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,aaaa	bbbb	
Type: RP	Manufacturer: Febco	Model: 760
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,cccc,dddd,eeee,gg	ggg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

Type: RP	Manufacturer: Febco	Model: 760N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kk	kk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model : 760Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kk	kk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kk	kk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Shutoffs: (ppp),qqq,aaaa,bbbb

Type: RP	Manufacturer: Febco	Model: 760Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kl	kkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 825Y
Size: 3/4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Mar-1982	Renewed: 19-Mar-2015	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825Y
Size: 1	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Mar-1982	Renewed: 19-Mar-2015	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Shutoffs: (ii),fff,jjj,ooo	seats starting with serial No. J000001	
Shutoffs: (ii),fff,jjj,ooo	seats starting with serial No. J000001 Manufacturer: Febco	Model: 825Y
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve		Model: 825Y Meters:
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco	
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/4	Manufacturer: Febco Orientation: H	Meters:
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/4 Manual: 6	Manufacturer: Febco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/4 Manual: 6 Approved: 03-Jun-1982	Manufacturer: Febco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/4 Manual: 6 Approved: 03-Jun-1982 Shutoffs: ii,fff,jjj,ooo	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 01-Jun-2015	Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/4 Manual: 6 Approved: 03-Jun-1982 Shutoffs: ii,fff,jjj,ooo	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 01-Jun-2015 Manufacturer: Febco	Meters: Spare Parts Only: Yes Bypass: Model: 825Y
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/4 Manual: 6 Approved: 03-Jun-1982 Shutoffs: ii,fff,jjj,ooo Type: RP Size: 1 1/2	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 01-Jun-2015 Manufacturer: Febco Orientation: H	Meters: Spare Parts Only: Yes Bypass: Model: 825Y Meters:
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/4 Manual: 6 Approved: 03-Jun-1982 Shutoffs: ii,fff,jjj,ooo Type: RP Size: 1 1/2 Manual: 6	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 01-Jun-2015 Manufacturer: Febco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes Bypass: Model: 825Y Meters: Spare Parts Only: No
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/4 Manual: 6 Approved: 03-Jun-1982 Shutoffs: ii,fff,jjj,ooo Type: RP Size: 1 1/2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 01-Jun-2015 Manufacturer: Febco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes Bypass: Model: 825Y Meters: Spare Parts Only: No
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/4 Manual: 6 Approved: 03-Jun-1982 Shutoffs: ii,fff,jjj,ooo Type: RP Size: 1 1/2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 01-Jun-2015 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 06-Aug-2015	Meters: Spare Parts Only: Yes Bypass: Model: 825Y Meters: Spare Parts Only: No
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/4 Manual: 6 Approved: 03-Jun-1982 Shutoffs: ii,fff,jjj,ooo Type: RP Size: 1 1/2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 01-Jun-2015 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 06-Aug-2015 seats starting with serial No. J000001	Meters: Spare Parts Only: Yes Bypass: Model: 825Y Meters: Spare Parts Only: No Bypass:
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/4 Manual: 6 Approved: 03-Jun-1982 Shutoffs: ii,fff,jjj,ooo Type: RP Size: 1 1/2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 01-Jun-2015 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 06-Aug-2015 seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: Yes Bypass: Model: 825Y Meters: Spare Parts Only: No Bypass: Model: 825Y
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/4 Manual: 6 Approved: 03-Jun-1982 Shutoffs: ii,fff,jjj,ooo Type: RP Size: 1 1/2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 2	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 01-Jun-2015 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 06-Aug-2015 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H	Meters: Spare Parts Only: Yes Bypass: Model: 825Y Meters: Spare Parts Only: No Bypass: Model: 825Y Meters: Model: 825Y Meters:

2016 © University of Southern California

Type: RP	Manufacturer: Febco	Model: 825YA
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2014	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 3/4	Orientation: HVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2014	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2014	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
21		
Size: 3/4	Orientation: VUVD	Meters:
	Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No
Size: 3/4 Manual: 8		
Size: 3/4	0.25% Pb: No	Spare Parts Only: No
Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	0.25% Pb: No	Spare Parts Only: No
Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	0.25% Pb: No Renewed: 05-Mar-2014	Spare Parts Only: No
Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001	Spare Parts Only: No Bypass:
Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco	Spare Parts Only: No Bypass: Model: 825YA
Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H	Spare Parts Only: No Bypass: Model: 825YA Meters:
Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No	Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No	Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 05-Mar-2014	Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001	Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass:
Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco	Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA
Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD	Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Model: 825YA

Type: RP	Manufacturer: Febco	Model: 825YA
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2014	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2014	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-1989	Renewed: 08-May-2013	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
	seats starting with serial No. J000001	
	seats starting with serial No. J000001 Manufacturer: Febco	Model: 825YA
Notes: Replaceable check valve		Model: 825YA Meters:
Notes: Replaceable check valve Type: RP Size: 1 1/2	Manufacturer: Febco	
Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8	Manufacturer: Febco Orientation: HVD	Meters:
Notes: Replaceable check valve	Manufacturer: Febco Orientation: HVD 0.25% Pb: No	Meters: Spare Parts Only: No
Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: HVD 0.25% Pb: No	Meters: Spare Parts Only: No
Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013	Meters: Spare Parts Only: No
Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001	Meters: Spare Parts Only: No Bypass:
Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YA
Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters:
Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2013	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass:
Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA
Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Model: 825YA

Type: RP	Manufacturer: Febco	Model: 825YA
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-1989	Renewed: 08-May-2013	Bypass:
Shutoffs: (ii),fff,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 2	Orientation: HVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-1989	Renewed: 08-May-2013	Bypass:
Shutoffs: (ii),fff,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-1989	Renewed: 08-May-2013	Bypass:
Shutoffs: (ii),fff,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
	-	
	Manufacturer: Febco	Model: 825YA
Type: RP	Manufacturer: Febco Orientation: VUVD	Model: 825YA Meters:
Type: RP Size: 2		
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989	Orientation: VUVD	Meters:
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989	Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo	Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve	Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013	Meters: Spare Parts Only: No
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve	Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001	Meters: Spare Parts Only: No Bypass:
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4	Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YAR
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8	Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 825YAR Meters:
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 22-Jan-1993	Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YAR Meters: Spare Parts Only: Yes
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 22-Jan-1993 Shutoffs: ii,fff,jjj,ooo	Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YAR Meters: Spare Parts Only: Yes
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 22-Jan-1993 Shutoffs: ii,fff,jjj,ooo	Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J0000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 22-Jan-2014	Meters: Spare Parts Only: No Bypass: Model: 825YAR Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo	Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 22-Jan-2014 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YAR Meters: Spare Parts Only: Yes Bypass: Model: 825YAR
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 22-Jan-1993 Shutoffs: ii,fff,jjj,ooo Type: RP Size: 3/4	Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 22-Jan-2014 Manufacturer: Febco Orientation: HVD	Meters: Spare Parts Only: No Bypass: Model: 825YAR Meters: Spare Parts Only: Yes Bypass: Model: 825YAR Meters: Model: 825YAR

Size: 3/4 Orientation: VUH Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 22-Jan-1993 Renewed: 22-Jan-2014 Bypass: Shutoffs: ii,fff,jjj,000 Type: RP Manufacturer: Febco Model: 825YAR Size: 3/4 **Orientation: VUVD** Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 22-Jan-1993 Renewed: 22-Jan-2014 Bypass: Shutoffs: ii,fff,jjj,000 Type: RP Manufacturer: Febco Model: 825YAR Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 21-Jan-1993 Renewed: 21-Jan-2014 Bypass: Shutoffs: ii,fff,jjj,000 Type: RP Manufacturer: Febco Model: 825YAR Size: 1 Orientation: HVD Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 21-Jan-1993 Renewed: 21-Jan-2014 **Bypass:** Shutoffs: ii,fff,jjj,000 Type: RP Manufacturer: Febco Model: 825YAR Size: 1 Orientation: VUH Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 21-Jan-1993 Renewed: 21-Jan-2014 Bypass: Shutoffs: ii,fff,jjj,ooo Type: RP Manufacturer: Febco Model: 825YAR Size: 1 Orientation: VUVD Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 21-Jan-1993 Renewed: 21-Jan-2014 **Bypass:** Shutoffs: ii,fff,jjj,000 Type: RP Manufacturer: Febco Model: 825YAR Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 19-Aug-1993 Renewed: 19-Aug-2014 Bypass: Shutoffs: ii,fff,jjj,000

Manufacturer: Febco

Model: 825YAR

Type: RP

Type: RP Manufacturer: Febco Model: 825YAR Size: 1 1/2 Orientation: HVD Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 19-Aug-1993 Renewed: 19-Aug-2014 Bypass: Shutoffs: ii,fff,jjj,000 Type: RP Manufacturer: Febco Model: 825YAR Size: 1 1/2 Orientation: VUH Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Renewed: 19-Aug-2014 Approved: 19-Aug-1993 Bypass: Shutoffs: ii,fff,jjj,ooo Type: RP Manufacturer: Febco Model: 825YAR Size: 1 1/2 Orientation: VUVD Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Renewed: 19-Aug-2014 Approved: 19-Aug-1993 Bypass: Shutoffs: ii,fff,jjj,000 Type: RP Manufacturer: Febco Model: 825YAR Size: 2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 8 Approved: 19-Aug-1993 Renewed: 19-Aug-2014 **Bypass:** Shutoffs: ii,fff,ooo Type: RP Manufacturer: Febco Model: 825YAR Size: 2 Orientation: HVD Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 8 Approved: 19-Aug-1993 Renewed: 19-Aug-2014 Bypass: Shutoffs: ii,fff,ooo Type: RP Manufacturer: Febco Model: 825YAR Size: 2 Orientation: VUH Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 8 Approved: 19-Aug-1993 Renewed: 19-Aug-2014 **Bypass:** Shutoffs: ii,fff,000 Type: RP Manufacturer: Febco Model: 825YAR Size: 2 Orientation: VUVD Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 19-Aug-1993 Renewed: 19-Aug-2014 Bypass: Shutoffs: ii,fff,ooo

Type: RP	Manufacturer: Febco	Model: 825YD
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 3	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 6	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 8	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 10	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YR
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jan-1993	Renewed: 22-Jan-2014	Bypass:

Shutoffs: ii,fff,jjj

Type: RP Manufacturer: Febco Model: 825YR Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 22-Jan-1993 Renewed: 22-Jan-2014 Bypass: Shutoffs: ii,fff,jjj Type: RP Manufacturer: Febco Model: 825YR Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 23-Jul-1993 Renewed: 23-Jul-2014 Bypass: Shutoffs: ii,fff,jjj Type: RP Manufacturer: Febco Model: 825YR Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 23-Jul-1993 Renewed: 23-Jul-2014 Bypass: Shutoffs: ii,fff Type: RP Manufacturer: Febco Model: 860 Size: 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 09-Apr-1998 Renewed: 09-Apr-2013 Bypass: Shutoffs: (fff),000 Type: RP Manufacturer: Febco Model: 860 Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 21-Nov-1997 Renewed: 21-Nov-2015 Bypass: Shutoffs: (fff),jjj,000 Type: RP Manufacturer: Febco Model: 860 Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 21-Nov-1997 Renewed: 21-Nov-2015 **Bypass:** Shutoffs: (fff),jjj,000 Type: RP Manufacturer: Febco Model: 860 Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 04-Jun-1998 Renewed: 04-Jun-2013 Bypass: Shutoffs: (fff),jjj,000

Type: RP	Manufacturer: Febco	Model: 860
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Apr-1998	Renewed: 09-Apr-2013	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: RP	Manufacturer: Febco	Model: 860
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Apr-1998	Renewed: 09-Apr-2013	Bypass:
Shutoffs: (fff),000		
Type: RP	Manufacturer: Febco	Model: 860
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u.zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 860
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u.zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 860
	Orientation: H	Meters:
Size: 4		
	0.25% Pb: No	Spare Parts Only: Yes
Manual: 8	0.25% Pb: No Renewed: 31-May-2013	Spare Parts Only: Yes Bypass:
Manual: 8 Approved: 31-May-1995	Renewed: 31-May-2013	
Manual: 8 Approved: 31-May-1995 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	Renewed: 31-May-2013	
Manual: 8 Approved: 31-May-1995 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: RP	Renewed: 31-May-2013 u,nnn,zzz,cccc,ffff,gggg	Bypass:
Manual: 8 Approved: 31-May-1995 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: RP Size: 6	Renewed: 31-May-2013 u,nnn,zzz,cccc,ffff,gggg Manufacturer: Febco	Bypass: Model: 860
Manual: 8 Approved: 31-May-1995 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: RP Size: 6 Manual: 8	Renewed: 31-May-2013 u,nnn,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: H	Bypass: Model: 860 Meters:
Manual: 8 Approved: 31-May-1995 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: RP Size: 6 Manual: 8 Approved: 07-Aug-1995	Renewed: 31-May-2013 u,nnn,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 07-Aug-2013	Bypass: Model: 860 Meters: Spare Parts Only: Yes
Manual: 8 Approved: 31-May-1995 Shutoffs: (ee),ff,II,mm,oo,pp,tt,u Type: RP Size: 6 Manual: 8 Approved: 07-Aug-1995 Shutoffs: (ee),ff,II,mm,oo,pp,tt,u	Renewed: 31-May-2013 u,nnn,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 07-Aug-2013	Bypass: Model: 860 Meters: Spare Parts Only: Yes
Manual: 8 Approved: 31-May-1995 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: RP Size: 6 Manual: 8 Approved: 07-Aug-1995 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: RP	Renewed: 31-May-2013 u,nnn,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 07-Aug-2013 u,nnn,zzz,cccc,ffff,gggg	Bypass: Model: 860 Meters: Spare Parts Only: Yes Bypass:
Size: 4 Manual: 8 Approved: 31-May-1995 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: RP Size: 6 Manual: 8 Approved: 07-Aug-1995 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: RP Size: 8 Manual: 8	Renewed: 31-May-2013 u,nnn,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 07-Aug-2013 u,nnn,zzz,cccc,ffff,gggg Manufacturer: Febco	Bypass: Model: 860 Meters: Spare Parts Only: Yes Bypass: Model: 860

Type: RP	Manufacturer: Febco	Model: 860U
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 867
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:

Type: RP	Manufacturer: Febco	Model: 867
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp	, tt, uu, yy, eee, fff	
Type: RP	Manufacturer: Febco	Model: 880
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-1995	Renewed: 24-May-2013	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880
Size: 3	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-1995	Renewed: 24-May-2013	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu	,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880
Size: 4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu	,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880
Size: 6	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-May-1995	Renewed: 19-May-2013	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu	,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880
Size: 8	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-May-1995	Renewed: 19-May-2013	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu	,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-1996	Renewed: 04-Oct-2014	Bypass:

Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: RP	Manufacturer: Febco	Model: 880V
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1995	Renewed: 30-Jun-2013	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1995	Renewed: 30-Jun-2013	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 3	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1995	Renewed: 30-Jun-2013	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 3	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1995	Renewed: 30-Jun-2013	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Aug-1995	Renewed: 08-Aug-2013	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Aug-1995	Renewed: 08-Aug-2013	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 6	Orientation: VUVD	Meters:
	0.25% Pb : No	Spare Parts Only: Yes
Manual: 8		

Type: RP	Manufacturer: Febco	Model: 880V
Size: 6	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Jul-1995	Renewed: 05-Jul-2013	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 8	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Dec-1996	Renewed: 18-Dec-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 8	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Dec-1996	Renewed: 18-Dec-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 10	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
••		Буразэ.
••	u,nnn,zzz,cccc,ffff,gggg	bypass.
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg Manufacturer: Febco	Model: LF825Y
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u		
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: RP Size: 3/4	Manufacturer: Febco	Model: LF825Y
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: RP Size: 3/4 Manual: 8	Manufacturer: Febco Orientation: H	Model: LF825Y Meters:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010	Manufacturer: Febco Orientation: H 0.25% Pb: Yes	Model: LF825Y Meters: Spare Parts Only: No
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)	Manufacturer: Febco Orientation: H 0.25% Pb: Yes	Model: LF825Y Meters: Spare Parts Only: No
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh) Type: RP Size: 1	Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016	Model: LF825Y Meters: Spare Parts Only: No Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh) Type: RP	Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016 Manufacturer: Febco	Model: LF825Y Meters: Spare Parts Only: No Bypass: Model: LF825Y
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh) Type: RP Size: 1	Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016 Manufacturer: Febco Orientation: H	Model: LF825Y Meters: Spare Parts Only: No Bypass: Model: LF825Y Meters:

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)

Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)

Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)

Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)

Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)

Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)

Type: RP Size: 1 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh) Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: HVD 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: VUH 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016 Model: LF825Y Meters: Spare Parts Only: No Bypass:

Model: LF825Y Meters: Spare Parts Only: No Bypass:

Model: LF825YA Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)

- Type: RP Size: 1 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)
- Type: RP Size: 1 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)
- Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh) Manufacturer: Febco Orientation: HVD 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: VUH 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: HVD 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: VUH 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 25-Mar-2016 Model: LF825YA Meters: Spare Parts Only: No Bypass:

Model: LF825YA Meters: Spare Parts Only: No Bypass: Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)

- Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)
- Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)
- Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)
- Type: RP Size: 1/2 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh
- Type: RP Size: 3/4 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh
- Type: RP Size: 1 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: HVD 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: VUH 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016 Model: LF825YA Meters: Spare Parts Only: No Bypass:

Model: LF860 Meters: Spare Parts Only: No Bypass:

Model: LF860 Meters: Spare Parts Only: No Bypass:

Model: LF860 Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Febco	Model: LF860
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed:	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF860
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed:	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF860
	Manufacturer: Febco Orientation: H	Model: LF860 Meters:
Size: 4		
Size: 4 Manual: 9	Orientation: H	Meters:
Size: 4 Manual: 9 Approved: 14-Jun-2013	Orientation: H 0.25% Pb: Yes Renewed:	Meters: Spare Parts Only: No
Type: RP Size: 4 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (II),mm,oo,pp,zzz,cccc Type: RP	Orientation: H 0.25% Pb: Yes Renewed:	Meters: Spare Parts Only: No
Size: 4 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (II),mm,oo,pp,zzz,cccc	Orientation: H 0.25% Pb: Yes Renewed: a,dddd,eeee,ffff,gggg,nnnnn	Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (II),mm,oo,pp,zzz,cccc	Orientation: H 0.25% Pb: Yes Renewed: a,dddd,eeee,ffff,gggg,nnnnn Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: LF860

Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

iype. Ri		
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF860
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Sep-2013	Renewed:	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF860U
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860U
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860U
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860U
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860U
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		

Manufacturer: Febco

Model: LF860

Type: RP

Type: RP Size: 2 Manual: 9 Approved: 03-Sep-2013 Shutoffs: (ppppp), hhhh Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Type: RPManufacturer: FebcoSize: 2 1/2Orientation: VUVDManual: 90.25% Pb: YesApproved: 28-May-2013Renewed:Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: RPManufacturer: FebcoSize: 2 1/2Orientation: VUVUManual: 90.25% Pb: YesApproved: 28-May-2013Renewed:Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: RPManufacturer: FebcoSize: 3Orientation: VUVDManual: 90.25% Pb: YesApproved: 28-May-2013Renewed:Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: RPManufacturer: FebcoSize: 3Orientation: VUVUManual: 90.25% Pb: YesApproved: 28-May-2013Renewed:Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: RPManufacturer: FebcoSize: 4Orientation: VUVDManual: 90.25% Pb: YesApproved: 28-May-2013Renewed:Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: RPManufacturer: FebcoSize: 4Orientation: VUVUManual: 90.25% Pb: YesApproved: 28-May-2013Renewed:Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Model: LF860U Meters: Spare Parts Only: No Bypass:

Model: LF880V Meters: Spare Parts Only: No Bypass:

Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	ddd,eeee,ffff,gggg,nnnnn;	
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Nov-2013	Renewed:	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	ddd,eeee,ffff,gggg,nnnnn;	
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Nov-2013	Renewed:	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Jun-1994	Renewed: 17-Jun-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Jun-1994	Renewed: 17-Jun-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-May-1995	Renewed: 10-May-2013	Bypass:
Shutoffs: ii		

Manufacturer: Febco

Model: LF880V

Type: RP

Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-May-1995	Renewed: 10-May-2013	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1997	Renewed: 14-Feb-2015	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd	
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1997	Renewed: 14-Feb-2015	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd	
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 28-Jan-1999	Renewed: 28-Jan-2016	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd	
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 28-Jan-1999	Renewed: 28-Jan-2016	Bypass:
Shutoffs: ddddd		
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-Jan-2002	Renewed: 31-Jan-2014	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd	
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 31-Jan-2002	Renewed: 31-Jan-2014	Bypass:
Shutoffs: ddddd		

Shutoffs: ddddd

Type: RP Manufacturer: Flomatic Model: RPZ Size: 8 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 9 Approved: 05-Feb-2005 Renewed: 05-Feb-2014 Bypass: Shutoffs: (gg), hh, jj, kk, ll, mm, yy, zz, ccc, ddd Type: RP Manufacturer: Flomatic Model: RPZE Size: 3/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: Yes Approved: 07-Jun-2001 Renewed: 07-Jun-2013 Bypass: Shutoffs: (hhhhh) Type: RP Manufacturer: Flomatic Model: RPZE Size: 1 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: Yes Approved: 07-Jun-2001 Renewed: 07-Jun-2013 Bypass: Shutoffs: (hhhhh) Type: RP Manufacturer: Flomatic Model: RPZE Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: Yes Renewed: 07-Jun-2013 Approved: 07-Jun-2001 **Bypass:** Shutoffs: (hhhhh) Type: RP Manufacturer: Flomatic Model: RPZE **Size:** 2 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: Yes Manual: 8 Approved: 07-Jun-2001 Renewed: 07-Jun-2013 Bypass: Shutoffs: (hhhhh) Type: RP Manufacturer: Flomatic Model: RPZE II Size: 1/2 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: Yes Approved: 07-Jun-2001 Renewed: 07-Jun-2013 **Bypass:** Shutoffs: (hhhhh) Notes: formerly RPZIIE

Type: RP	Manufacturer: Flomatic	Model: RPZE II
Size: 3/4	Orientation: H	Model: RFZE II Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2013	Bypass:
	Renewed. 07-Jun-2013	bypass.
Shutoffs: (hhhhh) Notes: formerly RPZIIE		
Type: RP	Manufacturer: Flomatic	Model: RPZII
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 15-Aug-1997	Renewed: 15-Aug-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Flomatic	Model: RPZII
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 15-Aug-1997	Renewed: 15-Aug-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Flomatic	Model: RPZIIE
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RPZE II	
Type: RP	Manufacturer: Flomatic	Model: RPZIIE
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RPZE II	
Type: RP	Manufacturer: Neptune	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
		-)

2016 © University of Southern California

Notes: See Wilkins

Type: RP	Manufacturer: Watts	Model: 009
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 31-Aug-1990	Renewed: 31-Aug-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,ffff,gggg	
Type: RP	Manufacturer: Watts	Model: 009
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Aug-1990	Renewed: 31-Aug-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,eee,ffff,gggg	
Type: RP	Manufacturer: Watts	Model: 009M1PCQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrr	
Type: RP	Manufacturer: Watts	Model: 009M1PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrr	
Type: RP	Manufacturer: Watts	Model: 009M1PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrrr	
Type: RP	Manufacturer: Watts	Model: 009M1QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1992	Renewed: 30-Jun-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrrr	
Type: RP	Manufacturer: Watts	Model: 009M1QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1992	Renewed: 30-Jun-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrrr	

Type: RP Manufacturer: Watts Model: 009M1QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 19-Dec-1991 Renewed: 19-Dec-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009M2-FP Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 01-Sep-2015 Approved: 01-Sep-2009 Bypass: Shutoffs: (eeeee) Type: RP Manufacturer: Watts Model: 009M2-FP Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 Bypass: Shutoffs: (eeeee) Type: RP Manufacturer: Watts Model: 009M2-FP Size: 1 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 **Bypass:** Shutoffs: (eeeee) Type: RP Manufacturer: Watts Model: 009M2-FP **Size:** 2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 Bypass: Shutoffs: (eeeee) Type: RP Manufacturer: Watts Model: 009M2PCQT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 07-Oct-2002 Renewed: 07-Oct-2014 **Bypass: Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009M2PCQT Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 15-Jan-1999 Renewed: 15-Jan-2014 Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP	Manufacturer: Watts	Model: 009M2PCQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	r	
Type: RP	Manufacturer: Watts	Model: 009M2PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	r	
Type: RP	Manufacturer: Watts	Model: 009M2PCQT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: RP	Manufacturer: Watts	Model: 009M2QT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-1992	Renewed: 31-Oct-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: RP	Manufacturer: Watts	Model: 009M2QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-May-1998	Renewed: 18-May-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	r	
Type: RP	Manufacturer: Watts	Model: 009M2QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	r	
Type: RP	Manufacturer: Watts	Model: 009M2QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP	Manufacturer: Watts	Model: 009M2QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1996	Renewed: 10-Sep-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
Type: RP	Manufacturer: Watts	Model: 009M3-FP
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: RP	Manufacturer: Watts	Model: 009M3QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrr	
Type: RP	Manufacturer: Watts	Model: 009PCQT
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Feb-1995	Renewed: 17-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrr	
Type: RP	Manufacturer: Watts	Model: 009PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
Type: RP	Manufacturer: Watts	Model: 009PCQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rr	rrrr	
Type: RP	Manufacturer: Watts	Model: 009PCQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
	-	

2016 © University of Southern California

Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr

Type: RP Manufacturer: Watts Model: 009PCQT Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2015 Bypass: Shutoffs: W,xx,ooo,hhhh,pppp,rmr Manufacturer: Watts Model: 009PCQT Size: 2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2015 Bypass: Shutoffs: W,xx,ooo,hhhh,pppp,rmr Manufacturer: Watts Model: 009QT Size: 1 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Spize: 1/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 07-Aug-1995 Renewed: 07-Aug-2013 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Manufacturer: Watts Model: 009QT Size: 3/8 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 07-Aug-1995 Renewed: 07-Aug-2013 Bypass: Shutoffs: (vv),xx,ooo,hhhh,ppp Manufacturer: Watts Model: 009QT Size: 3/8 Orientation: H Meters: Manual: 8			
Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrModel: 009PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrSpare Parts Only: YesType: RPManufacturer: WattsModel: 009QTSize: 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppRenewed: 07-Aug-2013Bypass:Type: RPManufacturer: WattsModel: 009QTSize: 3/8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppSpare Parts Only: NoSpare Querts Only: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppType: RPManufacturer: WattsModel: 009QTSize: 1/2Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppp,rrrrModel: 0.09QTSize: 1/2Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only			
Approved: 27-Sep-1994 Shutoffs: vv.xx.goo.hhhh.pppp,rrrrRenewed: 27-Sep-2015Bypass:Type: RP Manufacturer: WattsModel: 009PCQTSize: 2 Manufacturer: WattsModel: 009PCQTSize: 2 Manufacturer: WattsModel: 009PCQTSize: 2 Manufacturer: WattsModel: 009PCQTSporoved: 27-Sep-1994 Renewed: 27-Sep-2015Bypass:Shutoffs: vv.xx.goo.hhhh.pppp,rrrrBypass:Type: RP Size: 1/4 Manufacturer: WattsModel: 009QTSize: 1/4 Manufacturer: WattsModel: 009QTSize: 1/4 Manufacturer: WattsModel: 009QTSize: 1/4 Manufacturer: WattsModel: 009QTSize: 3/8 Manufacturer: WattsModel: 009QTSize: 1/2 Orientation: H Manufacturer: WattsModel: 009QTSize: 1/2 Manufacturer: WattsModel: 009QTSize: 1/2 Manufacture: WattsModel: 009QT <td< th=""><th></th><th></th><th></th></td<>			
Shutoffs: w.xx.ooo,hhhh,pppp,rrrr Type: RP Manufacturer: Watts Model: 009PCQT Size: 2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2015 Bypass: Shutoffs: vv.xx,ooo,hhhh,pppp,rrrr Bypass: Model: 009QT Size: 1/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 07-Aug-1995 Renewed: 07-Aug-2013 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: 009QT Size: 3/8 Orientation: H Meters: Manual: Manual: 8 Approved: 07-Aug-1995 Renewed: 07-Aug-2013 Bypass: Shutoffs: Shutoffs: (vv),xx,ooo,hhhh,pppp Renewed: 07-Aug-2013 Bypass: Shutoffs: Type: RP Manufacturer: Watts Model: 009QT Size: 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No <	Manual: 8		
Type: RPManufacturer: WattsModel: 009PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrSize: 1/4Orientation: HMeters:Manufacturer: WattsModel: 009QTSize: 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppFenewed: 07-Aug-2013Bypass:Type: RPManufacturer: WattsModel: 009QTSize: 3/8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppType: RPManufacturer: WattsModel: 009QTSize: 1/2Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrNoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrNoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrNodel: 009QTNo	Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Size: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrBypass:Type: RPManufacturer: WattsModel: 009QTSize: 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Size: 3/8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppType: RPManufacturer: WattsModel: 009QTSize: 1/2Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrNoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrNoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10	Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrrr	
Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrType: RPManufacturer: WattsModel: 009QTSize: 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppModel: 009QTSize: 3/8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppSpare Parts Only: NoType: RPManufacturer: WattsModel: 009QTSize: 1/2Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrNoSpare Parts Only: NoApproved: 8	Type: RP	Manufacturer: Watts	Model: 009PCQT
Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrRenewed: 27-Sep-2015 Bypass:Bypass:Type: RP Size: 1/4Manufacturer: Watts Orientation: H Meters: Manual: 8 Approved: 07-Aug-1995 Size: 1/4Model: 009QT Spare Parts Only: No Spare Parts Only: No Approved: 07-Aug-1995 Size: 3/8 Orientation: H Manufacturer: Watts Model: 009QT Size: 3/8 Morientation: H Meters: Manual: 8 Model: 009QT Size: 3/8 Morientation: H Meters: Manual: 8 Model: 009QT Size: 3/8 Morientation: H Meters: Manual: 8 Model: 07-Aug-2013 Manufacturer: Watts Model: 009QT Size: 3/8 Model: 07-Aug-2013 Manufacturer: Watts Model: 009QT Size: 1/2 Manufacturer: Watts Model: 009QT Size: 1/2 Manual: 9 Manufacturer: Watts Model: 009QT Model: 009QT Size: 1/2 Manual: 9 Manufacturer: Watts Model: 009QT Model: 009QT Moters: Model: 00-Spre Parts Only: No Mapproved: 10-Sep-1996 Renewed: 10-Sep-2014 Mappass: Shutoffs: (vv),xx,ooo,hhhh,ppppType: RP Notes: Previously approved 8th Ed. 26 May 1993Type: RP Netes: Previously approved 8th Ed. 26 May 1993Type: RP Nanufacturer: Watts Model: 009QTManufacturer: Watts Nodel: 009QT	Size: 2	Orientation: H	Meters:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrr Type: RP Manufacturer: Watts Model: 009QT Size: 1/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 07-Aug-1995 Renewed: 07-Aug-2013 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Model: 009QT Type: RP Manufacturer: Watts Model: 009QT Size: 3/8 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 07-Aug-1995 Renewed: 07-Aug-2013 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Renewed: 07-Aug-2013 Bypass: Type: RP Manufacturer: Watts Model: 009QT Size: 3/8 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 07-Aug-1995 Renewed: 07-Aug-2013 Bypass: Shutoffs: (vv),xx,ooo,hhhh,ppp Type: RP Manufacturer: Watts Model: 009QT Size: 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 10-Sep-1996 Renewed: 10-Sep-2014 Bypass: Shutoffs: (vv),xx,ooo,hhhh,ppp,rrrrr Notes: Previously approved 8th Ed. 26 May 1993	Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Type: RPManufacturer: WattsModel: 009QTSize: 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppStates: 3/8Type: RPManufacturer: WattsModel: 009QTSize: 3/8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppSpare Parts Only: NoSize: 1/2Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppp,rrrrrNoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppp,rrrrrNoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppp,rrrrrNotes: Previously approved 8th Ed. 26 May 1993Model: 009QTType: RPManufacturer: WattsModel: 009QT	Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Size: 1/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 07-Aug-1995 Renewed: 07-Aug-2013 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: 009QT Size: 3/8 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 07-Aug-1995 Renewed: 07-Aug-2013 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: 009QT Size: 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 10-Sep-1996 Renewed: 10-Sep-2014 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Previously approved 8th Ed. 26 May 1993 Type: RP Manufacturer: Watts Model: 009QT	Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrr	
Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppType: RPManufacturer: WattsModel: 009QTSize: 3/8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppSpare Parts Only: NoType: RPManufacturer: WattsModel: 009QTSize: 1/2Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,mmrNoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppp,mrrBypass:Notes: Previously approved 8th Ed. 26 May 1993Type: RPManufacturer: WattsModel: 009QT	Type: RP	Manufacturer: Watts	Model: 009QT
Approved: 07-Aug-1995 Shutoffs: (vv),xx,ooo,hhhh,ppppRenewed: 07-Aug-2013Bypass:Type: RPManufacturer: WattsModel: 009QTSize: 3/8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppType: RPManufacturer: WattsModel: 009QTType: RPManufacturer: WattsModel: 009QTSize: 1/2Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrNotes: Previously approved 8th Ed. 26 May 1993Bypass:Type: RPManufacturer: WattsModel: 009QT	Size: 1/4	Orientation: H	Meters:
Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: 009QT Size: 3/8 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 07-Aug-1995 Renewed: 07-Aug-2013 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: 009QT Type: RP Manufacturer: Watts Model: 009QT Size: 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 10-Sep-1996 Renewed: 10-Sep-2014 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Previously approved 8th Ed. 26 May 1993 Bypass: Type: RP Manufacturer: Watts Model: 009QT	Manual: 8	0.25% Pb: No	Spare Parts Only: No
Type: RPManufacturer: WattsModel: 009QTSize: 3/8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppType: RPManufacturer: WattsModel: 009QTSize: 1/2Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrNotes: Previously approved 8th Ed. 26 May 1993Model: 009QTType: RPManufacturer: WattsModel: 009QT	Approved: 07-Aug-1995	Renewed: 07-Aug-2013	Bypass:
Size: 3/8Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppType: RPManufacturer: WattsModel: 009QTSize: 1/2Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrNotes: Previously approved 8th Ed. 26 May 1993Type: RPManufacturer: WattsModel: 009QT	Shutoffs: (vv),xx,ooo,hhhh,pppp		
Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 07-Aug-1995Renewed: 07-Aug-2013Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: 009QTType: RPManufacturer: WattsModel: 009QTSize: 1/2Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrNotes: Previously approved 8th Ed. 26 May 1993Model: 009QTType: RPManufacturer: WattsModel: 009QT	Type: RP	Manufacturer: Watts	Model: 009QT
Approved: 07-Aug-1995 Shutoffs: (vv),xx,ooo,hhhh,ppppRenewed: 07-Aug-2013Bypass:Type: RPManufacturer: WattsModel: 009QTSize: 1/2Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrNotes: Previously approved 8th Ed. 26 Way 1993Model: 009QTType: RPManufacturer: WattsModel: 009QT	Size: 3/8	Orientation: H	Meters:
Shutoffs: (vv),xx,ooo,hhhh,pppp Manufacturer: Watts Model: 009QT Type: RP Manufacturer: Watts Model: 009QT Size: 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 10-Sep-1996 Renewed: 10-Sep-2014 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Previously approved 8th Ed. 26 May 1993 Model: 009QT Type: RP Manufacturer: Watts Model: 009QT	Manual: 8	0.25% Pb: No	Spare Parts Only: No
Type: RPManufacturer: WattsModel: 009QTSize: 1/2Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrNotes: Previously approved 8th Ed. 26 May 1993Model: 009QTType: RPManufacturer: WattsModel: 009QT	Approved: 07-Aug-1995	Renewed: 07-Aug-2013	Bypass:
Size: 1/2Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrNotes: Previously approved 8th Ed. 26 May 1993Here: Compare the second seco	Shutoffs: (vv),xx,ooo,hhhh,pppp		
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Sep-1996Renewed: 10-Sep-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Previously approved 8th Ed. 26 Way 1993Type: RPManufacturer: WattsModel: 009QT	Type: RP	Manufacturer: Watts	Model: 009QT
Approved: 10-Sep-1996 Renewed: 10-Sep-2014 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Previously approved 8th Ed. 26 May 1993 Environmentation Type: RP Manufacturer: Watts Model: 009QT	Size: 1/2	Orientation: H	Meters:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Previously approved 8th Ed. 26 May 1993 Type: RP Manufacturer: Watts Model: 009QT	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Notes: Previously approved 8th Ed. 26 May 1993 Type: RP Manufacturer: Watts Model: 009QT	Approved: 10-Sep-1996	Renewed: 10-Sep-2014	Bypass:
Type: RP Manufacturer: Watts Model: 009QT	Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
	Notes: Previously approved 8th I	Ed. 26 May 1993	
Size: 3/4 Orientation: H Meters:	Type: RP	Manufacturer: Watts	Model: 009QT
	Size: 3/4	Orientation: H	Meters:

Approved: 11-Jan-1988

Manual: 7

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

0.25% Pb: No

Renewed: 11-Jan-2015

Spare Parts Only: No

Bypass:

Type: RP	Manufacturer: Watts	Model: 009QT
Size: 1	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		_)pass.
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009SSM1PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: 009SSM1QT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Dec-1991	Renewed: 19-Dec-2015	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: 009SSPCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,pppp		

Type: RP Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,pppp

- Type: RP Size: 1 1/4 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp
- Type: RP Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp
- Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: RP Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: RP Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: RP Size: 1 1/4 Manual: 7 Approved: 09-Aug-1988 Shutoffs: vv,xx,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Aug-2015 Model: 009SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: 009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: 009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: 009SSQT Meters: Spare Parts Only: Yes Bypass:

Type: RP	Manufacturer: Watts	Model: 009SSQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: 009SSQT
Size: 2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: 909
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1986	Renewed: 12-Jun-2013	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt	,uu,ww,yy,ffff,gggg	
Type: RP	Manufacturer: Watts	Model: 909
Size: 3	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1986	Renewed: 12-Jun-2013	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt	,uu,ww,yy,eee,ffff,gggg	
Notes: formerly 909NRS/909OS	SY/909NRSRW/909OSYRW/909RW	
Type: RP	Manufacturer: Watts	Model: 909
Size: 4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1982	Renewed: 15-Jan-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt	,uu,ww,yy,eee,ffff,gggg	
Notes: formerly 909NRS/909OS	SY/909NRSRW/909OSYRW/909RW	
Type: RP	Manufacturer: Watts	Model: 909
i jpc. Ki	Orientation: H	Meters:
Size: 6	Onentation. II	
	0.25% Pb: No	Spare Parts Only: No
Size: 6		Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Watts	Model: 909
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2014	Bypass:
Notes: formerly 909NRS/909OS	Y/909NRSRW/909OSYRW/909RW	
Type: RP	Manufacturer: Watts	Model: 909
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2014	Bypass:
Notes: formerly 909NRS/909OS	Y/909NRSRW/909OSYRW/909RW	
Type: RP	Manufacturer: Watts	Model: 909BB
Size: 2 1/2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Feb-1983	Renewed: 04-Feb-2016	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	uu,yy,ffff,gggg	
Type: RP	Manufacturer: Watts	Model: 909BB
Size: 3	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Feb-1983	Renewed: 04-Feb-2016	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	uu,yy,ffff,gggg	
Type: RP	Manufacturer: Watts	Model: 909HWQT
Size: 3/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-1979	Renewed: 29-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrr	
	Manufacturer: Watts	Model: 909HWQT
Type: RP	Only of the second seco	Meters:
	Orientation: H	Meter 5.
Size: 1	0.25% Pb: No	Spare Parts Only: No
Size: 1 Manual: 5		
Size: 1 Manual: 5 Approved: 29-Sep-1979	0.25% Pb: No Renewed: 29-Sep-2015	Spare Parts Only: No
Size: 1 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp	0.25% Pb: No Renewed: 29-Sep-2015	Spare Parts Only: No
Size: 1 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP	0.25% Pb: No Renewed: 29-Sep-2015	Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1 1/4 Manual:	0.25% Pb: No Renewed: 29-Sep-2015 ,rrrrr Manufacturer: Watts	Spare Parts Only: No Bypass: Model: 909HWQT

Type: RP	Manufacturer: Watts
Size: 1 1/2	Orientation:
Manual:	0.25% Pb: No
Approved:	Renewed:
Notes: model designation change	d to 909M1HWQT

- Type: RPManufacturer: WattsSize: 2Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 909M1HWQT
- Type: RPManufacturer: WattsSize: 8Orientation: HManual: 80.25% Pb: NoApproved: 01-May-1989Renewed: 01-May-2013Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,wv,ffff,gggg

Type: RPManufacturer: WattsSize: 10Orientation: HManual: 80.25% Pb: NoApproved: 01-May-1989Renewed: 01-May-2013Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,ffff,gggg

Type: RP Size: 1 1/4 Manual: 5 Approved: 07-Feb-1980 Shutoffs: (vv),xx,ooo,hhhh,rrrrr Notes: formerly 909HWQT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Feb-2016 Model: 909HWQT Meters: Spare Parts Only: No Bypass:

Model: 909HWQT Meters: Spare Parts Only: No Bypass:

Model: 909M1 Meters: Spare Parts Only: No Bypass:

Model: 909M1 Meters: Spare Parts Only: No Bypass:

Model: 909M1HWQT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 1 1/2 Manual: 5 Approved: 07-Feb-1980 Shutoffs: (vv),xx,ooo,hhhh,rrrrr Notes: formerly 909HWQT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Feb-2016 Model: 909M1HWQT Meters: Spare Parts Only: No Bypass: Type: RP Size: 2 Manual: 5 Approved: 07-Feb-1980 Shutoffs: (vv),xx,ooo,hhhh,rrrrr Notes: formerly 909HWQT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Feb-2016 Model: 909M1HWQT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 1 1/4 Manual: 8 Approved: 02-Feb-1995 Shutoffs: (vv),xx,ooo,hhhh,rrrrr

Type: RP Size: 1 1/2 Manual: 8 Approved: 02-Feb-1995 Shutoffs: (vv),xx,ooo,hhhh,rrrrr

Type: RP Size: 2 Manual: 8 Approved: 02-Feb-1995 Shutoffs: (vv),xx,ooo,hhhh,rrrrr

Type: RP Size: 1 1/4 Manual: 6 Approved: 15-Jan-1982 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: formerly 909QT

Type: RP Size: 1 1/2 Manual: 6 Approved: 15-Jan-1982 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: formerly 909QT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 15-Jan-2015

Manufacturer: Watts

Renewed: 15-Jan-2015

Orientation: H

0.25% Pb: No

Model: 909M1PCHWQT Meters: Spare Parts Only: No Bypass:

Model: 909M1PCHWQT Meters: Spare Parts Only: No Bypass:

Model: 909M1PCHWQT Meters: Spare Parts Only: No Bypass:

Model: 909M1QT Meters: Spare Parts Only: No Bypass:

Model: 909M1QT Meters: Spare Parts Only: No Bypass:

Size: 2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1982	Renewed: 15-Jan-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Notes: formerly 909QT		
Type: RP	Manufacturer: Watts	Model: 909NRS
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to	909	
Type: RP	Manufacturer: Watts	Model: 909NRS
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to	909	
Type: RP	Manufacturer: Watts	Model: 909NRS
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to	909	
Type: RP	Manufacturer: Watts	Model: 909NRS
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to	909	
Type: RP	Manufacturer: Watts	Model: 909NRS
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Manufacturer: Watts

Model: 909M1QT

Notes: model designation changed to 909

Type: RP

Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No

Notes: model designation changed to 909

Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 909

Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed	to 909	
Type: RP	Manufacturer: Watts	Model: 909PCHWQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: RP	Manufacturer: Watts	Model: 909PCHWQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: RP	Manufacturer: Watts	Model: 909PCM1QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: RP	Manufacturer: Watts	Model: 909PCM1QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: RP	Manufacturer: Watts	Model: 909PCM1QT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
••		

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

iype. IXI		
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 04-Oct-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrrr	
Notes: Previously Approved 8th	Ed (2 February 1995) 9th Ed. for Ser. No	os. 464100 and higher
Type: RP	Manufacturer: Watts	Model: 909PCQT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 04-Oct-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrr	
Notes: Serial number 464100 ar	nd higher	
Type: RP	Manufacturer: Watts	Model: 909PCQT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 09-Oct-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
Notes: Previously Approved 8th	Ed (2 February 1995) 9th Ed. for Ser. N	os. 464100 and higher
Type: RP	Manufacturer: Watts	Model: 909PCQT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 09-Oct-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
otes: Previously Approved 8th Ed (2 February 1995	Ed (2 February 1995) 9th Ed. for Ser. No	os. 464100 and higher
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Jun-1998	Renewed: 18-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrr	
Notes: Previously Approved 6th	Ed. (15 Jan 1982) 9th Ed. For Ser. Nos.	461650 and higher
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Jun-1998	Renewed: 18-Jun-2013	Bypass:

Manufacturer: Watts

Model: 909PCQT

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP

Notes: Serial number 461650 and higher

Type: RP	Manufacturer: Watts	Model: 909QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Jun-1998	Renewed: 18-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrrr	
Notes: Previously Approved 6th	Ed. (15 Jan 1982) 9th Ed. For Ser. Nos.	461650 and higher
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Jun-1998	Renewed: 18-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrrr	
Notes: Serial number 461650 ar	nd higher	
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 909M1QT	
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 909M1QT	
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 909M1QT	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Watts	Model: 909RW
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	led to 909	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 909	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 909	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 909	
Type: RP	Manufacturer: Watts	Model: 919AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrr	
Type: RP	Manufacturer: Watts	Model: 919AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrr	
Type: RP	Manufacturer: Watts	Model: 919AQT
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Sep-2006	Renewed: 05-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrr	

Type: RP Size: 1 1/2	Manufacturer: Watts Orientation: VUVD	Model: 919AQT Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Turner DD	Manufacturer Watto	Madel: 0100T
Type: RP Size: 1 1/4	Manufacturer: Watts Orientation: VD	Model: 919QT Meters:
Manual: 9	0.25% Pb: No	
		Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 1 1/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
Type: RP	Manufacturer: Watts	Model: 957
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
A	Renewed: 07-Oct-2014	Bypass:
Approved: 07-Oct-2002		
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may be	e black EPDM or orange Silicone	
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may be	e black EPDM or orange Silicone Manufacturer: Watts	Model: 957
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may be Type: RP		Model: 957 Meters:
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may be Type: RP Size: 2 1/2	Manufacturer: Watts	
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9	Manufacturer: Watts Orientation: H	Meters:
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 07-Oct-2002	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014	Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,aaaa,bbbb	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 <kk,iiii,mmmm,nnnn,nnnn< td=""><td>Meters: Spare Parts Only: No</td></kk,iiii,mmmm,nnnn,nnnn<>	Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 <kk,iiii,mmmm,nnnn,nnnn< td=""><td>Meters: Spare Parts Only: No</td></kk,iiii,mmmm,nnnn,nnnn<>	Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone	Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 957

Notes: Check valve discs may be black EPDM or orange Silicone

Type: RP	Manufacturer: Watts	Model: 957
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kl	kkk,IIII,mmmm,nnnn,nnnnn	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957
Size: 4	Orientation: H	Meters:
		Spare Parts Only: No
Manual: 9	0.25% Pb: Yes	Spare Faits Only. NO
Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn	Bypass:
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone	Bypass:
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts	Bypass: Model: 957
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H	Bypass: Model: 957 Meters:
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No	Bypass: Model: 957 Meters: Spare Parts Only: No
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H	Bypass: Model: 957 Meters:
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No	Bypass: Model: 957 Meters: Spare Parts Only: No
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013	Bypass: Model: 957 Meters: Spare Parts Only: No Bypass:
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013 Manufacturer: Watts	Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013 Manufacturer: Watts Orientation: H	Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957 Meters:
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP Size: 6 Manual: 9	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Dec-2013	Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: zzz,dddd,eeee,gggg,kl	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Dec-2013	Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: zzz,dddd,eeee,gggg,kl Type: RP	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Dec-2013 kkk,IIII,mmmm,nnnn,nnnn	Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No Bypass:
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Dec-2013 kkk,IIII,mmmm,nnnn,nnnn	Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957

Type: RP	Manufacturer: Watts	Model: 957
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2013	Bypass:
Shutoffs: zzz,cccc,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: RP	Manufacturer: Watts	Model: 957
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Watts	Model: 957
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Shutoffs: zzz,cccc,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: RP	Manufacturer: Watts	Model: 957 BF
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Jan-2008	Renewed: 17-Jan-2014	Bypass:
Shutoffs: (yyy)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957 BF
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Jan-2008	Renewed: 17-Jan-2014	Bypass:
Shutoffs: (yyy)		
Type: RP	Manufacturer: Watts	Model: 957N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	

Approved:14-Apr-2003Renewed:14-Apr-2015Bypass:Shutoffs:yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnNotes:Check valve discs may be black EPDM or orange SiliconeType:RPManufacturer:WattsModel:957Size:3Orientation:VUVDMeters:Manual:90.25% Pb: NoSpare PartsApproved:14-Apr-2003Renewed:14-Apr-2015Bypass:Shutoffs:(ppp),qqq,aaaa,bbbb,nnnnNotes:Check valve discs may be black EPDM or orange SiliconeType:RPManufacturer:WattsModel:957Size:3Orientation:VUVDMeters:Manual:90.25% Pb: YesSpare PartsApproved:14-Apr-2003Renewed:14-Apr-2015Bypass:Shutoffs:yyy,zzz,dddd,eeee,gggg,kkkk,lll,mmm,nnnNotes:Check valve discs may be black EPDM or orange SiliconeType:RPManufacturer:WattsModel:957Size:4Orientation:VUVDMeters:Manual:90.25% Pb: NoSpare PartsApproved:14-Apr-2003Renewed:14-Apr-2015Bypass:Shutoffs:(ppp),qq,aaaa,bbbb,nnnnNotes:Check valve discs may be black EPDM or orange SiliconeType:RPManufacturer:WattsModel:957Size:4Orientation:VUVDMeters:Shutoffs:(ppp),qq,aaaa,bbbb,nnnnNotes:957Size: <t< th=""><th>N</th><th>Model: 957N</th><th>Manufacturer: Watts</th><th>Type: RP</th></t<>	N	Model: 957N	Manufacturer: Watts	Type: RP
Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,lill,mmmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Manual: 90.25% Pb: NoSpare Part:Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 3Orientation: VUVDMeters:Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Manual: 90.25% Pb: YesSpare Part:Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,lill,mmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (pp),qq,aaaa,bbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeSpare Part:Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (pp),qq,aaaa,bbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Size: 4Orientation: VUVDMeters:Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (pp),qq,aaaa,bbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RP <t< th=""><th></th><th>Meters:</th><th>Orientation: VUVD</th><th>Size: 2 1/2</th></t<>		Meters:	Orientation: VUVD	Size: 2 1/2
Shutoffs: yyy,zz,dddd,eeee,ggg,kkkk,lll,mmmm,nnn Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957 Size: 3 Orientation: VUVD Meters: Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Shutoffs: (ppp),qq,aaaa,bbbb,nnnn Nodel: 957 Size: 3 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Part: Model: 957 Size: 3 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Part: Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnn Nodel: 957 Notes: Check valve discs may be black EPDM or orange Silicone EVEN Type: RP Manufacturer: Watts Model: 957 Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Part: Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Shutoffs: (ppp),qq,aaaa,bbbb,nnnn Nodel: 957 Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Part: Model: 957<	only: No	Spare Parts Only: No	0.25% Pb: Yes	Manual: 9
Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957 Size: 3 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Parts Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Shutoffs: (ppp),qq,aaa,bbbb,nnnn Notes: Check valve discs may be black EPDM or orange Silicone Model: 957 Type: RP Manufacturer: Watts Model: 957 Size: 3 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnn Notes: Check valve discs may be black EPDM or orange Silicone Model: 957 Type: RP Manufacturer: Watts Model: 957 Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Parts Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Shutoffs: (ppp),qqq,aaaa,bbbb,nnnn Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957 Size: 4 Orientation: VUVD Meters: M		Bypass:	Renewed: 14-Apr-2015	Approved: 14-Apr-2003
Type: RPManufacturer: WattsModel: 957Size: 3Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnnnNot			,kkkk,llll,mmmm,nnnn	Shutoffs: yyy,zzz,dddd,eeee,gggg
Size: 3Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957Size: 3Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957Size: 6Orientation: V			black EPDM or orange Silicone	Notes: Check valve discs may be
Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957Size: 3Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (pp),qq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer:	N	Model: 957N	Manufacturer: Watts	Type: RP
Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957Size: 3Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeSpare PartsType: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeSpare PartsManual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:		Meters:	Orientation: VUVD	Size: 3
Shutoffs: (ppp),qq,aaaa,bbbb,nnnn Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957 Size: 3 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnn Notes: Check valve discs may be black EPDM or orange Silicone Model: 957 Type: RP Manufacturer: Watts Model: 957 Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Parts Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957 Size: 4 Orientation: VUVD Meters: Model: 957 Manual: 9 0.25% Pb: Yes Spare Parts Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Shutoffs: (yyy,zzz,dddd,eeee,ggg,kkkk,llll,mmmm,nnnn Nodel: 957 Size: 4 Orientation: VUVD Meters: Type: RP Manufacturer: Watts Model:	only: No	Spare Parts Only: No	0.25% Pb: No	Manual: 9
Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957 Size: 3 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnn Notes: Check valve discs may be black EPDM or orange Silicone Model: 957 Type: RP Manufacturer: Watts Model: 957 Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Parts Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn Notes: Check valve discs may be black EPDM or orange Silicone Model: 957 Type: RP Manufacturer: Watts Model: 957 Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Shutoffs: yyy,zzz,dddd,eeee,ggg,kkkk,llll,mmm,nnnn Notes: Check valve discs may be black EPDM or orange Silicone Spare Parts Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Spite Silicone		Bypass:	Renewed: 14-Apr-2015	Approved: 14-Apr-2003
Type: RPManufacturer: WattsModel: 957Size: 3Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,IIII,mmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnnNotes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (pp),qq,aaaa,bbbb,nnnnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Size: 4Orientation: VUVDMeters:Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,III,mmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:			nnn	Shutoffs: (ppp),qqq,aaaa,bbbb,nr
Natural: 9Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Model: 957Size: 4Orientation: VUVDMeters:Manufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:			black EPDM or orange Silicone	Notes: Check valve discs may be
Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeEppmass:Type: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:	N	Model: 957N	Manufacturer: Watts	Type: RP
Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeSpare PartsType: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Motes: Check valve discs may be black EPDM or orange SiliconeSpare PartsType: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:		Meters:	Orientation: VUVD	Size: 3
Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,IIII,mmmm,nnn Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957 Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Parts Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Shutoffs: (ppp),qqq,aaaa,bbbb,nnnn Notes: Check valve discs may be black EPDM or orange Silicone Model: 957 Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Manufacturer: Watts Model: 957 Size: 4 Orientation: VUVD Meters: Spare Parts Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Manual: 9 0.25% Pb: Yes Spare Parts Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,IIII,mmmm,nnn Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957 Size: 6 Orientation: VUVD Meters:	s Only: No	Spare Parts Only: No	0.25% Pb: Yes	Manual: 9
Notes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:		Bypass:	Renewed: 14-Apr-2015	Approved: 14-Apr-2003
Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:			,kkkk,llll,mmmm,nnnn	Shutoffs: yyy,zzz,dddd,eeee,gggg
Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:			black EPDM or orange Silicone	Notes: Check valve discs may be
Manual: 90.25% Pb: NoSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:	N	Model: 957N	Manufacturer: Watts	Type: RP
Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Notes: Check valve discs may be black EPDM or orange SiliconeModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:		Meters:	Orientation: VUVD	Size: 4
Shutoffs: (ppp),qqq,aaaa,bbbb,nnnn Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957 Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Approved: 14-Apr-2003 Renewed: 14-Apr-2015 Bypass: Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnn Notes: Check valve discs may be black EPDM or orange Silicone Model: 957 Type: RP Manufacturer: Watts Model: 957 Size: 6 Orientation: VUVD Meters:	only: No	Spare Parts Only: No	0.25% Pb: No	Manual: 9
Notes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,IIII,mmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:		Bypass:	Renewed: 14-Apr-2015	Approved: 14-Apr-2003
Notes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,IIII,mmm,nnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:			nnn	Shutoffs: (ppp),qqq,aaaa,bbbb,nr
Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,IIII,mmm,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:				
Manual: 90.25% Pb: YesSpare PartsApproved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,IIII,mmmm,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeYesType: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:	N	Model: 957N	Manufacturer: Watts	Type: RP
Approved: 14-Apr-2003Renewed: 14-Apr-2015Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,IIII,mmmm,nnnnNotes: Check valve discs may be black EPDM or orange SiliconeModel: 957Type: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:		Meters:	Orientation: VUVD	Size: 4
Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,IIII,mmmm,nnnn Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957 Size: 6 Orientation: VUVD Meters:	only: No	Spare Parts Only: No	0.25% Pb: Yes	Manual: 9
Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957 Size: 6 Orientation: VUVD Meters:		Bypass:	Renewed: 14-Apr-2015	Approved: 14-Apr-2003
Type: RPManufacturer: WattsModel: 957Size: 6Orientation: VUVDMeters:			,kkkk,llll,mmmm,nnnn	Shutoffs: yyy,zzz,dddd,eeee,gggg
Size: 6 Orientation: VUVD Meters:			black EPDM or orange Silicone	Notes: Check valve discs may be
Size: 6 Orientation: VUVD Meters:	N	Model: 957N	Manufacturer: Watts	Type: RP
Manual: 9 0.25% Pb: No Spare Parts		Meters:	Orientation: VUVD	
•	only: No	Spare Parts Only: No	0.25% Pb: No	Manual: 9
Approved: 15-Nov-2010Renewed: 15-Nov-2013Bypass:	-		Renewed: 15-Nov-2013	Approved: 15-Nov-2010

Type: RP	Manufacturer: Watts	Model: 957N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2013	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Watts	Model: 957N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	e, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 957NQT
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957NQT
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957NQT
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		

Notes: Check valve discs may be black EPDM or orange Silicone

Type: RP	Manufacturer: Watts	Model: 957QT
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957QT
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957QT
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	nnnn	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,IIII,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	nnnn	

Type: RP	Manufacturer: Watts	Model: 957Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg		
	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	e, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 957ZQT
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
	e black EPDM or orange Silicone	

Type: RP	Manufacturer: Watts	Model: 957ZQT
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957ZQT
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 967
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,zzz,aaaa,bb	bb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r	innn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967
Type: RP Size: 3	Manufacturer: Watts Orientation: H	Model: 967 Meters:
Size: 3	Orientation: H	Meters:
Size: 3 Manual: 9 Approved: 07-Oct-2002	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass:
Size: 3 Manual: 9 Approved: 07-Oct-2002	Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014	Meters: Spare Parts Only: No Bypass:
Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb	Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,ggggg,kkkk,llll,mmmm,r	Meters: Spare Parts Only: No Bypass: annn,nnnnn
Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP	Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,ggggg,kkkk,IIII,mmmm,r Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: annn,nnnnn Model: 967
Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bt Type: RP Size: 4	Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,ggggg,kkkk,IIII,mmmm,r Manufacturer: Watts Orientation: H	Meters: Spare Parts Only: No Bypass: Innn,nnnnn Model: 967 Meters:
Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bk Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005	Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,ggggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: annn,nnnnn Model: 967 Meters: Spare Parts Only: No
Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bk Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005	Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,ggggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 18-Jan-2014	Meters: Spare Parts Only: No Bypass: annn,nnnnn Model: 967 Meters: Spare Parts Only: No
Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaaa,bbbb,,	Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,IIII,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 18-Jan-2014 ggggg,kkkk,IIII,mmmm,nnnn,nnnn	Meters: Spare Parts Only: No Bypass: Innnn,nnnnn Model: 967 Meters: Spare Parts Only: No Bypass:
Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bk Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaaa,bbbb,, Type: RP	Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,ggggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 18-Jan-2014 ggggg,kkkk,llll,mmmm,nnnn,nnnn Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 967 Meters: Spare Parts Only: No Bypass: Model: 967

Type: RP	Manufacturer: Watts	Model: 967
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,zzz,a	aaa,bbbb,cccc,dddd,eeee,gggg,kkkk,IIII,	mmmm,nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,zzz,a	aaa,bbbb,cccc,dddd,eeee,gggg,kkkk,IIII,	mmmm,nnnn
Type: RP	Manufacturer: Watts	Model: 967N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,zzz,aaaa,bb	bb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,i	nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2013	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nr	nnn	
Type: RP	Manufacturer: Watts	Model: 967N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Watts	Model: 967N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		

Type: RP	Manufacturer: Watts	Model : 967N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee,		
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,zzz,aaaa,bb	bb,dddd,eeee,gggg,kkkk,llll,mmmm,nnn	in,nnnnn
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee,	gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 990
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1992	Renewed: 01-Nov-2013	Bypass:
Shutoffs: oo,gg,hh,pp,tt,uu,yy		
Type: RP	Manufacturer: Watts	Model: 990
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2014	Bypass:
Shutoffs: oo,gg,hh,pp,tt,uu,yy		

Type: RP	Manufacturer: Watts	Model: 990QTFDA
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2014	Bypass:
Shutoffs: ww		
Type: RP	Manufacturer: Watts	Model: 990QTFDA
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2014	Bypass:
Shutoffs: ww		
Type: RP	Manufacturer: Watts	Model: 992
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1992	Renewed: 01-Nov-2013	Bypass:
Shutoffs: 00		
Type: RP	Manufacturer: Watts	Model: 992
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2014	Bypass:
Shutoffs: 00		
Type: RP	Manufacturer: Watts	Model: 994
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	cc,ddd	
Type: RP	Manufacturer: Watts	Model: 994
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: RP	Manufacturer: Watts	Model: 994
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:

Type: RP Size: 3 Manual: 8 Approved: 15-Apr-1994 Shutoffs: II,mm,oo,ffff,gggg	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-Apr-2015	Model: 994 Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: 994
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Apr-1994 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,cc	Renewed: 15-Apr-2015 c,ddd	Bypass:
Type: RP	Manufacturer: Watts	Model : 994
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Apr-1994 Shutoffs: II,mm,oo,ffff,gggg	Renewed: 15-Apr-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: 994
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Sep-1997	Renewed: 22-Sep-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,cc	c,ddd	
Type: RP	Manufacturer: Watts	Model: 994
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Sep-1997	Renewed: 22-Sep-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: RP	Manufacturer: Watts	Model: 995QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-2000 Shutoffs: int	Renewed: 13-Apr-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: 995QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-2000	Renewed: 13-Apr-2015	Bypass:
Shutoffs: int		

Type: RP Manufacturer: Watts Model: 995QT Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 14-Jan-1999 Renewed: 14-Jan-2014 Bypass: Shutoffs: int Type: RP Manufacturer: Watts Model: 995QT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 28-Mar-2002 Renewed: 28-Mar-2014 Bypass: Shutoffs: int Type: RP Manufacturer: Watts Model: 995QT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 28-Mar-2002 Renewed: 28-Mar-2014 Bypass: Shutoffs: int Type: RP Manufacturer: Watts Model: FAE909HWQT Size: 1 1/4 Orientation: H Meters: Manual: 5 0.25% Pb: No Spare Parts Only: No Approved: 07-Feb-1980 Renewed: 07-Feb-2016 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: FAE909HWQT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 5 Renewed: 07-Feb-2016 Approved: 07-Feb-1980 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: FAE909HWQT Size: 2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 5 Approved: 07-Feb-1980 Renewed: 07-Feb-2016 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: FAE909QT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: No Approved: 15-Jan-1982 Renewed: 15-Jan-2015 Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RP Manufacturer: Watts Model: FAE909QT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: No Approved: 15-Jan-1982 Renewed: 15-Jan-2015 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: FAE909QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: No Approved: 15-Jan-1982 Renewed: 15-Jan-2015 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: LF009 Size: 2 1/2 **Orientation:** H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 12-Jan-2010 Renewed: 12-Jan-2016 Bypass: Shutoffs: (00) Type: RP Manufacturer: Watts Model: LF009 Size: 3 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 12-Jan-2010 Renewed: 12-Jan-2016 Bypass: Shutoffs: (00) Type: RP Manufacturer: Watts Model: LF009M2PCQT Orientation: H Size: 1 Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 9 Approved: 13-Mar-2015 Renewed: Bypass: Shutoffs: (hhhh),rrrrr Manufacturer: Watts Type: RP Model: LF009M2PCQT Size: 2 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 13-Mar-2015 **Renewed:** Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF009M2QT Size: 1 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 9 Approved: 11-Jan-2008 Renewed: 11-Jan-2014 Bypass: Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/4 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1/2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1/2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014 Model: LF009M2QT Meters: Spare Parts Only: No Bypass:

Model: LF009M2QT Meters: Spare Parts Only: No Bypass:

Model: LF009M2QT Meters: Spare Parts Only: No Bypass:

Model: LF009M3PCQT Meters: Spare Parts Only: No Bypass:

Model: LF009M3QT Meters: Spare Parts Only: No Bypass:

Model: LF009PCQT Meters: Spare Parts Only: No Bypass:

Model: LF009QT Meters: Spare Parts Only: No Bypass:

Tune: DD	Manufacturer: Watts	Model: LF909
Type: RP Size: 2 1/2	Orientation: H	Model: LF909 Meters:
Manual: 9	0.25% Pb: Yes	
	Renewed: 12-Jan-2016	Spare Parts Only: No Bypass:
Approved: 12-Jan-2010 Shutoffs: (II),mm,oo,pp,zzz,cccc		Bypass:
	,,,,,,,,,,,,,,,,,,,,,,,,,	
Type: RP	Manufacturer: Watts	Model: LF909
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccco	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Watts	Model: LF909
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccco	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Watts	Model: LF909
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccco	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Watts	Model: LF909M1
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Jul-2010	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccco	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Watts	Model: LF909M1
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Jul-2010	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Watts	Model: LF909M1PCQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Mar-2015	Renewed:	Bypass:
		7 I

Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrr

Type: RP Size: 1 1/4 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: Model: LF909M1PCQT Meters: Spare Parts Only: No Bypass:

Model: LF909M1PCQT Meters: Spare Parts Only: No Bypass:

Model: LF909M1QT Meters: Spare Parts Only: No Bypass:

Model: LF909M1QT Meters: Spare Parts Only: No Bypass:

Model: LF909M1QT Meters: Spare Parts Only: No Bypass:

Model: LF909PCQT Meters: Spare Parts Only: No Bypass:

Model: LF909PCQT Meters: Spare Parts Only: No Bypass:

Type: RP Manufacturer: Watts Model: LF909PCQT Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 13-Mar-2015 **Renewed:** Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF909PCQT Size: 1 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No **Renewed:** Approved: 13-Mar-2015 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF909QT Size: 3/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 18-Feb-2010 Renewed: 18-Feb-2016 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF909QT Size: 3/4 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 15-Nov-2010 Renewed: 15-Nov-2013 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF909QT Size: 1 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 18-Feb-2016 Approved: 18-Feb-2010 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF909QT Size: 1 Orientation: VU Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 15-Nov-2010 Renewed: 15-Nov-2013 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF919AQT Size: 3/4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Jun-2006 Renewed: 14-Jun-2015 Bypass: Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP Manufacturer: Watts Model: LF919AQT Size: 3/4 Orientation: VUVD Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 14-Jun-2006 Renewed: 14-Jun-2015 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF919AQT Size: 1 Orientation: VUVD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 12-Apr-2015 Approved: 12-Apr-2006 Bypass: **Shutoffs:** (vv),xx,ooo,pppp,rrrrr Type: RP Manufacturer: Watts Model: LF919AQT Size: 1 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 12-Apr-2006 Renewed: 12-Apr-2015 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF919AQT Size: 1 1/4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 05-Sep-2006 Renewed: 05-Sep-2015 **Bypass:** Shutoffs: (vv),xx,ooo,pppp,rrrrr Type: RP Manufacturer: Watts Model: LF919AQT Size: 1 1/4 Orientation: VUVD Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 05-Sep-2006 Renewed: 05-Sep-2015 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF919AQT Size: 1 1/2 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 12-Apr-2006 Renewed: 12-Apr-2015 **Bypass:** Shutoffs: (vv),xx,ooo,pppp,rrrrr Type: RP Manufacturer: Watts

Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 12-Apr-2015 Model: LF919AQT Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Watts	Model: LF919AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Renewed: 12-Apr-2015	Bypass:

Type: RP Manufacturer: Watts Model: LF919QT Size: 1 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 12-Apr-2015 Approved: 12-Apr-2006 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF919QT Size: 1 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 30-Aug-2015 Approved: 30-Aug-2006 Bypass: **Shutoffs:** (vv),xx,ooo,pppp,rrrrr Type: RP Manufacturer: Watts Model: LF919QT Size: 1 Orientation: VD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 30-Aug-2006 Renewed: 30-Aug-2015 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF919QT Size: 1 1/4 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 12-Apr-2006 Renewed: 12-Apr-2015 **Bypass:** Shutoffs: (vv),xx,ooo,pppp,rrrrr Type: RP Manufacturer: Watts Model: LF919QT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 12-Apr-2006 Renewed: 12-Apr-2015 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF919QT Size: 1 1/4 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 30-Aug-2006 Renewed: 30-Aug-2015 **Bypass:** Shutoffs: (vv),xx,ooo,pppp,rrrrr Model: LF919QT Type: RP Manufacturer: Watts Size: 1 1/4 Orientation: VD Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 30-Aug-2006 Renewed: 30-Aug-2015 Bypass:

Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2015 Model: LF919QT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP Size: 2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015 Model: LF919QT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (hhhh),rrrrr	Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2015	Model: LF919QT Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: LF919ZQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Renewed: 14-Jun-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: LF919ZQT
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919ZQT
Size: 1 1/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919ZQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919ZQT
Size: 2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LFU919AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:

Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 3/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: hhhh

Approved: 12-Apr-2006

Approved: 12-Apr-2006

Approved: 12-Apr-2006

Approved: 12-Apr-2006

Shutoffs: (vv),xx,ooo,pppp

Shutoffs: (vv),xx,ooo,pppp

Type: RP

Manual: 9

Type: RP

Manual: 9

Type: RP

Size: 1 1/4

Manual: 9

Type: RP

Size: 1 1/4

Manual: 9

Type: RP

Size: 1 1/2

Manual: 9

Shutoffs: hhhh

Shutoffs: hhhh

Size: 1

Size: 1

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Jun-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 12-Apr-2015

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Approved: 12-Apr-2006

Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 12-Apr-2015 Model: LFU919AQT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 2 Manual: 9	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No	Model: LFU919AQT Meters: Spare Parts Only: No
Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp	Renewed: 12-Apr-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: LFU919AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Apr-2006 Shutoffs: hhhh	Renewed: 12-Apr-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: LFU919QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006 Shutoffs: (vv),xx,000,pppp	Renewed: 12-Apr-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: LFU919QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Apr-2006 Shutoffs: hhhh	Renewed: 12-Apr-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: LFU919QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,pppp		
Type: RP	Manufacturer: Watts	Model: LFU919QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Aug-2006 Shutoffs: hhhh	Renewed: 30-Aug-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: LFU919QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,pppp		

Type: RP Size: 1 1/4 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Type: RP Size: 1 1/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,000,pppp

Type: RP Size: 1 1/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: hhhh

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,000,pppp

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Type: RP Size: 1 1/2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 1 1/2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: hhhh Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2015 Model: LFU919QT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2015 Manufacturer: Watts	Model: LFU919QT Meters: Spare Parts Only: No Bypass: Model: LFU919QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Apr-2006 Shutoffs: hhhh	Renewed: 12-Apr-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: LFU919QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,pppp		
Type: RP	Manufacturer: Watts	Model: LFU919QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Aug-2006 Shutoffs: hhhh	Renewed: 30-Aug-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: SS009M3QT
Size: 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 19-Dec-2001 Shutoffs: (hhh)	Renewed: 19-Dec-2013	Bypass:
Type: RP	Manufacturer: Watts	Model: SS009M3QT
Size: 3/8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 19-Dec-2001 Shutoffs: (hhh)	Renewed: 19-Dec-2013	Bypass:
Type: RP	Manufacturer: Watts	Model: SS009M3QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 19-Dec-2001	Renewed: 19-Dec-2013	Bypass:
Shutoffs: (hhh)		

Type: RP Size: 3/4 Manual: 9 Approved: 31-Jul-2001 Shutoffs: (hhh)	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 31-Jul-2013	Model: SS009M3QT Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: SS009QT
Size: 1	Orientation: H	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved: 18-May-1998 Shutoffs: (hhh)	Renewed: 18-May-2013	Bypass:
Type: RP	Manufacturer: Watts	Model: U009APCQT
Size: 3/4	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009APCQT
Size: 3/4	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009APCQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009APCQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009APCQT
Size: 1	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: RP Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 10-Dec-2014	Model: U009APCQT Meters: Spare Parts Only: Yes Bypass:
Type: RP	Manufacturer: Watts	Model: U009APCQT
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993 Shutoffs: vv,xx,ooo,hhhh,pppp	Renewed: 10-Dec-2014	Bypass:
Type: RP	Manufacturer: Watts	Model: U009APCQT
Size: 1	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992	Renewed: 12-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992	Renewed: 12-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992	Renewed: 12-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992	Renewed: 12-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 1	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1992	Renewed: 12-Jun-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 1	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1992	Renewed: 12-Jun-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1992	Renewed: 12-Jun-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 1	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1992	Renewed: 12-Jun-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 1 1/2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 1 1/2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: RP Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 27-Sep-2015	Model: U009M1APCQT Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 27-Sep-2015	Model: U009M1APCQT Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 27-Sep-2015	Model: U009M1APCQT Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 27-Sep-2015	Model: U009M1APCQT Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 27-Sep-2015	Model: U009M1APCQT Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 1 1/2 Manual: 8 Approved: 16-Dec-1992 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 16-Dec-2013	Model: U009M1AQT Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 1 1/2 Manual: 8 Approved: 16-Dec-1992 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 16-Dec-2013	Model: U009M1AQT Meters: Spare Parts Only: Yes Bypass:

Type: RP	Manufacturer: Watts	Model: U009M1AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Dec-1992	Renewed: 16-Dec-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1AQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Dec-1992	Renewed: 16-Dec-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1AQT
Size: 2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Nov-1992	Renewed: 09-Nov-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1AQT
Size: 2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Nov-1992	Renewed: 09-Nov-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Nov-1992	Renewed: 09-Nov-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1AQT
Size: 2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Nov-1992	Renewed: 09-Nov-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1PCQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Turner DD	No Constant VA/o/4-	
Type: RP Size: 1 1/2	Manufacturer: Watts Orientation: H	Model: U009M1PCQT Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	Reliewed. 27-36p-2013	Dypass.
Type: RP	Manufacturer: Watts	Model: U009M1PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 30-Jun-1992	Renewed: 30-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1992	Renewed: 30-Jun-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1QT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1992	Renewed: 30-Jun-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1	Orientation: VDVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1	Orientation: VDVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 2	Orientation: VDVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 2	Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 26-Aug-2015 Manufacturer: Watts Orientation: VUVD	Model: U009M2APCQT Meters: Spare Parts Only: No Bypass: Model: U009M2APCQT Meters:
Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp	0.25% Pb: No Renewed: 26-Aug-2015	Spare Parts Only: No Bypass:
Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 26-Aug-2015	Model: U009M2APCQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 9 Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 15-Jan-2014	Model: U009M2AQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 9 Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 15-Jan-2014	Model: U009M2AQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 9 Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Jan-2014	Model: U009M2AQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 9 Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 15-Jan-2014	Model: U009M2AQT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 1 1/2 Manual: 8 Approved: 24-Aug-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 24-Aug-2014 Manufacturer: Watts	Model: U009M2AQT Meters: Spare Parts Only: No Bypass: Model: U009M2AQT
Type: RP Size: 1 1/2	Orientation: VDVU	Model: 0009MZAQ1 Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP Size: 1 1/2 Manual: 8 Approved: 24-Aug-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 24-Aug-2014	Model: U009M2AQT Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 24-Aug-2014	Bypass:
Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997	Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 26-Aug-2015	Model: U009M2AQT Meters: Spare Parts Only: No Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 26-Aug-2015	Model: U009M2AQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 26-Aug-2015	Model: U009M2AQT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 26-Aug-2015	Model: U009M2AQT Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: U009M2PCQT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2PCQT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2QT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Nov-1992	Renewed: 16-Nov-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Watts	Model: U009M2QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: RP Manufacturer: Watts Model: U009QT Size: 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 02-Feb-1995 Renewed: 02-Feb-2016 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009QT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Renewed: 11-Jan-2015 Approved: 11-Jan-1988 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009QT Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009QT Size: 1 1/4 Orientation: H Meters: Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 09-Aug-1988 Renewed: 09-Aug-2015 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009QT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 09-Aug-1988 Renewed: 09-Aug-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009QT Size: 2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 7 Approved: 09-Aug-1988 Renewed: 09-Aug-2015 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009SSPCQT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 10-Dec-1993 Renewed: 10-Dec-2014 Bypass: Shutoffs: vv,xx,pppp

Type: RP Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,pppp

- Type: RP Size: 1 1/4 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp
- Type: RP Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp
- Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: RP Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: RP Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: RP Size: 1 1/4 Manual: 7 Approved: 09-Aug-1988 Shutoffs: vv,xx,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Aug-2015 Model: U009SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass:

Type: RP Manufacturer: Watts Size: 1 1/2 Orientation: H 0.25% Pb: No Manual: 7 Renewed: 09-Aug-2015 Approved: 09-Aug-1988 Shutoffs: vv,xx,pppp Type: RP Manufacturer: Watts Size: 2 Orientation: H 0.25% Pb: No Manual: 7 Renewed: 09-Aug-2015 Approved: 09-Aug-1988 Shutoffs: vv,xx,pppp Type: RP Manufacturer: Watts Size: 3/4 Orientation: H 0.25% Pb: No Manual: 5 Approved: 29-Sep-1979 Renewed: 29-Sep-2015 **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts

Size: 1 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RPManufacturer: WattsSize: 3/4Orientation: HManual: 90.25% Pb: NoApproved: 09-Oct-1998Renewed: 09-Oct-2013Shutoffs: (vv),xx,ooo,hhhh,pppp

Notes: Approved 6th Ed. (15 Jan 1982), 9th Ed. Approval for S/N 464100 and higher

Orientation: H

0.25% Pb: No

Renewed: 29-Sep-2015

Type: RP Size: 3/4 Manual: 9 Approved: 09-Oct-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: S/N 464100 and greater

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 09-Oct-2013 Model: U909QT Meters: Spare Parts Only: No Bypass:

Model: U909HWQT Meters: Spare Parts Only: No

Model: U909HWQT Meters:

Spare Parts Only: No

Bypass:

Bypass:

Meters:

Bypass:

Model: U909QT

Spare Parts Only: No

Meters: Spare Parts Only: Yes Bypass:

Model: U009SSQT

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass:

Type: RP	Manufacturer: Watts	Model: U909QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 09-Oct-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Notes: Approved 6th Ed. (15 Jan 19	982), 9th Ed. Approval for S/N 464100	0 and higher
Type: RP	Manufacturer: Watts	Model: U909QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 09-Oct-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Notes: S/N 464100 and greater		
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP Size: 2 Manual: 9 Approved: 01-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 01-Jun-2015	Model: U919AQT Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP Size: 2	Manufacturer: Watts Orientation: H	Model: U919QT
Size: 2 Manual: 9	0.25% Pb: No	Meters: Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2011	Renewed: 06-Apr-2014	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2013	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2013	Bypass:
Shutoffs: (int)		

Type: RP	Manufacturer: Wilkins	Model: 375
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2013	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Sep-2001	Renewed: 28-Sep-2013	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number L67	uu,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205	vwww,yyyy,zzzz,kkkkk
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
		_
	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,sss	s,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass:
Shutoffs: (gg),hh,ppp,qqq,sss Notes: Serial number L61205 a	s,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass: Model: 375
Shutoffs: (gg),hh,ppp,qqq,sss Notes: Serial number L61205 a Type: RP	s,tttt,vvvv,wwww,yyyy,zzzz,kkkkk and higher	
Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3	s,tttt,vvvv,wwww,yyyy,zzzz,kkkkk and higher Manufacturer: Wilkins	Model: 375
Shutoffs: (gg),hh,ppp,qqq,sss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9	s,tttt,vvvv,wwww,yyyy,zzzz,kkkkk and higher Manufacturer: Wilkins Orientation: H	Model: 375 Meters:
Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001	s,tttt,vvvv,wwww,yyyy,zzzz,kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	Model: 375 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number L64	s,tttt,vvvv,wwww,yyyy,zzzz,kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	Model: 375 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,sss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number L67	s,tttt,vvvv,wwww,yyyy,zzzz,kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	Model: 375 Meters: Spare Parts Only: No Bypass: vwww,yyyy,zzzz,kkkkk
Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number L67 Type: RP Size: 3	s,tttt,vvvv,wwww,yyyy,zzzz,kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins	Model: 375 Meters: Spare Parts Only: No Bypass: vwww,yyyy,zzzz,kkkkk
Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number L67 Type: RP Size: 3 Manual: 9	s,tttt,vvvv,wwww,yyyy,zzzz,kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H	Model: 375 Meters: Spare Parts Only: No Bypass: vwww,yyyy,zzzz,kkkkk Model: 375 Meters:
Shutoffs: (gg),hh,ppp,qqq,sss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number L67 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010	s,tttt,vvvv,wwww,yyyy,zzzz,kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 375 Meters: Spare Parts Only: No Bypass: vwww,yyyy,zzzz,kkkkk Model: 375 Meters: Spare Parts Only: No
Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number L67 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss	s,tttt,vvvv,www,yyyy,zzzz,kkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 s,tttt,vvvv,www,yyyy,zzzz,kkkkk	Model: 375 Meters: Spare Parts Only: No Bypass: vwww,yyyy,zzzz,kkkkk Model: 375 Meters: Spare Parts Only: No
Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number L67 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a	s,tttt,vvvv,www,yyyy,zzzz,kkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 s,tttt,vvvv,www,yyyy,zzzz,kkkkk	Model: 375 Meters: Spare Parts Only: No Bypass: vwww,yyyy,zzzz,kkkkk Model: 375 Meters: Spare Parts Only: No
Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number L67 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP	s,tttt,vvvv,www,yyyy,zzzz,kkkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 s,tttt,vvvv,www,yyyy,zzzz,kkkkk	Model: 375 Meters: Spare Parts Only: No Bypass: www.yyyyy,zzzz,kkkkk Model: 375 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,sss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number L67 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010	s,tttt,vvvv,wwww,yyyy,zzzz,kkkk and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,w 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 s,tttt,vvvv,wwww,yyyy,zzzz,kkkkk and higher Manufacturer: Wilkins	Model: 375 Meters: Spare Parts Only: No Bypass: wwww,yyyy,zzzz,kkkkk Model: 375 Meters: Spare Parts Only: No Bypass: Model: 375

Size: 4Orientation: HManual: 90.25% Pb: YesApproved: 09-Sep-2010Renewed: 09-Sep-2013Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyy,zzzz,klNotes: Serial number L61205 and higherType: RPManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: NoApproved: 27-Jul-2000Renewed: 27-Jul-2015Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeNotes: Up to serial number L61205Type: RPManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: YesApproved: 09-Sep-2010Renewed: 09-Sep-2013Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyy,zzzz,klNotes: Serial number L61205 and higher	Model: 375 Meters: Spare Parts Only: No Bypass: eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375 Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010Renewed: 09-Sep-2013Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyy,zzzz,klNotes: Serial number L61205 and higherType: RPManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: NoApproved: 27-Jul-2000Renewed: 27-Jul-2015Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,etNotes: Up to serial number L61205Type: RPManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: YesApproved: 09-Sep-2010Renewed: 09-Sep-2013Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyy,zzzz,kl	Bypass: Kkkk Model: 375 Meters: Spare Parts Only: No Bypass: weeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,klNotes:Serial number L61205 and higherType:RPManufacturer:Type:RPOrientation:Size:6Orientation:Manual:90.25% Pb: NoApproved:27-Jul-2000Renewed:Shutoffs:(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eNotes:Up to serial number L61205Type:RPManufacturer:Manual:90.25% Pb: YesApproved:09-Sep-2010Renewed:Shutoffs:(gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kl	<pre>kkkk Model: 375 Meters: Spare Parts Only: No Bypass: eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375 Meters: Spare Parts Only: No Bypass:</pre>
Notes: Serial number L61205 and higherType: RPManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: NoApproved: 27-Jul-2000Renewed: 27-Jul-2015Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eNotes: Up to serial number L61205Type: RPManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: YesApproved: 09-Sep-2010Renewed: 09-Sep-2013Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyy,zzzz,kl	Model: 375 Meters: Spare Parts Only: No Bypass: eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375 Meters: Spare Parts Only: No Bypass:
Type: RPManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: NoApproved: 27-Jul-2000Renewed: 27-Jul-2015Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eNotes: Up to serial number L61205Type: RPManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: YesApproved: 09-Sep-2010Renewed: 09-Sep-2013Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyy,zzzz,kl	Meters: Spare Parts Only: No Bypass: eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375 Meters: Spare Parts Only: No Bypass:
Size: 6Orientation: HManual: 90.25% Pb: NoApproved: 27-Jul-2000Renewed: 27-Jul-2015Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eNotes: Up to serial number L61205Type: RPManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: YesApproved: 09-Sep-2010Renewed: 09-Sep-2013Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kl	Meters: Spare Parts Only: No Bypass: eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375 Meters: Spare Parts Only: No Bypass:
Manual: 90.25% Pb: NoApproved: 27-Jul-2000Renewed: 27-Jul-2015Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eNotes: Up to serial number L61205Type: RPManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: YesApproved: 09-Sep-2010Renewed: 09-Sep-2013Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyy,zzzz,kl	Spare Parts Only: No Bypass: weee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375 Meters: Spare Parts Only: No Bypass:
Approved: 27-Jul-2000Renewed: 27-Jul-2015Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eNotes: Up to serial number L61205Type: RPManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: YesApproved: 09-Sep-2010Renewed: 09-Sep-2013Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kl	Bypass: weee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,e Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Size: 6 Orientation: H Manual: 9 0.25% Pb: Yes Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kl	weee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375 Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number L61205Type: RPManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: YesApproved: 09-Sep-2010Renewed: 09-Sep-2013Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kl	Model: 375 Meters: Spare Parts Only: No Bypass:
Type: RPManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: YesApproved: 09-Sep-2010Renewed: 09-Sep-2013Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kl	Meters: Spare Parts Only: No Bypass:
Size: 6Orientation: HManual: 90.25% Pb: YesApproved: 09-Sep-2010Renewed: 09-Sep-2013Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kk	Meters: Spare Parts Only: No Bypass:
Manual: 9 0.25% Pb: Yes Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kl	Spare Parts Only: No Bypass:
Approved:09-Sep-2010Renewed:09-Sep-2013Shutoffs:(gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kl	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kl	
	<u>kkkk</u>
Notes: Serial number L61205 and higher	
Type: RP Manufacturer: Wilkins	Model: 375
Size: 8 Orientation: H	Meters:
Manual: 9 0.25% Pb: No	Spare Parts Only: No
Approved: 11-Nov-2002 Renewed: 11-Nov-2014	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,e	eee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Notes: Up to serial number L61205	
Type: RP Manufacturer: Wilkins	Model: 375
Size: 8 Orientation: H	Meters:
Manual: 9 0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010 Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kl	<kkk< td=""></kkk<>
Notes: Serial number L61205 and higher	
Type: RP Manufacturer: Wilkins	Model: 375
Size: 10 Orientation: H	Meters:
Manual: 9 0.25% Pb: No	Spare Parts Only: No
Approved: 22-Nov-2004 Renewed: 22-Nov-2013	Bypass:

Type: RP	Manufacturer: Wilkins	Model: 375
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkk	(
Notes: Serial number L61205 an	d higher	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,zz	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,IIIII
Notes: Up to serial number X188	05	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	I
		l
Notes: Serial number X18805 an		I Model: 375A
Notes: Serial number X18805 an	id higher	
Notes: Serial number X18805 an Type: RP Size: 3	nd higher Manufacturer: Wilkins	Model: 375A
Notes: Serial number X18805 an Type: RP Size: 3 Manual: 9	Manufacturer: Wilkins Orientation: H	Model: 375A Meters:
lotes: Serial number X18805 an Type: RP Size: 3 Manual: 9 Approved: 20-Oct-2008	Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 375A Meters: Spare Parts Only: No Bypass:
Notes: Serial number X18805 an Type: RP Size: 3 Manual: 9 Approved: 20-Oct-2008 Shutoffs: (ppp),qqq,sss,ttt,yyy,zz	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Model: 375A Meters: Spare Parts Only: No Bypass:
Notes: Serial number X18805 an Type: RP Size: 3 Manual: 9 Approved: 20-Oct-2008 Shutoffs: (ppp),qqq,sss,ttt,yyy,zz Notes: Up to serial number X188	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Model: 375A Meters: Spare Parts Only: No Bypass:
Notes: Serial number X18805 an Type: RP Size: 3 Manual: 9 Approved: 20-Oct-2008 Shutoffs: (ppp),qqq,sss,ttt,yyy,zz Notes: Up to serial number X188 Type: RP	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Model: 375A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII
Notes: Serial number X18805 an Type: RP Size: 3 Manual: 9 Approved: 20-Oct-2008 Shutoffs: (ppp),qqq,sss,ttt,yyy,zz Notes: Up to serial number X188 Type: RP Size: 3	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 005 Manufacturer: Wilkins	Model: 375A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 375A
Notes: Serial number X18805 an Type: RP Size: 3 Manual: 9 Approved: 20-Oct-2008 Shutoffs: (ppp),qqq,sss,ttt,yyy,zz Notes: Up to serial number X188 Type: RP Size: 3 Manual: 9	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 305 Manufacturer: Wilkins Orientation: H	Model: 375A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 375A Meters:
Notes: Serial number X18805 an Type: RP Size: 3 Manual: 9 Approved: 20-Oct-2008 Shutoffs: (ppp),qqq,sss,ttt,yyy,zz Notes: Up to serial number X188 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 305 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 375A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 375A Meters: Spare Parts Only: No Bypass:
Notes: Serial number X18805 an Type: RP Size: 3 Manual: 9 Approved: 20-Oct-2008 Shutoffs: (ppp),qqq,sss,ttt,yyy,zz Notes: Up to serial number X188 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 305 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	Model: 375A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 375A Meters: Spare Parts Only: No Bypass:
Notes: Serial number X18805 an Type: RP Size: 3 Manual: 9 Approved: 20-Oct-2008 Shutoffs: (ppp),qqq,sss,ttt,yyy,zz Notes: Up to serial number X188 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number X18805 an	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 305 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	Model: 375A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 375A Meters: Spare Parts Only: No Bypass:
Notes: Serial number X18805 an Type: RP Size: 3 Manual: 9 Approved: 20-Oct-2008 Shutoffs: (ppp),qqq,sss,ttt,yyy,zz Notes: Up to serial number X188 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number X18805 an Type: RP	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 005 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,llll ad higher	Model: 375A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 375A Meters: Spare Parts Only: No Bypass:
Notes: Serial number X18805 an Type: RP Size: 3 Manual: 9 Approved: 20-Oct-2008 Shutoffs: (ppp),qqq,sss,ttt,yyy,zz Notes: Up to serial number X188 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 005 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll d higher Manufacturer: Wilkins	Model: 375A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 375A Meters: Spare Parts Only: No Bypass: I Model: 375A
Notes: Serial number X18805 an Type: RP Size: 3 Manual: 9 Approved: 20-Oct-2008 Shutoffs: (ppp),qqq,sss,ttt,yyy,zz Notes: Up to serial number X188 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number X18805 an Type: RP Size: 4	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 305 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII d higher Manufacturer: Wilkins Orientation: H	Model: 375A Meters: Spare Parts Only: No Bypass: a,kkkkkk,IIIII Model: 375A Meters: Spare Parts Only: No Bypass: I Model: 375A Meters:

Size: 4	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:	
Shutoffs: (ppp),qqq,sss,ttt,www,y	/yy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	ı,kkkk,IIIII	
Notes: Serial number X18805 and	d higher		
Type: RP	Manufacturer: Wilkins	Model: 375A	
Size: 6	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 25-Nov-2003	Renewed: 25-Nov-2015	Bypass:	
Shutoffs: (ppp),qqq,sss,ttt,www,y	/yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,IIIII	
Notes: Up to serial number X188			
Type: RP	Manufacturer: Wilkins	Model: 375A	
Size: 6	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:	
	/yy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa		
Notes: Serial number X18805 and			
Type: RP	Manufacturer: Wilkins	Model: 375A	
Size: 8	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 15-Jun-2004	Renewed: 15-Jun-2013	Bypass:	
Shutoffs: (ppp),qqq,sss,ttt,www,y	/yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,lllll	
Notes: Up to serial number X188			
Type: RP	Manufacturer: Wilkins	Model: 375A	
Size: 8	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:	
Shutoffs: (ppp),qqq,sss,ttt,www,y	/yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	:kk,!!!!!	
Notes: Serial number X18805 and	d higher		
Type: RP	Manufacturer: Wilkins	Model: 375A	
Size: 10	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 02-Mar-2007	Renewed: 02-Mar-2016	Bypass:	
	/yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,		
Notes: Up to serial number X188			

Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkł	kkk,IIIII
Notes: Serial number X18805 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,IIIII
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkk,IIIII
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,IIIII
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,IIIII
	Manufacturer: Wilkins	Model: 375AMS
Type: RP		
Type: RP Size: 8	Orientation: H	Meters:
	Orientation: H 0.25% Pb: Yes	Meters: Spare Parts Only: No

Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,IIIII
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,z	zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,IIIII
Notes: Integral grooved spool b serial number X18805	etween the #2 ck and #2 SOV - assembl	y length: min. 34 1/4" and max. 47 1/8" Up to
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lll	П
Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" ar	•	gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,z	zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkk,llll
Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" ar		gral grooved spool between the #2 ck and #2
	Manufacturer: Wilkins	Model: 375AR
Type: RP		
Type: RP Size: 3	Orientation: H	Meters:

Approved: 09-Sep-2010

0.25% Pb: YesSpare Parts Only: NoRenewed: 09-Sep-2013Bypass:

Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No G00110 an	d higher approved. These have an Inte	gral grooved spool between the #2 ck and #2
SOV with length: min. 34 1/4" and	max. 47 1/8"	
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No G00110 an	d higher approved. These have an Inte	gral grooved spool between the #2 ck and #2
SOV with length: min. 35 3/4" and	max. 62 1/4"	
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No G00110 an	d higher approved. These have an Inte	gral grooved spool between the #2 ck and #2
SOV with length: min. 34 1/4" and	max. 47 1/8"	
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No G00110 an	d higher approved. These have an Inte	gral grooved spool between the #2 ck and #2
SOV with length: min. 42 1/2" and	max. 71 1/4"	
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:

Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No G00110 a	nd higher approved. These have an Inte	gral grooved spool between the #2 ck and #2
SOV with length: min. 57 7/8" an	d max. 86"	
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an	• • • •	gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No G00110 a SOV with length: min. 61 3/8" an		gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,st	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	I
Notes: These have an Integral g	rooved spool between the #2 ck and #2	SOV with length: min. 34 1/4" and max. 47 1/8"
Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,st	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	I

Notes: These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 48 1/8"

Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: These have an Integral g	rooved spool between the #2 ck and #2	SOV with length: min. 35 3/4" and max. 62 1/4"
Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: These have an Integral g	rooved spool between the #2 ck and #2	SOV with length: min. 42 1/2" and max. 71 1/4"
Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: These have an Integral gr	rooved spool between the #2 ck and #2	SOV with length: min. 57 7/8" and max. 86"
Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: These have an Integral g	rooved spool between the #2 ck and #2	SOV with length: min. 61 3/8" and max. 100 5/8"
Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,zz	zz,dddd	

SOV with length: min. 34 1/4" and max. 47 1/8"

Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd	
Notes: Only Serial No G00110 a SOV with length: min. 35 3/4" an		gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,уууу,ааааа
Notes: Only Serial No G00110 a SOV with length: min. 42 1/2" an	• • • •	gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa
Notes: Only Serial No G00110 a SOV with length: min. 57 7/8" an	• • • •	gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,уууу,ааааа
Notes: Only Serial No G00110 a SOV with length: min. 61 3/8" an	• • • •	gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,уууу,ааааа
	etween the #2 ck and #2 SOV - assembly	

Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-May-2012	Renewed: 31-May-2015	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Nov-2013	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 26-Nov-2013	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	

Shutoffs: (yyy),ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll

Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,IIIII	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,IIIII	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,IIIII	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,IIIII	
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 47 1/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 34 1/4" and max.

Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,IIIII	
Notes: Integral Stainless Steel g 48 1/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 34 3/4" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-May-2012	Renewed: 31-May-2015	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 62 1/4"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 35 3/4" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 1/4"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 46" and max. 71
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 86"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 48 3/4" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 100 5/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 52 5/8" and max.

Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2	2 SOV - assembly length: min. 31" and max. 47
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 48 1/8"	rooved spool between the #2 ck and #2	2 SOV - assembly length: min. 31 1/2" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 62 1/4"	rooved spool between the #2 ck and #2	2 SOV - assembly length: min. 32 5/8" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 1/4"	rooved spool between the #2 ck and #2	2 SOV - assembly length: min. 39" and max. 71
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 48 3/4" and max. 86"

Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,xxx	x,yyyy,aaaaa,kkkkk,IIIII	
Notes: Integral Stainless Steel groc 100 5/8"	ved spool between the #2 ck and #2	SOV - assembly length: min. 52 5/8" and max.
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: dddd		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,zzz		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: dddd		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,zzz		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: dddd,eeee	-	

Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	3
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	3
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:

Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	vwww,yyyy,zzzz,kkkkk
Notes: Up to serial number L612	05	
Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,tt	ttt,vvvv,wwww,yyyy,zzzz,kkkkk	
Notes: Serial number L61205 an	d higher	
Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	ı,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	vwww,yyyy,zzzz,kkkkk
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612		vwww,yyyy,zzzz,kkkkk
Notes: Up to serial number L612		www,yyyy,zzz,kkkkk Model: 375MS
Notes: Up to serial number L612	05	
Notes: Up to serial number L612 Type: RP Size: 3	05 Manufacturer: Wilkins	Model: 375MS
Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9	05 Manufacturer: Wilkins Orientation: H	Model: 375MS Meters:
Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9	05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013	Model: 375MS Meters: Spare Parts Only: No
Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013	Model: 375MS Meters: Spare Parts Only: No
Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,tt	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013	Model: 375MS Meters: Spare Parts Only: No
Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Serial number L61205 an Type: RP	05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ttt,vvvv,www,yyyy,zzzz,kkkkk d higher	Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Serial number L61205 an Type: RP Size: 4	05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ttt,vvvv,wwww,yyyy,zzzz,kkkk d higher Manufacturer: Wilkins	Model: 375MS Meters: Spare Parts Only: No Bypass: Model: 375MS
Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Serial number L61205 an Type: RP Size: 4 Manual: 9	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ttt,vvvv,wwww,yyyy,zzzz,kkkk d higher Manufacturer: Wilkins Orientation: H	Model: 375MS Meters: Spare Parts Only: No Bypass: Model: 375MS Meters:
Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Serial number L61205 an Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ttt,vvvv,www,yyyy,zzzz,kkkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 375MS Meters: Spare Parts Only: No Bypass: Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Serial number L61205 an Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ttt,vvvv,www,yyyy,zzzz,kkkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015	Model: 375MS Meters: Spare Parts Only: No Bypass: Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Serial number L61205 an Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ttt,vvvv,www,yyyy,zzzz,kkkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015	Model: 375MS Meters: Spare Parts Only: No Bypass: Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Serial number L61205 an Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612 Type: RP	05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ttt,vvvv,wwww,yyyy,zzzz,kkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 05	Model: 375MS Meters: Spare Parts Only: No Bypass: Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Serial number L61205 an Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ttt,vvvv,wwww,yyyy,zzzz,kkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 05 Manufacturer: Wilkins	Model: 375MS Meters: Spare Parts Only: No Bypass: Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Serial number L61205 an Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612 Type: RP Size: 4	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ttt,vvvv,www,yyyy,zzzz,kkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 05 Manufacturer: Wilkins Orientation: H	Model: 375MS Meters: Spare Parts Only: No Bypass: Model: 375MS Meters: Spare Parts Only: No Bypass: s,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk

Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (gg),ee,ff,hh,II,mm,ti,uu,y,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyy,zzzz,kkkkNotes: Up to serial number L61205Type: RPManufacturer: WilkinsModel: 375MSSize: 6Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qq,vvv,www,zzz,ssss.ttt,vvvv,wwww,yyy,zzzz,kkkkNodel: 375MSNotes: Serial number L61205 and higherType: RPManufacturer: WilkinsManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (gg),ee,ff,hh,II,mm,ti,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss.ttt,vvvv,wwww,yyyy,zzzz,kkkkkNotes: Serial number L61205Type: RPManufacturer: WilkinsModel: 375MSSize: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 03-Jul-2013Bypass:Shutoffs: (gg),hh,ppp,qq,vvv,www.ssss.tttt,vvvv,www.yyyy,zzzz,kkkkkNodel: 375MSSize: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qq,vvv,www.ssss.tttt,vvvv,www.yyyy,zzzz,kkkkkNodel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: No <th>Type: RP</th> <th>Manufacturer: Wilkins</th> <th>Model: 375MS</th>	Type: RP	Manufacturer: Wilkins	Model: 375MS
Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (gg),ee,if,hh,ll,mm,t,uu,y,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,ttt,vvvv,wwww,yyy,zzz,kkkkk Model: 375MS Type: RP Manufacturer: Wilkins Model: 375MS Size: 6 Orientation: H Meters: Manual: 9 0.25%, Pb; Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg), hn,pp, qq, vvv, www, zzz, sss, ttt, vvvv, wwww, yyyy, zzzz, kkkkk Nodel: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25%, Pb; No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (gg), ee, ff, hh, II, mm, t, uu, yy, zz, ppp, qq, vvv, www, zzz, dddd, eeee, ssss, ttt, vvvv, www.yyyy, zzzz, kkkkk Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25%, Pb; Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg), hp,p, qqq, vvv, www, ssss, ttt, vvvv, wwww, yyy, zzzz, kkkkk Notes: Serial number L61205 and higher Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Manual: 9 0.	Size: 6	Orientation: H	Meters:
Shutoffs: (gg),ee,ff,hh.ll,mm,tLuu.yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttl,vvvv,wwww,yyy,zzzz,kkkkk Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 6 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qq,vvv,www,zzz,ssss,ttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Serial number L61205 Manufacturer: Wilkins Model: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tLuu.yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttl,vvvv,www,yyyy,zzzz,kkkkk Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 8 Orientation: H Meters: Shutoffs: (gg),ee,ff,hh,ll,mm,tLuu.yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttl,vvvv,www,yyy,zzzz,kkkkk Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss;tttl,vvvv,www.yyyy,zzzz,kkkkk Notes: Up to serial number L61205 Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 29-Mar-2005 Renewed: 29-Mar-2014 Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tLuu.yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttl,vvvv,www.yyy,zzzz,kkkkk Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 29-Mar-2005 Renewed: 29-Mar-2014 Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tLuu.yy,zz,ppp,qqp,vv,www,zzz,dddd,eeee,ssss,tttl,vvv,www.yyy,zzzz,kkkkk Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qqq,vv,www,ssss,tttl,vvvv,www,yyy,zzzz,kkkkk	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 6 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh.ppp, qq, vvv, www.zzz, ssss,tttl, vvvv, www.yyyy, zzzz, kkkkk Nodel: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (gg),ee,ff,hh.Jl.mm,tt.uu,yy,zz,ppp, qq,vvv, www.zzz,dddd,eeee,ssss.tttl,vvvv, www.yyyy,zzzz,kkkkk Nodel: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),bh.ppp, qqq,vvv, www.ssss.tttl,vvvv, wwww.yyyy,zzzz,kkkkk Nodel: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),ee,(f,hh,l,mm,tt.uu,yy,zz,ppp, qqq,vvv, www.yzzz,zdddd,eeeee,ssss,tttl,vvvv, wwww,yyy,zzzz,kkkkk	Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Type: RP Manufacturer: Wilkins Model: 375MS Size: 6 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hn,ppp, qqq, vvv, www,zzz, sss, tttl, vvvv, www, yyyy,zzzz, kkkkk Nodel: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (gg),ee, ff, hh, I, mm, tt, uu, yy, zz, ppp, qqq, vvv, www, zzz, dddd, eeee, ssss.tttl, vvvv, wwww. yyyy, zzzz, kkkkk Nodel: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hn,pp, qqq, vvv, www,ssss, tttl, vvvv, wwww,yyy, zzzz, kkkkk Nodel: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg), hh, pp, qqq, vvv, www,ssss, tttl, vvvv, www.yyyy, zzzz, kkkkk Nodel: 375MS Size: 10 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 29-	Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Namual: 9Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh.ppp.qqq.vvv,www.zzz,ssss.ttt,vvv,wwww.yyyy,zzzz,kkkkkNodel: 375MSNotes: Serial number L61205 and higherModel: 375MSType: RPManufacturer: WilkinsModel: 375MSSize: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (gg),ee.ff.hh.jl.mm,tt.uu.yy.zz,pp,qqq.vvv,www.zzz,dddd,eeee,ssss.tttt,vvv.wwww.yyyy,zzzz,kkkkkNodel: 375MSNotes: Up to serial number L61205Type: RPManufacturer: WilkinsModel: 375MSSize: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh.ppp.qqq.vvv,www.yyyy,zzzz,kkkkkNodel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Mar-2005Renewed: 29-Mar-2014Bypass:Shutoffs: (gg), ef.fh.h.jl.mm.tt.uu.yy.zz.ppp.qqq.vvv,www.zzz.dddd,eeee,ssss.tttt,vvv,wwww.yyy,zzzz,kkkkkNodel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Mar-2005Renewed: 29-Mar-2014Bypass:Shutoffs: (gg), ef.fh.h.jl.mm.tt.uu.yy.zz.ppp.qqq.vvv,www.zzz.dddd,eeee,ssss.tttt.vvv,wwww.yyyy.zzzz.kkkkkNodel: 375MS <tr< th=""><th>Notes: Up to serial number L612</th><th>205</th><th></th></tr<>	Notes: Up to serial number L612	205	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,zzz,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkkNotes: Serial number L61205 and higherType: RPManufacturer: WilkinsModel: 375MSSize: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (gg),ee,ff,hh,ll,mn,tt,uu,yy,zz,pp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvv,wwww,yyy,zzzz,kkkkkNotes: Up to serial number L61205Type: RPManufacturer: WilkinsModel: 375MSManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkkNotes: Spare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkkkNotes: Serial number L61205Type: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Mar-2005Renewed: 29-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp,qqq,vvv,www,zzz,dddd,eeee,sss,tttt,vvvv,www,yyy,zzzz,kkkkkkNotel: 375MSNotes: Up to serial number L61205Size: 10Size: 10Type: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manuaf: 9<	Type: RP	Manufacturer: Wilkins	Model: 375MS
Approved:09-Sep-2010Renewed:09-Sep-2013Bypass:Shutoffs:(gg),hh,ppp,qqq,vvv,www,zzz,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkkNotes:Serial number L61205 and higherType:RPManufacturer:WilkinsModel:375MSSize:8Orientation:HMeters:Manual:90.25% Pb:NoSpare Parts Only:NoApproved:03-Jul-2003Renewed:03-Jul-2015Bypass:Shutoffs:(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www.yyyy,zzzz,kkkkkNotes:Notes:Up to serial number L61205Manufacturer:WilkinsModel:375MSSize:8Orientation:HMeters:Manual:90.25% Pb:NoSpare Parts Only:NoApproved:09-Sep-2010Renewed:09-Sep-2013Bypass:Shutoffs:(gg),hh,ppp,qq,vvv,www,yyy,zzzz,kkkkkNotel:375MSSize:10Orientation:HMeters:Manual:90.25% Pb:NoSpare Parts Only:NoApproved:29-Mar-2005Renewed:29-Mar-2014Bypass:Shutoffs:(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,sss,tttt,vvvv,www.yyyy,zzzz,kkkkkNotes:375MSSize:10Orientation:HMeters:Manual:90.25% Pb:NoSpare Parts Only:NoApproved:29-Mar-2005Renewed:29-Mar-2014Bypass:Shutoffs:(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vv	Size: 6	Orientation: H	Meters:
Shutoffs: (gg),hh,ppp.qq,vvv,www,zzz,ssss,ttt,vvvv,www.yyyy,zzzz,kkkkk Notes: Serial number L61205 and higher Type: RP Manufacturer: Wilkins Model: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkk Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),h,ppp,qq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 29-Mar-2005 Renewed: 29-Mar-2014 Bypass: Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttI,vvvv,wwww,yyy,zzzz,kkkkk Notel: 375MS Size: 10 Orientation: H	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Serial number L61205 and higher Type: RP Manufacturer: Wilkins Model: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,yy,zz,ppp,qqq,vvv,www.zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),h,ppp,qq,vvv,www,ssss,tttt,vvvv,www,wyyy,zzzz,kkkkk Notes: Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 29-Mar-2014 Bypass: Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,y,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkk Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 3	Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Type: RP Manufacturer: Wilkins Model: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www.zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkk Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,ttt,vvvv,wwww,yyyy,zzzz,kkkkk Nodel: 375MS Notes: Serial number L61205 and higher Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 29-Mar-2005 Renewed: 29-Mar-2014 Bypass: Shutoffs: (gg),ee,iff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk Nodel: 375MS Size: 10 Orientation: H Meters: Manuaa: 9 0.25% Pb: No Spare Parts Only: No Approved: (gg),ee,iff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk Notes: Up to serial number L61205	Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k	kkkk
Normal Size: 8Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkNotes: Up to serial number L61205Type: RPManufacturer: WilkinsModel: 375MSSize: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,tttt,vvvv,www.yyyy,zzzz,kkkkkNodel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),eh,fi,hh,ll,mm,ti,uu,yy,zz,ppp,qq,vvv,www,yyy,zzzz,kkkkkNodel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Mar-2005Renewed: 29-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,t,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www.yyyy,zzzz,kkkkkNodel: 375MSSize: 10Orientation: HMeters:Type: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shu	Notes: Serial number L61205 an	d higher	
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (gg),ee,ff,hh,ll,mn,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,ttt,vvvv,wwww,yyy,zzzz,kkkkkNotes: Up to serial number L61205Type: RPManufacturer: WilkinsModel: 375MSSize: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkkNotel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Mar-2005Renewed: 29-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,ttt,vvvv,www,yyy,zzzz,kkkkkNotel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Mar-2005Renewed: 29-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,ttt,vvvv,www,yyy,zzzz,kkkkkNotes: Up to serial number L61205Type: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Size: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass: <t< td=""><td>Type: RP</td><td>Manufacturer: Wilkins</td><td>Model: 375MS</td></t<>	Type: RP	Manufacturer: Wilkins	Model: 375MS
Approved:03-Jul-2003Renewed:03-Jul-2015Bypass:Shutoffs:(gg),ee,ff,hh,ll,mn,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkNotes:Up to serial number L61205Type:RPManufacturer:WilkinsModel:375MSSize:8Orientation:HMeters:Manual:90.25% Pb:YesSpare PartsOnly:NoApproved:09-Sep-2010Renewed:09-Sep-2013Bypass:Shutoffs:(gg),hh,ppp,qq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkNotes:Size:10Orientation:HManual:90.25% Pb:NoSpare PartsOnly:NoApproved:09-Sep-2010Renewed:09-Sep-2013Bypass:Shutoffs:Shutoffs:(gg),hh,ppp,qq,vvv,www,ssss,tttt,vvvv,www.yyyy,zzzz,kkkkkNodel:375MSSize:10Orientation:HMeters:Manual:90.25% Pb:NoSpare PartsOnly:NoApproved:29-Mar-2014Bypass:Shutoffs:(gg),e,ff,hh,ll,mn,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,ttt,vvvv,wwww,yyyy,zzzz,kkkkkNotes:Up to serial number L61205Type:RPManufacturer:WilkinsModel:375MSSize:10Orientation:HMeters:Manual:90.25% Pb:YesSpare PartsOnly:NoSize:10Orientation:HMeters:Manual:SpareManual:	Size: 8	Orientation: H	Meters:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Serial number L61205 and higher Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 29-Mar-2005 Renewed: 29-Mar-2014 Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt, vvvv,wwww,yyyy,zzzz,kkkkk Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt, vvvv,wwww,yyyy,zzzz,kkkkk Notes: Up to serial number L61205	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Serial number L61205 and higher Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 29-Mar-2005 Renewed: 29-Mar-2014 Bypass: Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss;tttt,vvvv,wwww,yyyy,zzzz,kkkkk Nodel: 375MS Size: 10 Orientation: H Meters: Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss;ttt,vvvv,www,yyyy,zzzz,kkkkk Nodel: 375MS Size: 10 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,ttt,vvvv,www,yyy,zzzz,kkkkk Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09	Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Type: RPManufacturer: WilkinsModel: 375MSSize: 8Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkNotes: Serial number L61205 and higherType: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Mar-2005Renewed: 29-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkNodel: 375MSSize: 10Orientation: HMeters:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkNotes: Up to serial number L61205Type: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkkSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyy,zzzz,kkkkkSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkkSpare Parts Only: No	Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Size: 8 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk Notes: Serial number L61205 and higher Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 29-Mar-2005 Renewed: 29-Mar-2014 Bypass: Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk	Notes: Up to serial number L612	05	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkBypass:Notes: Serial number L61205 and higherType: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Mar-2005Renewed: 29-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkModel: 375MSNotes: Up to serial number L61205Manufacturer: WilkinsType: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Type: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,sssstttt,vvvv,wwww,yyyy,zzzz,kkkkkSpare Parts Only: No	Type: RP	Manufacturer: Wilkins	Model: 375MS
Approved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkBypass:Notes: Serial number L61205 and higherType: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Mar-2005Renewed: 29-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkkNodel: 375MSNotes: Up to serial number L61205Type: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkkSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkkSpare Parts Only: No	Size: 8	Orientation: H	Meters:
Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Serial number L61205 and higher Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 29-Mar-2005 Renewed: 29-Mar-2014 Bypass: Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Size: 10 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Spare Parts Only: No	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Serial number L61205 and higherType: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Mar-2005Renewed: 29-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkNotes: Up to serial number L61205Type: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkState in the second sec	Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Type: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Mar-2005Renewed: 29-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkkNotes: Up to serial number L61205Type: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk	Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkł	ς
Size: 10Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Mar-2005Renewed: 29-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkNotes: Up to serial number L61205Type: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,syyyy,zzzz,kkkkkBypass:	Notes: Serial number L61205 an	d higher	
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 29-Mar-2005Renewed: 29-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,ttt,vvvv,wwww,yyyy,zzzz,kkkkNotes: Up to serial number L61205Type: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,sytyy,zzzz,kkkkkBypass:	Type: RP	Manufacturer: Wilkins	Model: 375MS
Approved: 29-Mar-2005Renewed: 29-Mar-2014Bypass:Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkNotes: Up to serial number L61205Type: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,syst,tttt,vvvv,www,yyyy,zzzz,kkkkk	Size: 10	Orientation: H	Meters:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkk Notes: Up to serial number L61205 Type: RP Manufacturer: Wilkins Model: 375MS Size: 10 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qqq,vvv,www,sss,tttt,vvvv,www,yyyy,zzzz,kkkkk State of the second s	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Notes: Up to serial number L61205Type: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk	Approved: 29-Mar-2005	Renewed: 29-Mar-2014	Bypass:
Type: RPManufacturer: WilkinsModel: 375MSSize: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,sstttt,vvvv,www,yyyy,zzzz,kkkkkState State St	Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	ə,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Size: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,sss,tttt,vvvv,www,yyyy,zzzz,kkkkkState State	Notes: Up to serial number L612	05	
Size: 10Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,sss,tttt,vvvv,www,yyyy,zzzz,kkkkkState State	Type: RP	Manufacturer: Wilkins	Model: 375MS
Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Size: 10	Orientation: H	Meters:
Approved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk	Manual: 9		Spare Parts Only: No
Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Approved: 09-Sep-2010		

Type: RP Size: 1/2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (int)	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2014	Model: 375ST Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Wilkins	Model: 375ST
Size: 3/4 Manual: 9	Orientation: H	Meters:
Approved: 22-Feb-2011	0.25% Pb: Yes Renewed: 22-Feb-2014	Spare Parts Only: No Bypass:
Shutoffs: (int)	Kenewed. 22-1 65-2014	Буразэ.
Type: RP	Manufacturer: Wilkins	Model: 375ST
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-Oct-2011 Shutoffs: int	Renewed: 31-Oct-2014	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009 Shutoffs: (int)	Renewed: 07-Apr-2015	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Mar-2007 Shutoffs: (int)	Renewed: 09-Mar-2016	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Mar-2007 Shutoffs: (int)	Renewed: 09-Mar-2016	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2013	Bypass:
Shutoffs: (int)		

Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2013	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2013	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XL
	Orientation: H	Meters:
Size: 4	Onemation: IT	
Size: 4 Manual: 9	0.25% Pb: No	Spare Parts Only: No

Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,zzz,dddd,eeee

Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	vww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: gg,hh,ppp,qqq,vvv,ww	vw,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 10	Orientation: H	Meters:
		• • • • • •
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Shutoffs: gg, hh, ppp, qqq, vvv, www, ssss, tttt, vvvv, www, yyyy, zzzz

Type: RP Size: 1/2 Manual: 9 Approved: 08-Nov-2012 Shutoffs: (int)

- Type: RP Size: 3/4 Manual: 9 Approved: 08-Nov-2012 Shutoffs: (int)
- Type: RP Size: 1 Manual: 9 Approved: 08-Nov-2012 Shutoffs: (int)
- Type: RP Size: 1 1/4 Manual: 9 Approved: 08-Nov-2012 Shutoffs: (int)

Type: RP Size: 1 1/2 Manual: 9 Approved: 08-Nov-2012 Shutoffs: (int)

Type: RP Size: 2 Manual: 9 Approved: 08-Nov-2012 Shutoffs: (int)

Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,zzz,dddd

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Nov-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Nov-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Nov-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Nov-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Nov-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Nov-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 14-Apr-2013 Model: 375XLB Meters: Spare Parts Only: No Bypass:

Model: 375XLB Meters: Spare Parts Only: No Bypass:

Model: 375XLB Meters: Spare Parts Only: No Bypass:

Model: 375XLB Meters: Spare Parts Only: No **Bypass:**

Model: 375XLB Meters: Spare Parts Only: No Bypass:

Model: 375XLB Meters: Spare Parts Only: No **Bypass:**

Model: 375XLMS Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zzz	zz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	ddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: gg,hh,ppp,qqq,vvv,ww	vw,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: gg,hh,ppp,qqq,vvv,ww	/w,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Demouse de 04 Jan 0044	Bynacci
Approved: 24-Jan-2002	Renewed: 24-Jan-2014	Bypass:
Approved: 24-Jan-2002	w.yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	
Approved: 24-Jan-2002	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	
Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	
Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number Q05	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 664	v,xxxx,yyyy,aaaaa,kkkkk
Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number Q05 Type: RP	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 664 Manufacturer: Wilkins	v,xxxx,yyyy,aaaaa,kkkkk Model: 475

Notes: Serial number Q05664 and higher

Type: RP	Manufacturer: Wilkins	Model: 475
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jan-2002	Renewed: 24-Jan-2014	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa,kkkkk,lllll
lotes: Up to serial number Q05	664	
ype: RP	Manufacturer: Wilkins	Model: 475
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Serial number Q05664 a		
Гуре: RP	Manufacturer: Wilkins	Model: 475
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Demouse de 07 del 0045	Bypass:
\pproved: 27-Jul-2000	Renewed: 27-Jul-2015	=)pass.
	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	
Shutoffs: (ppp),qqq,sss,ttt,www, lotes: Up to serial number Q056	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	
Shutoffs: (ppp),qqq,sss,ttt,www, lotes: Up to serial number Q056	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 664	yyyy,aaaaa,kkkkk,lllll
Shutoffs: (ppp),qqq,sss,ttt,www, lotes: Up to serial number Q056 Sype: RP	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 664 Manufacturer: Wilkins	yyyy,aaaaa,kkkkk,lllll Model: 475
Shutoffs: (ppp),qqq,sss,ttt,www, lotes: Up to serial number Q056 Sype: RP Size: 4 lanual: 9	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 664 Manufacturer: Wilkins Orientation: VUVD	yyyy,aaaaa,kkkkk,lllll Model: 475 Meters:
hutoffs: (ppp),qqq,sss,ttt,www, otes: Up to serial number Q056 ype: RP ize: 4 lanual: 9 pproved: 09-Sep-2010	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	yyyy,aaaaa,kkkkk,lllll Model: 475 Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, lotes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkk	yyyy,aaaaa,kkkkk,lllll Model: 475 Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 an	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkk	yyyy,aaaaa,kkkkk,lllll Model: 475 Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, lotes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, lotes: Serial number Q05664 ar	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk nd higher	yyyy,aaaaa,kkkkk,lilli Model: 475 Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Fype: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkk nd higher Manufacturer: Wilkins	yyyy,aaaaa,kkkkk,IIIII Model: 475 Meters: Spare Parts Only: No Bypass: kkk,IIIII
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 au Type: RP Size: 6 Manual: 9	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkk nd higher Manufacturer: Wilkins Orientation: VUVD	yyyy,aaaaa,kkkkk,lilli Model: 475 Meters: Spare Parts Only: No Bypass: kkk,lilli Model: 475 Meters:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 an Type: RP Size: 6 Manual: 9 Approved: 27-Jul-2000	Ayyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 Ayyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkk and higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	yyyy,aaaaa,kkkkk,lilli Model: 475 Meters: Spare Parts Only: No Bypass: kkk,lilli Model: 475 Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 and Type: RP Size: 6 Manual: 9 Approved: 27-Jul-2000	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Jul-2015	yyyy,aaaaa,kkkkk,lilli Model: 475 Meters: Spare Parts Only: No Bypass: kkk,lilli Model: 475 Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q050 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 au Type: RP Size: 6 Manual: 9 Approved: 27-Jul-2000 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q050	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Jul-2015	yyyy,aaaaa,kkkkk,lilli Model: 475 Meters: Spare Parts Only: No Bypass: kkk,lilli Model: 475 Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Fype: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 an Fype: RP Size: 6 Manual: 9 Approved: 27-Jul-2000 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Jul-2015 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,IIIII Model: 475 Meters: Spare Parts Only: No Bypass: kkk,IIIII Model: 475 Meters: Spare Parts Only: No Bypass: yyyy,aaaaa,kkkkk,IIIII
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q050 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 an Type: RP Size: 6 Manual: 9 Approved: 27-Jul-2000 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Jul-2015 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 664 Manufacturer: Wilkins	yyyy,aaaaa,kkkkk,lilli Model: 475 Meters: Spare Parts Only: No Bypass: kkk,lilli Model: 475 Meters: Spare Parts Only: No Bypass: yyyy,aaaaa,kkkkk,lilli Model: 475

Type: RP	Manufacturer: Wilkins	Model: 475
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q056	664	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	kk,IIII
Notes: Serial number Q05664 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Nov-2004	Renewed: 22-Nov-2013	Bypass:
		/.aaaaa.kkkkk.IIIII
Shutoffs: (ppp),qqq,sss,ttt,www,	222,0000,eeee,ssss,uuuu,vvvv,xxxx,yyy	,,
		,,,
Notes: Up to serial number Q056		Model: 475
Notes: Up to serial number Q056	664	
Notes: Up to serial number Q056 Type: RP Size: 10	Manufacturer: Wilkins	Model: 475
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9	Manufacturer: Wilkins Orientation: VUVD	Model: 475 Meters:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	Model: 475 Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll	Model: 475 Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll	Model: 475 Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll nd higher	Model: 475 Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 2 1/2	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll nd higher Manufacturer: Wilkins	Model: 475 Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 2 1/2 Manual: 9	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll nd higher Manufacturer: Wilkins Orientation: VUVD	Model: 475 Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Model: 475 Meters: Spare Parts Only: No Bypass: III Model: 475MS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	Model: 475 Meters: Spare Parts Only: No Bypass: III Model: 475MS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	Model: 475 Meters: Spare Parts Only: No Bypass: III Model: 475MS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number Q056 Type: RP	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	Model: 475 Meters: Spare Parts Only: No Bypass: III Model: 475MS Meters: Spare Parts Only: No Bypass: V,xxxx,yyyy,aaaaa,kkkkk
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number Q056	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,ll nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 564 Manufacturer: Wilkins	Model: 475 Meters: Spare Parts Only: No Bypass: III Model: 475MS Meters: Spare Parts Only: No Bypass: /,xxxx,yyyy,aaaaa,kkkkk
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uc Notes: Up to serial number Q056 Type: RP Size: 2 1/2	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 564 Manufacturer: Wilkins Orientation: VUVD	Model: 475 Meters: Spare Parts Only: No Bypass: III Model: 475MS Meters: Spare Parts Only: No Bypass: V,xxxx,yyyy,aaaaa,kkkkk Model: 475MS Meters:

Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa,kkkkk,IIIII
otes: Up to serial number Q056	664	
ype: RP	Manufacturer: Wilkins	Model: 475MS
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,ս	uuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
lotes: Serial number Q05664 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
.pp:01001 00 001 2000		
	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Shutoffs: (ppp),qqq,sss,ttt,www,		,yyyy,aaaaa,kkkkk,IIIII
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056		,yyyy,aaaaa,kkkkk,IIIII Model: 475MS
Shutoffs: (ppp),qqq,sss,ttt,www, lotes: Up to serial number Q056	664	
hutoffs: (ppp),qqq,sss,ttt,www, lotes: Up to serial number Q056 ype: RP ize: 4	664 Manufacturer: Wilkins	Model: 475MS
hutoffs: (ppp),qqq,sss,ttt,www, lotes: Up to serial number Q056 ype: RP ize: 4 lanual: 9	Manufacturer: Wilkins Orientation: VUVD	Model: 475MS Meters:
hutoffs: (ppp),qqq,sss,ttt,www, otes: Up to serial number Q056 ype: RP ize: 4 lanual: 9 pproved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	Model: 475MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, lotes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	Model: 475MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	Model: 475MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkk nd higher	Model: 475MS Meters: Spare Parts Only: No Bypass: ‹kk,llill
Shutoffs: (ppp),qqq,sss,ttt,www, lotes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, lotes: Serial number Q05664 ar	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk nd higher Manufacturer: Wilkins	Model: 475MS Meters: Spare Parts Only: No Bypass: <kk,iiiii< td=""></kk,iiiii<>
Shutoffs: (ppp),qqq,sss,ttt,www, lotes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, lotes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk nd higher Manufacturer: Wilkins Orientation: VUVD	Model: 475MS Meters: Spare Parts Only: No Bypass: <kk,iiiii Model: 475MS Meters:</kk,iiiii
Shutoffs: (ppp),qqq,sss,ttt,www, lotes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, lotes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Model: 475MS Meters: Spare Parts Only: No Bypass: <kk,iiiii Model: 475MS Meters: Spare Parts Only: No Bypass:</kk,iiiii
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 475MS Meters: Spare Parts Only: No Bypass: <kk,iiiii Model: 475MS Meters: Spare Parts Only: No Bypass:</kk,iiiii
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 475MS Meters: Spare Parts Only: No Bypass: <kk,iiiii Model: 475MS Meters: Spare Parts Only: No Bypass:</kk,iiiii
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 475MS Meters: Spare Parts Only: No Bypass: <kk,iiiii Model: 475MS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII</kk,iiiii
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 564 Manufacturer: Wilkins	Model: 475MS Meters: Spare Parts Only: No Bypass: <kk,iiiii Model: 475MS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII Model: 475MS</kk,iiiii

Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number Q056	64	
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk nd higher	kk,IIII
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Mar-2005	Renewed: 29-Mar-2014	Bypass:
		/ aaaaa kkkkk IIII
Shutoffs: (ppp),qqq,sss,ttt,www,	zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy	,aaaa, kkkkk, iiii
		,
Notes: Up to serial number Q056		Model: 475MS
Notes: Up to serial number Q056	64	
Notes: Up to serial number Q056 Type: RP Size: 10	664 Manufacturer: Wilkins	Model: 475MS
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9	Manufacturer: Wilkins Orientation: H	Model: 475MS Meters:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 475MS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll	Model: 475MS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll	Model: 475MS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll nd higher	Model: 475MS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 2 1/2	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll nd higher Manufacturer: Wilkins	Model: 475MS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 2 1/2 Manual: 9	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll nd higher Manufacturer: Wilkins Orientation: VUVU	Model: 475MS Meters: Spare Parts Only: No Bypass: III Model: 475V Meters:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll nd higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No	Model: 475MS Meters: Spare Parts Only: No Bypass: III Model: 475V Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll nd higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 24-Jan-2014	Model: 475MS Meters: Spare Parts Only: No Bypass: III Model: 475V Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number Q056	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll nd higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 24-Jan-2014	Model: 475MS Meters: Spare Parts Only: No Bypass: III Model: 475V Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Up to serial number Q056 Type: RP	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll ad higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 24-Jan-2014 J,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	Model: 475MS Meters: Spare Parts Only: No Bypass: III Model: 475V Meters: Spare Parts Only: No Bypass: V,xxxx,yyyy,aaaaa,kkkkk
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number Q056 Type: RP Size: 2 1/2	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll ad higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 24-Jan-2014 J,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvvv	Model: 475MS Meters: Spare Parts Only: No Bypass: III Model: 475V Meters: Spare Parts Only: No Bypass: V,xxxx,yyyy,aaaaa,kkkkk Model: 475V
Notes: Serial number Q05664 ar Type: RP Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll nd higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 24-Jan-2014 J,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvvv 664 Manufacturer: Wilkins Orientation: VUVU	Model: 475MS Meters: Spare Parts Only: No Bypass: III Model: 475V Meters: Spare Parts Only: No Bypass: V,xxxx,yyyy,aaaaa,kkkkk Model: 475V Meters:

Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jan-2002	Renewed: 24-Jan-2014	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa,kkkkk,lllll
otes: Up to serial number Q056	64	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,u	uuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	
lotes: Serial number Q05664 an	d higher	
ype: RP	Manufacturer: Wilkins	Model: 475V
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-2000	Renewed: 09-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y	vyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,IIIII
lotes: Up to serial number Q056	64	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 4	Orientation: VUVU	Meters:
lanual: 9	0.25% Pb: Yes	Spare Parts Only: No
pproved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
hutoffs: (ppp),qqq,sss,ttt,www,y	/yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	kk,IIII
otes: Serial number Q05664 an	d higher	
ype: RP	Manufacturer: Wilkins	Model: 475V
	Orientation: \/LI\/LL	Meters:
	Orientation: VUVU	meter 5.
Size: 6	0.25% Pb: No	Spare Parts Only: No
Size: 6 Manual: 9		
Size: 6 Manual: 9 Approved: 31-May-2001	0.25% Pb: No	Spare Parts Only: No Bypass:
Size: 6 Manual: 9 Approved: 31-May-2001 Shutoffs: (ppp),qqq,sss,ttt,www,y	0.25% Pb: No Renewed: 31-May-2013 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	Spare Parts Only: No Bypass:
Size: 6 Manual: 9 Approved: 31-May-2001	0.25% Pb: No Renewed: 31-May-2013 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	Spare Parts Only: No Bypass:
Size: 6 Manual: 9 Approved: 31-May-2001 Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: Up to serial number Q056	0.25% Pb: No Renewed: 31-May-2013 /yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 64	Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII
Size: 6 Manual: 9 Approved: 31-May-2001 Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: Up to serial number Q056	0.25% Pb: No Renewed: 31-May-2013 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 64 Manufacturer: Wilkins	Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII Model: 475V

Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jun-2004	Renewed: 08-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,lllll
lotes: Up to serial number Q056	64	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: Serial number Q05664 an	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk Id higher	kk,IIII
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 10	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Nov-2004	Renewed: 22-Nov-2013	Bypass:
	zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy	/,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q056	64	
Notes: Up to serial number Q056	Manufacturer: Wilkins	Model: 475V
Notes: Up to serial number Q056 Type: RP Size: 10	Manufacturer: Wilkins Orientation: VUVU	Model: 475∨ Meters:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes	Model: 475∨ Meters: Spare Parts Only: No
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013	Model: 475∨ Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,s	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll	Model: 475∨ Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll	Model: 475∨ Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,s Notes: Serial number Q05664 an	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll d higher	Model: 475V Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,s Notes: Serial number Q05664 an Type: RP Size: 2 1/2	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll id higher Manufacturer: Wilkins	Model: 475V Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,s Notes: Serial number Q05664 an Type: RP Size: 2 1/2 Manual: 9	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll ad higher Manufacturer: Wilkins Orientation: VUVU	Model: 475V Meters: Spare Parts Only: No Bypass: III Model: 475VMS Meters:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,s Notes: Serial number Q05664 an Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll d higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No	Model: 475V Meters: Spare Parts Only: No Bypass: III Model: 475VMS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,s Notes: Serial number Q05664 an Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll ad higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015	Model: 475V Meters: Spare Parts Only: No Bypass: III Model: 475VMS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,s Notes: Serial number Q05664 an Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll ad higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015	Model: 475V Meters: Spare Parts Only: No Bypass: III Model: 475VMS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,s Notes: Serial number Q05664 an Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number Q056 Type: RP	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll d higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 J,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	Model: 475V Meters: Spare Parts Only: No Bypass: III Model: 475VMS Meters: Spare Parts Only: No Bypass: V,xxxx,yyyy,aaaaa,kkkkk
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,s Notes: Serial number Q05664 an Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number Q056	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll d higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 J,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 664 Manufacturer: Wilkins	Model: 475V Meters: Spare Parts Only: No Bypass: III Model: 475VMS Meters: Spare Parts Only: No Bypass: V,xxxx,yyyy,aaaaa,kkkkk Model: 475VMS
Notes: Up to serial number Q056 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,s Notes: Serial number Q05664 an Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number Q056 Type: RP Size: 2 1/2	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 sssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,ll ad higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 1,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 64 Manufacturer: Wilkins Orientation: VUVU	Model: 475V Meters: Spare Parts Only: No Bypass: III Model: 475VMS Meters: Spare Parts Only: No Bypass: V,xxxx,yyyy,aaaaa,kkkkk Model: 475VMS Meters:

Namual: 9Orientation: YUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (gg),ee.ff,hh,ll,mm,tt,uu,yy,zz,ppp,qq,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llllNotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 3Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qqq,sss,uuuu,vvvv,xoxx,yyyy,aaaaa,kkkkk,llllNodel: 475VMSNotes: Serial number Q05664 and higherType: RPManufacturer: WilkinsModel: 475VMSSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qq,sss.ttt,www.yyy,zzz,dddd,eeee,sss.uuuu,vvvv,xoxx,yyyy,aaaaa,kkkkk,llllNodel: 475VMSNotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (ppp),qq,sss,ttt,www.yyy,ssss,uuuu,vvvv,xoxx,yyyy,aaaaa,kkkkk,llllNodel: 475VMSSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 09-Sep-2013Bypass:Shutoffs: (ppp),qqq,sss,ttt,www.yyy,zzz,dddd,eeee,ss	Type: RP	Manufacturer: Wilkins	Model: 475VMS
Approvet: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (gg), ee, ff, hh, ll, mm, tt, uu, yy, zz, ppp, qqq, zzz, dddd, ssss, uuuu, vvvv, xxxx, yyyy, aaaaa, kkkkk, lllll Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 3 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg), hh, ppp, qq, ssss, uuu, vvvv, xxxx, yyyy, aaaaa, kkkkk, lllll Nodel: 475VMS Notes: Serial number Q05664 and higher Model: 475VMS Type: RP Manufacturer: Wilkins Model: 475VMS Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (pp), qq, sss, ttt, www.yyy, zzz, dddd, eeee, sss, uuuu, vvvv, xxxx, yyyy, aaaaa, kkkkk, lllll Notes: 475VMS Size: 4 Orientation: VUVU Meters: Manufacturer: Wilkins Model: 475VMS Siz	Size: 3	Orientation: VUVU	Meters:
Shutoffs: (gg), ee, ff, hh, ll, mm, tt, uu, yy, zz, ppp, qq, zzz, dddd, ssss, uuuu, vvvv, xxxx, yy yy, aaaaa, kkkkk, llill Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 3 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg), hh, ppp, qq, ssss, uuuu, vvvv, xxxx, yy yy, aaaaa, kkkkk, llill Notes: Serial number Q05664 and higher Type: RP Manufacturer: Wilkins Model: 475VMS Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (ppp), qq, sss, ttt, www, yy, zzz, dddd, eeee, sss, uuuu, vvvv, xxxx, yy yy, aaaaa, kkkkk, llill Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (ppp), qq, sss, ttt, www, yy, ssss, uuuu, vvvv, xxxx, yy yy, aaaaa, kkkkk, llill Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (ppp), qq, sss, ttt, www, yy, ssss, uuuu, vvvv, xxxx, yy yy, aaaaa, kkkkk, llill Notes: Up to serial number Q05664 and higher Type: RP Manufacturer: Wilkins Model: 475VMS Size: 6 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (ppp), qq, sss, ttt, www, yy, zzz, ddd, eeee, ssss, uuuu, vvvv, xxxx, yyyy, aaaaa, kkkkk, llill Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 6 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 3 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qq,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll Notes: Size: Model: 475VMS Type: RP Manufacturer: Wilkins Model: 475VMS Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (ppp),qqq,ss,stt,www.yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll Notel: 475VMS Nanufacturer: Wilkins Model: 475VMS Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: <td< td=""><td>Approved: 03-Jul-2003</td><td>Renewed: 03-Jul-2015</td><td>Bypass:</td></td<>	Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Type: RP Manufacturer: Wilkins Model: 475VMS Size: 3 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (gg),hh,ppp,qq,ssss,uuuu,vvvv,xxx,yyyy,aaaaa,kkkk,lilli Nodel: 475VMS Notes: Serial number Q05664 and higher Model: 475VMS Type: RP Manufacturer: Wilkins Model: 475VMS Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lilli Nodel: 475VMS Notes: Up to serial number Q05664 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (ppp),qq,sss,ttt,www.yyy,ssss,uuuu,vvvv,xxxx,yyy,aaaaa,kkkkk,lilli Nodel: 475VMS Notes: Serial number Q05664 and higher Spare Parts Only: No Type: RP Manufacturer: Wilkins Model: 475VMS Size: 6 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Par	Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa,kkkkk,IIIII
ArrManual: 9Orientation: VUVUMeters: Spare Parts Only: NoManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,ppp,qq,ssss,uuuu,vvvv,xxx,yyy,aaaaa,kkkkk,IIIINotes: Serial number Q05664 and higherType: RPManufacturer: WilkinsModel: 475VMSManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (pp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIINotes:Notes: Serial number Q05664 and higherSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyy,aaaaa,kkkkk,IIIINotes: Serial number Q05664 and higherType: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (pp),qq,sss,ttt,www.yyy,zzz,dddd,eeee,sss,uuuu,vvvv,xxxx,yyy,aaaaa,kkkkk,IIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMS	Notes: Up to serial number Q05	664	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (gg),hh,pp,qqq,ssss,uuuu,vvvv,xxxx,yyy,aaaaa,kkkkk,IIIIINotes: Serial number Q05664 and higherType: RPManufacturer: WilkinsModel: 475VMSSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qq,sss,ttt,www.yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy,aaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuu,vvvv,xxxx,yyy,aaaaaa,kkkkk,IIIIINotes: Serial number Q05664 and higherType: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qq,sss,ttt,www.yyy,zzz,dddd,eeee,sss,uuuu,vvvv,xxxx,yyy,aaaaa,kkkkk,IIIIINodel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qq,sss,ttt,www.yyy,zzz,dddd,eeee,sss,uuuu,vvvv,xxxx,yyy,aaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Notes: Up to serial n	Type: RP	Manufacturer: Wilkins	Model: 475VMS
Approved:09-Sep-2010Renewed:09-Sep-2013Bypass:Shutoffs:(gg),hh,ppp,qqq,ssss,uuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes:Serial numberQ05664 and higherType:RPManufacturer:WilkinsModel:475VMSSize:4Orientation:VUVUMeters:Manual:90.25% Pb:NoSpare Parts Only:NoApproved:03-Jul-2003Renewed:03-Jul-2015Bypass:Shutoffs:(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes:Up to serial numberQ05664Type:RPManufacturer:WilkinsModel:475VMSSize:4Orientation:VUVUMeters:Manual:90.25% Pb:YesSpare Parts Only:NoApproved:09-Sep-2010Renewed:09-Sep-2013Bypass:Shutoffs:(ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIIINotes:Size:6Orientation:VUVUMeters:Manual:90.25% Pb:NoSpare Parts Only:NoSize:6Orientation:VUVUMeters:Manual:90.25% Pb:NoSpare Parts Only:NoApproved:03-Jul-2003Renewed:03-Jul-2015Bypass:Shutoffs:(ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIIINotes:Up to serial numberQ05664Grientation:VUVUMeters:Shutoffs:(ppp),qqq,s	Size: 3	Orientation: VUVU	Meters:
Shutoffs: (gg),hh,ppp,qq,ssss,uuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Serial number Q05664 and higher Type: RP Manufacturer: Wilkins Model: 475VMS Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Serial number Q05664 and higher Type: RP Manufacturer: Wilkins Model: 475VMS Size: 6 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Up to serial number Q05664	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Serial number Q05664 and higher Type: RP Manufacturer: Wilkins Model: 475VMS Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (ppp),qq,sss,ttt,www.yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lillil Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (ppp),qq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lillil Nodel: 475VMS Notes: Serial number Q05664 and higher Type: RP Manufacturer: Wilkins Model: 475VMS Size: 6 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lillil Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 6 Orientat	Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Type: RPManufacturer: WilkinsModel: 475VMSSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINodel: 475VMSNotes: Serial number Q05664 and higherType: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Size: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	
Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Serial number Q05664 and higher Type: RP Manufacturer: Wilkins Model: 475VMS Size: 6 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 6 Orientation: VUVU Meters: Type: RP Manufacturer: Wilkins Model: 475VMS Size: 6 Orientation: VUVU Meters: Type: RP Manufacturer: Wilkins Model: 475VMS Size: 0pp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 6 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No	Notes: Serial number Q05664 a	nd higher	
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,ddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Serial number Q05664 and higherType: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,ddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Type: RP	Manufacturer: Wilkins	Model: 475VMS
Approved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Serial number Q05664 and higherType: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Size: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Size: 4	Orientation: VUVU	Meters:
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll Notes: Serial number Q05664 and higher Type: RP Manufacturer: Wilkins Model: 475VMS Size: 6 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (ppp),qq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 6 Orientation: VUVU Meters: Size: 6 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Notes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIIINotes: Serial number Q05664 and higherType: RPManufacturer: WilkinsModel: 475VMSManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Type: RPManufacturer: WilkinsModel: 475VMSSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIIINotes: Serial number Q05664 and higherType: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,lllll
Size: 4Orientation: VUVUMeters:Size: 40.25% Pb: YesSpare Parts Only: NoManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIINotes: Serial number Q05664 and higherType: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Notes: Up to serial number Q05	664	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIISpare Parts Only: NoNotes: Serial number Q05664 and higherManufacturer: WilkinsModel: 475VMSType: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Type: RP	Manufacturer: Wilkins	Model: 475VMS
Approved: 09-Sep-2010Renewed: 09-Sep-2013Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIIBypass:Notes: Serial number Q05664 and higherModel: 475VMSType: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Size: 4	Orientation: VUVU	Meters:
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII Notes: Serial number Q05664 and higher Type: RP Manufacturer: Wilkins Model: 475VMS Size: 6 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 03-Jul-2003 Renewed: 03-Jul-2015 Bypass: Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIII Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 6 Orientation: VUVU Meters: Manufacturer: Wilkins Model: 475VMS Size: 6 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Serial number Q05664 and higherType: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllllNotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	kk,IIII
Size: 6Orientation: VUVUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Notes: Serial number Q05664 a	nd higher	
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Type: RP	Manufacturer: Wilkins	Model: 475VMS
Approved: 03-Jul-2003Renewed: 03-Jul-2015Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIIINotes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Size: 6	Orientation: VUVU	Meters:
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll Notes: Up to serial number Q05664 Type: RP Manufacturer: Wilkins Model: 475VMS Size: 6 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Notes: Up to serial number Q05664Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Type: RPManufacturer: WilkinsModel: 475VMSSize: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,lllll
Size: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Notes: Up to serial number Q05	664	
Manual: 9 0.25% Pb: Yes Spare Parts Only: No	Type: RP	Manufacturer: Wilkins	Model: 475VMS
	Size: 6	Orientation: VUVU	Meters:
Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass:	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	Notes: Serial number Q05664 a	na nigner	

Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www Notes: Serial number Q05664 a	r,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl ind higher	<kk,iiiii< td=""></kk,iiiii<>
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 10	Orientation: H	Meters:
Manual: 9	0 25% Ph: No	
Manual: 9 Approved: 29-Mar-2005	0.25% Pb: No Renewed: 29-Mar-2014	Spare Parts Only: No Bypass:
Approved: 29-Mar-2005		Bypass:
Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05	Renewed: 29-Mar-2014 z,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664	Bypass: y,aaaaa,kkkkk,lllll
Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Type: RP	Renewed: 29-Mar-2014 a,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins	Bypass:
Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Type: RP Size: 10	Renewed: 29-Mar-2014 9,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 1664 Manufacturer: Wilkins Orientation: H	Bypass: y,aaaaa,kkkkk,IIIII Model: 475VMS Meters:
Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Type: RP Size: 10 Manual: 9	Renewed: 29-Mar-2014 9,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 1664 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Bypass: y,aaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No
Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010	Renewed: 29-Mar-2014 9,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 1664 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013	Bypass: y,aaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass:
Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www	Renewed: 29-Mar-2014 9,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013	Bypass: y,aaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass:
Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010	Renewed: 29-Mar-2014 9,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013	Bypass: y,aaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass:
Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Serial number Q05664 a	Renewed: 29-Mar-2014 9,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013	Bypass: y,aaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass:
Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Serial number Q05664 a	Renewed: 29-Mar-2014 9,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 9,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher	Bypass: y,aaaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass:
Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Serial number Q05664 a Type: RP Size: 2 1/2	Renewed: 29-Mar-2014 4,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 4,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher Manufacturer: Wilkins	Bypass: y,aaaaaa,kkkkk,IIIII Model: 475∨MS Meters: Spare Parts Only: No Bypass: IIII Model: 475XL
Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Serial number Q05664 a Type: RP Size: 2 1/2 Manual: 9	Renewed: 29-Mar-2014 4,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 4,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: VUVD	Bypass: y,aaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass: IIII Model: 475XL Meters:
Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www	Renewed: 29-Mar-2014 2,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 7,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013	Bypass: y,aaaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass: IIII Model: 475XL Meters: Spare Parts Only: No
Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Serial number Q05664 a Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	Renewed: 29-Mar-2014 2,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 7,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013	Bypass: y,aaaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass: IIII Model: 475XL Meters: Spare Parts Only: No
Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Serial number Q05664 a Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010	Renewed: 29-Mar-2014 2,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 2,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013 ,zzz,dddd	Bypass: y,aaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass: IIII Model: 475XL Meters: Spare Parts Only: No Bypass:
Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Serial number Q05664 a Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz, Type: RP	Renewed: 29-Mar-2014 2,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 2,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013 ,zzz,dddd Manufacturer: Wilkins	Bypass: y,aaaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass: IIII Model: 475XL Meters: Spare Parts Only: No Bypass: Model: 475XL

Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	· ·	
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:

Shutoffs: zzz,dddd,eeee

Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,y	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Renewed: 14-Apr-2013	Bypass:

Shutoffs: (gg),hh,ppp,qqq,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa

Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,y	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 10	Orientation: H	Meters:

0.25% Pb: No **Renewed:** 18-Feb-2016

Approved: 18-Feb-2010

Shutoffs: zzz,dddd,eeee

Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
	Manufacturer: Wilkins	Model: 475XLV
Type: RP		
	Orientation: VUVU	Meters:
Size: 3	Orientation: VUVU 0.25% Pb: Yes	Meters: Spare Parts Only: No
Size: 3 Manual: 9		
Size: 3 Manual: 9 Approved: 14-Apr-2010	0.25% Pb: Yes Renewed: 14-Apr-2013	Spare Parts Only: No
Size: 3 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,	0.25% Pb: Yes Renewed: 14-Apr-2013	Spare Parts Only: No
Size: 3 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Type: RP	0.25% Pb: Yes Renewed: 14-Apr-2013 uuuu,vvvv,xxxx,yyyy,aaaaa	Spare Parts Only: No Bypass:
Size: 3 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Type: RP Size: 4	0.25% Pb: Yes Renewed: 14-Apr-2013 uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins	Spare Parts Only: No Bypass: Model: 475XLV
Size: 3 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Type: RP Size: 4 Manual: 9	0.25% Pb: Yes Renewed: 14-Apr-2013 uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins Orientation: VUVU	Spare Parts Only: No Bypass: Model: 475XLV Meters:
Size: 3 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2010	0.25% Pb: Yes Renewed: 14-Apr-2013 uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No	Spare Parts Only: No Bypass: Model: 475XLV Meters: Spare Parts Only: No
Size: 3 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2010 Shutoffs: zzz,dddd,eeee	0.25% Pb: Yes Renewed: 14-Apr-2013 uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No	Spare Parts Only: No Bypass: Model: 475XLV Meters: Spare Parts Only: No
Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2010 Shutoffs: zzz,dddd,eeee Type: RP Size: 4	0.25% Pb: Yes Renewed: 14-Apr-2013 uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2013	Spare Parts Only: No Bypass: Model: 475XLV Meters: Spare Parts Only: No Bypass:
Size: 3 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2010 Shutoffs: zzz,dddd,eeee Type: RP	0.25% Pb: Yes Renewed: 14-Apr-2013 uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2013 Manufacturer: Wilkins	Spare Parts Only: No Bypass: Model: 475XLV Meters: Spare Parts Only: No Bypass: Model: 475XLV

Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,y	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 10	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 10	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,zzz,dddd

Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,y	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 3/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 28-Apr-1976	Renewed: 28-Apr-2015	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 1	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 28-Apr-1976	Renewed: 28-Apr-2015	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Sep-1986	Renewed: 25-Sep-2013	Bypass:
Shutoffs: gg,ee,tt,yy		

Type: RP	Manufacturer: Wilkins	Model: 575
Size: 3	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Aug-1979	Renewed: 20-Aug-2015	Bypass:
Shutoffs: gg,ee,tt,yy		
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Jun-1980	Renewed: 08-Jun-2013	Bypass:
Shutoffs: gg,ee,tt,yy		
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2014	Bypass:
Shutoffs: gg,ee,tt,yy		
Type: RP	Manufacturer: Wilkins	Model: 575 (MOD-III)
Size: 1 1/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 575 (MOD-III)
Size: 1 1/2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976 Shutoffs: ii	Renewed: 11-Oct-2015	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 575 (MOD-III)
Size: 2	Orientation: H	Model: 575 (MOD-III) Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: ii		-) pubb.
Type: RP	Manufacturer: Wilkins	Model: 575A
Size: 3/4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Apr-1987	Renewed: 17-Apr-2014	Bypass:
Shutoffs: ii		

Type: RP	Manufacturer: Wilkins	Model: 575A
Size: 1	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Apr-1987	Renewed: 17-Apr-2014	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 575M10
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Jun-1983	Renewed: 01-Jun-2013	Bypass:
Shutoffs: gg,ee,tt,yy		
Notes: 6"x6"x10" manifold, form	erly MBC-10"	
Type: RP	Manufacturer: Wilkins	Model: 575M8
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Apr-1983	Renewed: 11-Apr-2013	Bypass:
Shutoffs: gg,ee,tt,yy		
Notes: 4"x4"x8" manifold, forme	rly MBC-8"	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 26-Nov-1991	Renewed: 26-Nov-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Nov-1991	Renewed: 08-Nov-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Nov-1991	Renewed: 08-Nov-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Nov-1991	Renewed: 08-Nov-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975
·)por la	Orientation: H	Meters:
Size: 8		
	0.25% Pb: No	Spare Parts Only: No

Type: RP	Manufacturer: Wilkins	Model: 975
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Feb-1995	Renewed: 06-Feb-2016	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model : 975A
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-May-1995	Renewed: 05-May-2013	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No

Shutoffs: (gg), ee, ff, hh, tt, uu, yy, zz, ssss, tttt, vvvv, www, yyyy, zzzz

Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995	Renewed: 05-May-2013	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	•	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995	Renewed: 05-May-2013	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975XL
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jul-1994	Renewed: 12-Jul-2015	Bypass:
Shutoffs: (ii)		
Type: RP	Manufacturer: Wilkins	Model: 975XL
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jul-1994	Renewed: 12-Jul-2015	Bypass:
Shutoffs: (ii)		
Type: RP	Manufacturer: Wilkins	Model: 975XL
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jul-1994	Renewed: 12-Jul-2015	Bypass:
Shutoffs: (ii)		

Type: RP	Manufacturer: Wilkins	Model: 975XL
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Nov-1992	Renewed: 02-Nov-2013	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: 975XL
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Nov-1992	Renewed: 02-Nov-2013	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: 975XL
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Nov-1992	Renewed: 02-Nov-2013	Bypass:
Shutoffs: (ii),000,ggg		
Type: RP	Manufacturer: Wilkins	Model: 975XL
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Nov-1992	Renewed: 02-Nov-2013	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: 975XL
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Nov-1992	Renewed: 02-Nov-2013	Bypass:
Shutoffs: (ii),bbb,ooo,bbbbb,cccc	c	
Type: RP	Manufacturer: Wilkins	Model: 975XL2
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Oct-2009	Renewed: 01-Oct-2015	Bypass:
Shutoffs: (iiii)		
Type: RP	Manufacturer: Wilkins	Model: 975XL2
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Oct-2009	Renewed: 01-Oct-2015	Bypass:
Shutoffs: (iiii)		

Size: 1/2 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 8 Approved: 01-Oct-2009 Renewed: 01-Oct-2015 Bypass: Shutoffs: (iiii) Type: RP Manufacturer: Wilkins Model: 975XL2 Size: 3/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 29-Jul-2009 Renewed: 29-Jul-2015 Bypass: Shutoffs: (iiii) Type: RP Manufacturer: Wilkins Model: 975XL2 Size: 1 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 29-Jul-2009 Renewed: 29-Jul-2015 Bypass: Shutoffs: (iiii) Type: RP Manufacturer: Wilkins Model: 975XL2 Size: 1 1/4 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 21-Aug-2009 Renewed: 21-Aug-2015 **Bypass:** Shutoffs: (iiii) Type: RP Manufacturer: Wilkins Model: 975XL2 Size: 1 1/2 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 8 Approved: 21-Aug-2009 Renewed: 21-Aug-2015 Bypass: Shutoffs: (iiii) Manufacturer: Wilkins Model: 975XL2 Type: RP Size: 2 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Renewed: 21-Aug-2015 Approved: 21-Aug-2009 **Bypass:** Shutoffs: (iiii) Type: RP Manufacturer: Wilkins Model: 975XL2BMS Size: 3/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (iiii)

Manufacturer: Wilkins

Model: 975XL2

Type: RP

Type: RP Size: 1 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

- Type: RP Size: 1 1/4 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)
- Type: RP Size: 1 1/2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)
- Type: RP Size: 2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 1 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiiii)

Type: RP Size: 1 1/4 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 Model: 975XL2BMS Meters: Spare Parts Only: No Bypass:

Model: 975XL2MS Meters: Spare Parts Only: No Bypass:

Model: 975XL2MS Meters: Spare Parts Only: No Bypass:

Model: 975XL2MS Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 1/2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 1 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 1 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014 Model: 975XL2MS Meters: Spare Parts Only: No Bypass:

Model: 975XL2MS Meters: Spare Parts Only: No Bypass:

Model: 975XL2SE Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

- Type: RP Size: 1 1/2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)
- Type: RP Size: 1 1/2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmm)

Type: RP Size: 3/4 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmm) Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 29-Mar-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 29-Mar-2014 Model: 975XL2SE Meters: Spare Parts Only: No Bypass:

Model: 975XL2SEU Meters: Spare Parts Only: No Bypass:

Model: 975XL2SEU Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmm)

Type: RP Size: 1 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmm)

Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 1 1/2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 1 1/2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmm) Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 29-Mar-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 29-Mar-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014 Model: 975XL2SEU Meters: Spare Parts Only: No Bypass:

Model: 975XL2SEU Meters: Spare Parts Only: No Bypass: Size: 2 **Orientation: VUVU** Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 22-Feb-2011 Renewed: 22-Feb-2014 Bypass: Shutoffs: (mmmmm) Type: RP Manufacturer: Wilkins Model: 975XL2TCU Size: 1/2 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Renewed: 09-Sep-2013 Approved: 09-Sep-2010 Bypass: Shutoffs: (iiii) Type: RP Manufacturer: Wilkins Model: 975XL2TCU Size: 3/4 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (iiii) Type: RP Manufacturer: Wilkins Model: 975XL2TCU Size: 1 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 **Bypass:** Shutoffs: (iiii) Type: RP Manufacturer: Wilkins Model: 975XL2TCU Size: 1 1/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 Bypass: Shutoffs: (iiii) Type: RP Manufacturer: Wilkins Model: 975XL2TCU Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-2010 Renewed: 09-Sep-2013 **Bypass:** Shutoffs: (iiii)

Manufacturer: Wilkins

Type: RP Size: 2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 Model: 975XL2TCU Meters: Spare Parts Only: No Bypass:

Model: 975XL2SEU

Type: RP Size: 3/4 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 1 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmmm)

Type: RP Size: 1 1/2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 3/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 1 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014 Model: 975XL2U Meters: Spare Parts Only: No Bypass:

Model: 975XL2V Meters: Spare Parts Only: No Bypass:

Model: 975XL2V Meters: Spare Parts Only: No Bypass:

Model: 975XL2V Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

- Type: RP Size: 2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (bbbbb)
- Type: RP Size: 2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (ccccc)
- Type: RP Size: 3/4 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP Size: 1 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP Size: 1 1/4 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP Size: 1 1/2 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015 Model: 975XL2V Meters: Spare Parts Only: No Bypass:

Model: 975XLBF Meters: Spare Parts Only: No Bypass:

Model: 975XLBFSS Meters: Spare Parts Only: No Bypass:

Model: 975XLBMS Meters: Spare Parts Only: No Bypass: Type: RP Size: 2 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP Size: 3/4 Manual: 9 Approved: 08-Oct-2002 Shutoffs: (ii),000

Type: RP Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 8 Approved: 30-Aug-1994 Shutoffs: (ii),000

Type: RP Size: 1 Manual: 8 Approved: 30-Aug-1994 Shutoffs: (ii),000

Type: RP Size: 1 1/4 Manual: 8 Approved: 30-Aug-1994 Shutoffs: (ii),000

Type: RP Size: 1 1/2 Manual: 8 Approved: 30-Aug-1994 Shutoffs: (ii),000 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 08-Oct-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 30-Aug-2015 Model: 975XLBMS Meters: Spare Parts Only: No Bypass:

Model: 975XLD Meters: Spare Parts Only: No Bypass:

Model: 975XLD Meters: Spare Parts Only: No Bypass:

Model: 975XLMS Meters: Spare Parts Only: No Bypass: Type: RP Manufacturer: Wilkins Model: 975XLMS Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 30-Aug-1994 Renewed: 30-Aug-2015 Bypass: Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: 975XLSE Size: 3/4 **Orientation: VUVD** Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 16-Oct-2015 Approved: 16-Oct-2000 Bypass: Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: 975XLSE Size: 3/4 Orientation: VUVU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 16-Oct-2000 Renewed: 16-Oct-2015 Bypass: Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: 975XLSE Size: 1 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 16-Oct-2000 Renewed: 16-Oct-2015 **Bypass:** Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: 975XLSE Size: 1 Orientation: VUVU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 16-Oct-2000 Renewed: 16-Oct-2015 Bypass: Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: 975XLSE Size: 1 1/4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 04-Nov-1999 Renewed: 04-Nov-2014 **Bypass:** Shutoffs: (ii),000 Manufacturer: Wilkins Model: 975XLSE Type: RP Size: 1 1/4 Orientation: VUVU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 04-Nov-1999 Renewed: 04-Nov-2014 Bypass: Shutoffs: (ii),000

Type: RP Size: 1 1/2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii),000

Type: RP Size: 1 1/2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii),000

Type: RP Size: 2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii),000

Type: RP Size: 2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii).000

Type: RP Size: 3/4 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ggg),xxx

Type: RP Size: 3/4 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ggg),xxx

Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ggg),xxx Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 04-Nov-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 04-Nov-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 04-Nov-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 04-Nov-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 16-Oct-2015

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 16-Oct-2015

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 16-Oct-2015 Model: 975XLSE Meters: Spare Parts Only: No Bypass:

Model: 975XLSEU Meters: Spare Parts Only: No Bypass:

Model: 975XLSEU Meters: Spare Parts Only: No Bypass:

Model: 975XLSEU Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ggg),xxx

Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx

Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx

Type: RP Size: 1 1/2 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx

Type: RP Size: 1 1/2 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx

Type: RP Size: 2 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx

Type: RP Size: 2 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 16-Oct-2015

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2015 Model: 975XLSEU Meters: Spare Parts Only: No Bypass:

Model: 975XLSEU Meters: Spare Parts Only: No Bypass: Type: RP Size: 3/8 Manual: 9 Approved: 19-Nov-2002 Shutoffs: (ggggg)

- Type: RP Size: 1/2 Manual: 9 Approved: 19-Nov-2002 Shutoffs: (ggggg)
- Type: RP Size: 1/2 Manual: 8 Approved: 05-Apr-2007 Shutoffs: (ii),000
- Type: RP Size: 3/4 Manual: 8 Approved: 27-Jun-2006 Shutoffs: (ii),000,xxx

Type: RP Size: 1 Manual: 8 Approved: 27-Jun-2006 Shutoffs: (ii),000,xxx

Type: RP Size: 1 1/4 Manual: 8 Approved: 27-Jun-2006 Shutoffs: (ii),000,xxx

Type: RP Size: 1 1/2 Manual: 8 Approved: 27-Jun-2006 Shutoffs: (ii),000,xxx Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 19-Nov-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 19-Nov-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Apr-2016

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 27-Jun-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 27-Jun-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 27-Jun-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 27-Jun-2015 Model: 975XLST Meters: Spare Parts Only: No Bypass:

Model: 975XLST Meters: Spare Parts Only: No Bypass:

Model: 975XLTCU Meters: Spare Parts Only: No Bypass:

Type: RP Manufacturer: Wilkins Model: 975XLTCU Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 27-Jun-2006 Renewed: 27-Jun-2015 Bypass: Shutoffs: (ii),000,xxx Type: RP Manufacturer: Wilkins Model: 975XLU Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Renewed: 02-Sep-2014 Approved: 02-Sep-1993 **Bypass:** Shutoffs: (ggg),xxx Type: RP Manufacturer: Wilkins Model: 975XLU Size: 1 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 02-Sep-1993 Renewed: 02-Sep-2014 Bypass: Shutoffs: (ggg),xxx Type: RP Manufacturer: Wilkins Model: 975XLU Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 02-Sep-1993 Renewed: 02-Sep-2014 **Bypass:** Shutoffs: (ggg),xxx Type: RP Manufacturer: Wilkins Model: 975XLU Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 02-Sep-1993 Renewed: 02-Sep-2014 Bypass: Shutoffs: (ggg),xxx Type: RP Manufacturer: Wilkins Model: 975XLV Size: 3/4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 07-Jan-2001 Renewed: 07-Jan-2016 **Bypass:** Shutoffs: (ii),000 Manufacturer: Wilkins Model: 975XLV Type: RP Size: 3/4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 07-Jan-2001 Renewed: 07-Jan-2016 Bypass: Shutoffs: (ii),000

Type: RP	Manufacturer: Wilkins	Model: 975XLV
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jan-2001	Renewed: 07-Jan-2016	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: 975XLV
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jan-2001	Renewed: 07-Jan-2016	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: MBC-10"
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: 6"x6"x10" manifold, Mode	el designation changed to 575M10	
Type: RP	Manufacturer: Wilkins	Model: MBC-8"
	Manufacturer: Wilkins Orientation:	Model: MBC-8" Meters:
Size: 8		
Size: 8 Manual:	Orientation:	Meters:
Size: 8 Manual: Approved:	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Type: RP Size: 8 Manual: Approved: Notes: 6"x6"x10" manifold,Mode	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Size: 8 Manual: Approved: Notes: 6"x6"x10" manifold,Mode	Orientation: 0.25% Pb: No Renewed: I designation changed to 575M8 Manufacturer: Ames	Meters: Spare Parts Only: No Bypass:
Size: 8 Manual: Approved: Notes: 6"x6"x10" manifold,Mode	Orientation: 0.25% Pb: No Renewed: I designation changed to 575M8	Meters: Spare Parts Only: No Bypass: Model: 5000
Size: 8 Manual: Approved: Notes: 6"x6"x10" manifold,Mode Type: RPDA Size: 4	Orientation: 0.25% Pb: No Renewed: I designation changed to 575M8 Manufacturer: Ames	Meters: Spare Parts Only: No Bypass: Model: 5000 Meters:
Size: 8 Manual: Approved: Notes: 6"x6"x10" manifold,Mode Type: RPDA Size: 4 Manual: 8	Orientation: 0.25% Pb: No Renewed: I designation changed to 575M8 Manufacturer: Ames Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 5000 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Size: 8 Manual: Approved: Notes: 6"x6"x10" manifold,Mode Type: RPDA Size: 4 Manual: 8 Approved: 28-Dec-1989	Orientation: 0.25% Pb: No Renewed: I designation changed to 575M8 Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013	Meters: Spare Parts Only: No Bypass: Model: 5000 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Size: 8 Manual: Approved: Notes: 6"x6"x10" manifold,Mode Type: RPDA Size: 4 Manual: 8 Approved: 28-Dec-1989 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	Orientation: 0.25% Pb: No Renewed: I designation changed to 575M8 Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013	Meters: Spare Parts Only: No Bypass: Model: 5000 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Size: 8 Manual: Approved: Notes: 6"x6"x10" manifold,Mode	Orientation: 0.25% Pb: No Renewed: I designation changed to 575M8 Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013 oo,pp,tt,ccc,ddd,ffff,gggg	Meters: Spare Parts Only: No Bypass: Model: 5000 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Conbraco 4020402 3/4 (H)
Size: 8 Manual: Approved: Notes: 6"x6"x10" manifold,Mode Type: RPDA Size: 4 Manual: 8 Approved: 28-Dec-1989 Shutoffs: (uu),ee,ff,gg,hh,ll,mm, Type: RPDA	Orientation: 0.25% Pb: No Renewed: I designation changed to 575M8 Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013 oo,pp,tt,ccc,ddd,ffff,gggg Manufacturer: Ames	Meters: Spare Parts Only: No Bypass: Model: 5000 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Conbraco 4020402 3/4 (H) Model: 5000 Meters:

Type: RPDA

Size: 8 Orientation: H Manual: 8 0.25% Pb: No Approved: 01-Jul-1989 Renewed: 01-Jul-2013 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: RPDA

Size: 10

Manual: 8 Approved: 19-Mar-1990 Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: RPDA Size: 2 1/2 Manual: 8 Approved: 07-Jul-2000

Shutoffs: (pp),hh,mm,uu

Type: RPDA Size: 3 Manual: 8 Approved: 07-Jul-2000

Shutoffs: (pp),hh,mm,uu,eee

Type: RPDA

Size: 4

Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee

Type: RPDA

Size: 6

Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee Manufacturer: Ames

Manufacturer: Ames

Orientation: H

0.25% Pb: No Renewed: 19-Mar-2014

> Manufacturer: Ames **Orientation:** H 0.25% Pb: No Renewed: 07-Jul-2015

Manufacturer: Ames Orientation: H

0.25% Pb: No Renewed: 07-Jul-2015

Manufacturer: Ames

Orientation: H

0.25% Pb: No Renewed: 07-Jul-2015

Manufacturer: Ames

Orientation: H

0.25% Pb: No Renewed: 07-Jul-2015 Model: 5000 Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q Spare Parts Only: No Bypass: Conbraco 4020402 3/4 (H)

Model: 5000 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Conbraco 4020402 3/4 (H)

Model: 5000CIV Meters: (H),C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Type: RPDA

Size: 8 Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee

Type: RPDA

Size: 10

Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 07-Jul-2015

Manufacturer: Ames

Orientation: H

0.25% Pb: No Renewed: 07-Jul-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015 Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 8 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 10 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 3 Manual: 9 Approved: 28-May-2009 Shutoffs: (yyy)

Type: RPDA Size: 4 Manual: 9 Approved: 28-May-2009 Shutoffs: (yyy)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 28-May-2009 Shutoffs: (zzz) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 27-Sep-2013

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2015 Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

- Type: RPDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)
- Type: RPDA Size: 6 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 4 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy) Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: Model: Colt 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)

Notes: Lead free compliant version identified with NSF61 mark on meter

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: Model: Colt 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: LFColt 500-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Type: RPDA	Manufacturer: Ames	Model: LFColt 500-GV
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: RPDA	Manufacturer: Ames	Model: LFColt 500-GV
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: RPDA	Manufacturer: Ames	Model: LFColt 500-GV
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: RPDA	Manufacturer: Ames	Model: LFColt 500GV
Size: 2 1/2	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: RPDA	Manufacturer: Ames	Model: LFColt 500GV
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	er
Type: RPDA	Manufacturer: Ames	Model: LFColt 500GV
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Approved: 08-Jan-2014 Shutoffs: (zzz)

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Ames	Model: LFColt 500GV
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500GV
Size: 8	Orientation: H	Meters: (M)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Aug-2015	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500GV
Size: 10	Orientation: H	Meters: (M)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Oct-2015	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500NBF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	ır
Type: RPDA	Manufacturer: Ames	Model: LFColt 500NBF
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500NBF
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
		opa. • • • • • • • • • • • • • • • • • • •

Notes: Lead free compliant version identified with NSF61 mark on meter

Shutoffs: (zzz)

Type: RPDA	Manufacturer: Ames	Model: LFColt 500NGV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant version i	dentified with NSF61 mark on meter	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500NGV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant version i	dentified with NSF61 mark on meter	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500NGV
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Shutoffs: (zzz) Notes: Lead free compliant version i	dentified with NSF61 mark on meter	r
	dentified with NSF61 mark on meter Manufacturer: Ames	Model: LFColt 500ZBF
Notes: Lead free compliant version i		
Notes: Lead free compliant version i	Manufacturer: Ames	Model: LFColt 500ZBF
Notes: Lead free compliant version i Type: RPDA Size: 2 1/2	Manufacturer: Ames Orientation: VUVD	Model: LFColt 500ZBF Meters: (O)
Notes: Lead free compliant version i Type: RPDA Size: 2 1/2 Manual: 9	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No
Notes: Lead free compliant version i Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed:	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Notes: Lead free compliant version i Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed:	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Notes: Lead free compliant version i Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version i	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: dentified with NSF61 mark on meter	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Notes: Lead free compliant version i Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version i Type: RPDA	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: dentified with NSF61 mark on meter Manufacturer: Ames	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500ZBF
Notes: Lead free compliant version i Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version i Type: RPDA Size: 3	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: dentified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500ZBF Meters: (O)
Notes: Lead free compliant version i Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version i Type: RPDA Size: 3 Manual: 9	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: dentified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No
Notes: Lead free compliant version i Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version i Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: dentified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed:	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Notes: Lead free compliant version i Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version i Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: dentified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed:	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Notes: Lead free compliant version i Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version i Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version i	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: dentified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: dentified with NSF61 mark on meter	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Approved: 08-Jan-2014

Shutoffs: (zzz)

Renewed:

2016 © University of Southern California

P Bypass: Watts LF919QT 3/4" (H)

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Ames	Model: LFColt 500ZGV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant versi	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500ZGV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500ZGV
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Manual. 9		
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz)		
Approved: 08-Jan-2014 Shutoffs: (zzz)	Renewed:	
Approved: 08-Jan-2014 Shutoffs: (zzz)		
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi	ion identified with NSF61 mark on mete	ır
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA	ion identified with NSF61 mark on mete Manufacturer: Ames	Model: LFMaxim 500GV
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H	Model: LFMaxim 500GV Meters: (O)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 3	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500GV Meters: (O)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version Type: RPDA Size: 3 Manual: 9	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi	ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Approved: 08-Jan-2014

Shutoffs: (zzz)

Notes: Lead free compliant version identified with NSF61 mark on meter

Renewed:

Bypass: Watts LF919QT 3/4" (H)

Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500GV
Size: 6 Manual: 9	Orientation: H 0.25% Pb: Yes	Meters: (M) Spare Parts Only: No
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500GV
Size: 8	Orientation: H	Meters: (M)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Oct-2015	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500GV
Size: 10	Orientation: H	Meters: (M)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Oct-2015	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500NBF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 0	0.25% Pb: Yes	Spare Parts Only: No
Manual: 9		opare rans only. No
Manual: 9 Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz)		Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA	Renewed: ion identified with NSF61 mark on mete	Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz)	Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames	Bypass: Watts LF919QT 3/4" (H) r Model: LFMaxim 500NBF
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9	Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD	Bypass: Watts LF919QT 3/4" (H) r Model: LFMaxim 500NBF Meters: (O)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3	Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	r Model: LFMaxim 500NBF Meters: (O) Spare Parts Only: No
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Bypass: Watts LF919QT 3/4" (H) r Model: LFMaxim 500NBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed:	Bypass: Watts LF919QT 3/4" (H) r Model: LFMaxim 500NBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter	r Model: LFMaxim 500NBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames	Bypass: Watts LF919QT 3/4" (H) r Model: LFMaxim 500NBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) r Model: LFMaxim 500NGV

Notes: Lead free compliant version identified with NSF61 mark on meter

Shutoffs: (zzz)

Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500NGV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500ZBF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	Pr
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500ZBF
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500ZGV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500ZGV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: RPDA	Manufacturer: Ames	Model: Maxim 500-GV
Size: 2 1/2	Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q

Size: 2 1/2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Orientation: H 0.25% Pb: No **Renewed:** 20-Jun-2015

Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Type: RPDA Size: 3 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)

Type: RPDA Size: 10 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 27-Sep-2013

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 27-Sep-2013

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (yyy)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy) Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: Model: Maxim 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA

Size: 3

Manual:

Approved:

2013

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Ames

Manufacturer: Ames

Manufacturer: Ames

Manufacturer: Ames

Orientation: VUVU

0.25% Pb: No

Renewed:

Orientation: VUVU

0.25% Pb: No

Renewed:

Orientation: VUVU

0.25% Pb: No

Renewed:

Orientation: VUVU

0.25% Pb: No

Renewed:

Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:

Notes: model designation changed to RPDA40

Type: RPDAMSize: 3OManual:0.Approved:R

Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Model: Maxim 500ZBF

Meters: (N),H,I,J,K,L,M,N,O,P,Q

Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500ZBF

Spare Parts Only: No

Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 4070003 Meters: Spare Parts Only: No Bypass:

Model: 40700C3 Meters: Spare Parts Only: No Bypass:

Notes: model designation changed to RPDA40

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 40700E3
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	changed to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070A03
Size : 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	changed to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070AE3
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	changed to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070C03
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	changed to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070CC3
Type: RPDA Size: 6	Manufacturer: Apollo/Conbraco Orientation:	Model: 4070CC3 Meters:
Size: 6	Orientation:	Meters:
Size: 6 Manual:	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Size: 6 Manual: Approved:	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Size: 6 Manual: Approved: Notes: model designation of Type: RPDA	Orientation: 0.25% Pb: No Renewed: changed to RPDA40	Meters: Spare Parts Only: No Bypass:
Size: 6 Manual: Approved: Notes: model designation o	Orientation: 0.25% Pb: No Renewed: changed to RPDA40 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: 4070CE3
Size: 6 Manual: Approved: Notes: model designation of Type: RPDA Size: 6	Orientation: 0.25% Pb: No Renewed: changed to RPDA40 Manufacturer: Apollo/Conbraco Orientation:	Meters: Spare Parts Only: No Bypass: Model: 4070CE3 Meters:
Size: 6 Manual: Approved: Notes: model designation of Type: RPDA Size: 6 Manual:	Orientation: 0.25% Pb: No Renewed: changed to RPDA40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No Bypass: Model: 4070CE3 Meters: Spare Parts Only: No
Size: 6 Manual: Approved: Notes: model designation of Type: RPDA Size: 6 Manual: Approved:	Orientation: 0.25% Pb: No Renewed: changed to RPDA40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No Bypass: Model: 4070CE3 Meters: Spare Parts Only: No
Size: 6 Manual: Approved: Notes: model designation of Type: RPDA Size: 6 Manual: Approved: Notes: model designation of	Orientation: 0.25% Pb: No Renewed: changed to RPDA40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RPDA40	Meters: Spare Parts Only: No Bypass: Model: 4070CE3 Meters: Spare Parts Only: No Bypass:
Size: 6 Manual: Approved: Notes: model designation of Type: RPDA Size: 6 Manual: Approved: Notes: model designation of Type: RPDA	Orientation: 0.25% Pb: No Renewed: changed to RPDA40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RPDA40 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: 4070CE3 Meters: Spare Parts Only: No Bypass: Model: 4070E03

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070EC3
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070EE3
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070G03
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070GC3
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070GE3
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 407AC3
Cine: 4	Orientation:	Meters:
Size: 4		
Size: 4 Manual:	0.25% Pb: No	Spare Parts Only: No

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDA40
C :	Orientations	Meters:
Size: 3	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Jul-1993	Renewed: 27-Jul-2014	Bypass: Apollo/Conbraco 4020402 3/4" (H), Apollo/Conbraco RP40 3/4" (H)
Shutoffs: (uu),cc,mm		
Notes: formerly 4070003, 40700C3,	40700E3	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDA40
	Orientation: H	Meters:
Size: 4	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-1993	Renewed: 27-Jul-2014	Bypass: Apollo/Conbraco 4020402 3/4" (H), Apollo/Conbraco RP40 3/4" (H)
Shutoffs: (uu),cc,mm		
Notes: formerly 4070A03, 407AC3, 4	4070AE3	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDA40
Size: 6	Orientation: H	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-1993	Renewed: 20-Oct-2014	Bypass: Apollo/Conbraco 4020402 3/4" (H), Apollo/Conbraco RP40 3/4" (H)
Shutoffs: (uu),cc,mm		
Notes: formerly 4070C03, 4070CC3	, 4070CE3	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDA40
0		Meters:
Size: 8	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1993	Renewed: 24-May-2014	Bypass: Apollo/Conbraco 4020402 3/4" (H), Apollo/Conbraco RP40 3/4" (H)
Shutoffs: (uu),cc,mm		
Notes: formerly 4070E03, 4070EC3,	, 4070EE3	

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDA40
Size: 10	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Apr-1993	Renewed: 13-Apr-2014	Bypass: Apollo/Conbraco 4020402 3/4" (H), Apollo/Conbraco RP40 3/4" (H)
Shutoffs: (uu),cc,mm Notes: formerly 4070G03, 4070	GC3, 4070GE3	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4A
Size: 2 1/2	Orientation: H	Meters: (P),O
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mm	nmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4A
Size: 3	Orientation: H	Meters: (P),O
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mm	nmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4A
Size: 4	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mm	imm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4A
Size: 6	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mm	nmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 4	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

aa

	Manufacturer: Apollo/Conbraco Orientation: H	Model: RPDALF4AR Meters: (M),G,H,I,J,K,L,N,O,Q
Notes: Integral Stainless Steel g 1/8"	·	
Notes: Integral Stainless Steel g		
	rooved spool between the #2 ck and #2 SOV	/ - assembly length: min. 35" and max. 48
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Approved: 21-Dec-2015	Renewed:	Bypass: Apollo RPLF4A 1/2"
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Size: 3	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AR
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 34" and max. 47
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Approved: 21-Dec-2015	Renewed:	Bypass: Apollo RPLF4A 1/2"
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Size: 2 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AR
Shutoffs: (yyy), cccc, dddd, mmi	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	
Approved: 12-May-2015	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Size: 6	Orientation: VUVU	Meters: (M),G,H,I,J,K,L, N,O,P,Q
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Snutotts: (yyy), cccc, dddd, mmi	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Approved: 12-May-2015	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Size: 6	Orientation: VUVD	Meters: (M),G,H,I,J,K,L, N,O,P,Q
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
	·····, ······, / ······, / / / / / / · · · · · · · · · · · · · · ·	
••	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	
Approved: 11-Jun-2014	0.25% Pb: Yes Renewed:	Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H)
Manual: 10	Orientation: VUVU	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Size: 4		Matara (D) C H L L K L M N C O

Approved: 21-Dec-2015 Renewed: Bypass: Apollo RPLF4A 1/2"

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max. 62 1/4"

Type: RPDA	Manufacturer: Cla-Val	Model: 18-4
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: Yes
Approved: 23-Aug-1990	Renewed: 23-Aug-2014	Bypass: Cla-Val RP2 3/4 (H)
Shutoffs: hh,gg,qq,rr	Neneweu. 23-Aug-2014	
Type: RPDA	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 826YD	
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 826YD	
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ged to 826YD	

Type: RPDAManufacturer: FebcoSize: 6Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to SCYD

Type: RPDAManufacturer: FebcoSize: 8Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 826YD

Type: RPDAManufacturer: FebcoSize: 10Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 826YD

Type: RPDAManufacturer: FebcoSize: 2 1/2Orientation: HManual: 80.25% Pb: NoApproved: 11-Nov-1988Renewed: 11-Nov-2015Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,ggggNotes: formerly 826 Type YD

Type: RPDA Size: 3 Manual: 8 Approved: 11-Nov-1988 Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,gggg Notes: formerly 826 Type YD

Type: RPDAManufacturer: FebcoSize: 4Orientation: HManual: 80.25% Pb: NoApproved: 14-Oct-1988Renewed: 14-Oct-2015Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,ggggNotes: formerly 826 Type YD

Model: 826 Type YD Meters: Spare Parts Only: No Bypass:

Model: 826 Type YD Meters: Spare Parts Only: No Bypass:

Model: 826 Type YD Meters: Spare Parts Only: No Bypass:

Model: 826YD Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Febco 825Y 3/4 (H)

Model: 826YD Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Febco 825Y 3/4 (H)

Model: 826YD Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Febco 825Y 3/4 (H)

Manufacturer: Febco

Renewed: 11-Nov-2015

Orientation: H

0.25% Pb: No

Type: RPDA	Manufacturer: Febco	Model: 826YD
Size : 6	Orientation: H	Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Mar-1990	Renewed: 01-Mar-2014	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ff	iff,gggg	
Notes: formerly 826 Type YD		
Type: RPDA	Manufacturer: Febco	Model: 826YD
Size: 8	Orientation: H	Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-1990	Renewed: 22-Jun-2014	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ff Notes: formerly 826 Type YD	iff,gggg	
Type: RPDA	Manufacturer: Febco	Model: 826YD
Size: 10	Orientation: H	Meters: (M),
		B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-1990	Renewed: 22-Jun-2014	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ff Notes: formerly 826 Type YD	iff,gggg	
Type: RPDA	Manufacturer: Neptune	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Wilkins		
Type: RPDA	Manufacturer: Watts	Model: 009NRSRPDA
Size: 4	Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-1995	Renewed: 01-Feb-2016	Bypass: Watts 009M2QT 3/4 (H)
Shutoffs: oo,gg,ll,tt		
Type: RPDA	Manufacturer: Watts	Model: 009NRSRPDA
Size: 6	Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-1995	Renewed: 01-Feb-2016	Bypass: Watts 009M2QT 3/4 (H)
Shutoffs: oo,gg,ll,tt		

Type: RPDA Size: 4	Manufacturer: Watts Orientation: H	Model: 009OSYRPDA Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-1995	Renewed: 01-Feb-2016	Bypass: Watts 009M2QT 3/4 (H)
Shutoffs: pp,hh,mm,uu,zz		Dypass. Watts 00511/2@1 5/4 (11)
Type: RPDA	Manufacturer: Watts	Model: 009OSYRPDA
Size: 6	Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-1995	Renewed: 01-Feb-2016	Bypass: Watts 009M2QT 3/4 (H)
Shutoffs: pp,hh,mm,uu,zz		
Type: RPDA	Manufacturer: Watts	Model: 909DDC
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 909RPDA	
Type: RPDA	Manufacturer: Watts	Model: 909DDCM2
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 909RPDA	
Type: RPDA	Manufacturer: Watts	Model: 909RPDA
Size: 2 1/2	Orientation: H	Meters:
Size. 2 1/2	Onemation. In	(H),C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-1999	Renewed: 16-Jun-2014	Bypass: Watts 909QT 3/4 (H)
Shutoffs: (pp),hh,mm,uu,zz,ffff,g	9999	
Type: RPDA	Manufacturer: Watts	Model: 909RPDA
Size: 3	Orientation: H	Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Oct-1988	Renewed: 05-Oct-2015	Bypass: Watts 909QT 3/4 (H)
Shutoffs: (pp),hh,mm,uu,zz,eee	,ffff,gggg	
Notes: formerly 909DDCM2		

Type: RPDA

Type: RPDA

Size: 6

Manual: 8

Type: RPDA

Size: 8

Manual: 8

Type: RPDA

Size: 10

Manual: 8

Size: 4 Manual: 8 Approved: 09-Feb-1988 Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg

Approved: 05-Oct-1988

Notes: formerly 909DDC

Approved: 14-Feb-1988

Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg

Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg

Manufacturer: Watts

Renewed: 01-Feb-2015

Manufacturer: Watts

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No Renewed: 05-Oct-2015 Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg

Manufacturer: Watts

Renewed: 14-Feb-2015

Manufacturer: Watts

Renewed: 15-Feb-2015

Manufacturer: Watts

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Model: 909RPDA Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 909RPDA Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 909RPDA Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 909RPDA Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Approved: 15-Feb-1988

Orientation: VUVD 0.25% Pb: No Renewed:

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: 957NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Type: RPDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: Model: 957NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 2 1/2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 10 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2013

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: Model: 957RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957RPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 4 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: Model: 957ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Page 590 of 615

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: RPDA Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (yyy)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013 Model: 967NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)

Type: RPDA Size: 10 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2013

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2013 Model: 967NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: Model: 967ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Notes: Lead free compliant version	on identified with NSF61 mark on meter	
Shutoffs: (zzz)		
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Type: RPDA Size: 2 1/2	Manufacturer: Watts Orientation: VUVD	Model: LF957NRPDA-BF Meters: (O)
Shutoffs: 00		
Approved: 13-Jan-1993	Renewed: 13-Jan-2014	Bypass: Watts 009QT 3/4 (H)
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Size : 10	Orientation: H	Meters: (H),D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Type: RPDA	Manufacturer: Watts	Model: 992RPDA
Shutoffs: 00		
Approved: 01-Nov-1992	Renewed: 11-Nov-2013	Bypass: Watts 009QT 3/4 (H)
Manual: 8	0.25% Pb: No	(H),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,C Spare Parts Only: Yes
Size: 4	Orientation: H	Meters:
Type: RPDA	Manufacturer: Watts	Model: 992RPDA
Shutoffs: oo,gg,hh,ll,mm,pp,tt,uu	I	
Approved: 13-Jan-1993	Renewed: 13-Jan-2014	Bypass: Watts 009QT 3/4 (H)
Manual: 8	0.25% Pb: No	(H),D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: Yes
Type: RPDA Size: 8	Manufacturer: Watts Orientation: H	Model: 990RPDA Meters:
Shutoffs: pp,hh,mm,uu,zz		
Approved: 01-Nov-1992	Renewed: 11-Nov-2013	Bypass: Watts 009QT 3/4 (H)
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Size: 4	Orientation: H	(H),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,0
Type: RPDA	Manufacturer: Watts	Model: 990RPDA Meters:

Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Size: 4	Manufacturer: Watts Orientation: VUVD	Model: LF957NRPDA-BF Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant versi	on identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Watts	Model: LF957NRPDA-GV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant versi	on identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Watts	Model: LF957NRPDA-GV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Demonstration of the	Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014	Renewed:	
Approved: 08-Jan-2014 Shutoffs: (zzz)	Renewea:	
Shutoffs: (zzz)	Renewed:	
Shutoffs: (zzz)		
Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA	on identified with NSF61 mark on mete	r
Shutoffs: (zzz) Notes: Lead free compliant versi	on identified with NSF61 mark on mete Manufacturer: Watts	Model: LF957NRPDA-GV
Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 4 Manual: 9	on identified with NSF61 mark on mete Manufacturer: Watts Orientation: VUVD	Model: LF957NRPDA-GV Meters: (O)
Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 4	on identified with NSF61 mark on mete Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Model: LF957NRPDA-GV Meters: (O) Spare Parts Only: No
Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	on identified with NSF61 mark on mete Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Model: LF957NRPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi	Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed:	Model: LF957NRPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA	on identified with NSF61 mark on mete Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed:	Model: LF957NRPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2	Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: fon identified with NSF61 mark on meter Manufacturer: Watts	Model: LF957NRPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9	Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: Manufacturer: Watts Orientation: H	Model: LF957NRPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957RPDA-GV Meters: (O)
Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: on identified with NSF61 mark on mete Manufacturer: Watts Orientation: H 0.25% Pb: Yes	Model: LF957NRPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957RPDA-GV Meters: (O) Spare Parts Only: No
Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 15-May-2014	Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: Renewed:	Model: LF957NRPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957RPDA-GV Meters: (O) Spare Parts Only: No
Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 15-May-2014 Shutoffs: (zzz)	Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: Renewed:	Model: LF957NRPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957RPDA-GV Meters: (O) Spare Parts Only: No
Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 15-May-2014 Shutoffs: (zzz) Notes: Water meter identified wit	Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: on identified with NSF61 mark on meter Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: th NSF61 mark	Model: LF957NRPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957RPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Notes: Water meter identified with NSF61 mark

Approved: 15-May-2014

Shutoffs: (zzz)

Renewed:

Bypass: Watts LF919QT 3/4" (H)

Type: RPDA Manufacturer: Watts Size: 4 Manual: 9 Approved: 15-May-2014 Shutoffs: (zzz) Notes: Water meter identified with NSF61 mark

Type: RPDA Size: 6 Manual: 9 Approved: 15-May-2014 Shutoffs: (zzz) Notes: Water meter identified with NSF61 mark

Type: RPDA Size: 8 Manual: 9 Approved: 13-Aug-2015 Shutoffs: (zzz) Notes: Water meter identified with NSF61 mark

Type: RPDA Manufacturer: Watts Size: 10 Orientation: H 0.25% Pb: Yes Manual: 9 Approved: 21-Sep-2015 Renewed: Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA

Size: 3

Manual: 9

Shutoffs: (zzz)

Manufacturer: Watts **Orientation: VUVD** 0.25% Pb: Yes **Renewed:**

Manufacturer: Watts

Orientation: VUVD

0.25% Pb: Yes

Renewed:

Model: LF957ZRPDA-BF Meters: (O) Spare Parts Only: No

Bypass: Watts LF919QT 3/4" (H)

Model: LF957ZRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Notes: Lead free compliant version identified with NSF61 mark on meter

Page 596 of 615

Approved: 08-Jan-2014

Model: LF957RPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957RPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957RPDAGV Meters: (M) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957RPDAGV Meters: (M) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes **Renewed:**

Orientation: H 0.25% Pb: Yes **Renewed:**

Type: RPDA	Manufacturer: Watts	Model: LF957ZRPDA-BF
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Watts	Model: LF957ZRPDA-GV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Watts	Model: LF957ZRPDA-GV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Watts	Model: LF957ZRPDA-GV
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 2 1/2	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz	,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll

Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 20-Oct-2008 Renewed: 20-Oct-2014 Bypass: Wilkins 975XLD 3/4 (H) Shutoffs: (qqq),ttt,www,yyy,zzz,uuuu,vvvv,xxx,yyyy,kkkkk,IIIII Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 3 Orientation: H Meters: (O), M Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2014 Renewed: Bypass: Wilkins 975XLD 3/4 (H) Shutoffs: (qqq),ttt,www,yyy,uuu,vvvv,xxxx,yyyy,kkkkk,IIIII Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 4 Orientation: H Bc,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Approved: 02-Jun-2004 Renewed: 02-Jun-2013 Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuu,vvvv,xxxx,yyyy,kkkkk,IIIII Type: RPDA Manufacturer: Wilkins Model: 375ADA Approved: 02-Jun-2004 Renewed: 02-Jun-2013 Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuu,vvvv,xxxx,yyyy,kkkkk,IIIII Type: RPDA Manufacturer: Wilkins Model: 375ADA Approved: 18-Feb-2014 Renewed: Dy-Jun-2013 Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,xxx,yyyy,kkkkk,IIIII Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: RPDA Manufacturer: Wilkins Model: 375ADA Approved: 18-Feb-2014 Renewed: Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,xxx,yyy,kkkkk,IIII Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: RPDA Manufacturer: Wilkins Model: 375ADA Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No	Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Approved: 20-Oct-2008Renewed: 20-Oct-2014Bypass: Wilkins 975XLD 3/4 (H)Shutoffs: (qqq),ttt,www.yyy,zzz,uuuu,vvvv,xxxx,yyyy,kkkkk,llllModel: 375ADAType: RPDAManufacturer: WilkinsModel: 375ADASize: 3Orientation: HMeters: (O), MApproved: 18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4 (H)Shutoffs: (qqq),ttt,www,yyy,uuuu,vvv,xxxx,yyyy,kkkkk,llllBypass: Wilkins 975XLD 3/4 (H)Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedwith NSF61 mark on meterManufacturer: WilkinsType: RPDAManufacturer: WilkinsManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 02-Jun-2004Renewed: 02-Jun-2013Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,llllType: RPDAManufacturer: WilkinsManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvv,xxxx,yyyy,kkkkk,llllType: RPDAManufacturer: WilkinsManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,llllNotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedwith NSF61 mark on meterType: RPDAManufacturer: WilkinsSize: 6Orie	Size: 3	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Shutoffs: (qqq),ttt,www.yyy,zzz,uuuu,vvvv,xxxx,yyyy,kkkkk,IIII Model: 375ADA Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 3 Orientation: H Meters: (O), M Approved: 18-Feb-2014 Renewed: Bypass: Wilkins 975XLD 3/4 (H) Shutoffs: (qqq),ttt,www,yyy,uuu,vvvv,xxxx,yyyy,kkkkk,IIII Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: RPDA Manufacturer: Wilkins Model: 375ADA Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 02-Jun-2004 Renewed: 02-Jun-2013 Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIII Model: 375ADA Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 4 Orientation: H Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIII Model: 375ADA Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 4 Orientation: H Meters: (O), M Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2014 Renewed: Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIII Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 386332	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 3 Orientation: H Meters: (O), M Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2014 Renewed: Bypass: Wilkins 975XLD 3/4 (H) Shutoffs: (qqq),ttt,www.yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,Illil Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 4 Orientation: H B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 02-Jun-2004 Renewed: 02-Jun-2013 Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,Illil Model: 375ADA Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 4 Orientation: H Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,Illil Model: 375ADA Type: RPDA Manufacturer: Wilkins Model: 375ADA Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2014 Renewed: Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www.yyy,xxxx,yyyy,kkkkk,Illil Notel: 375ADA Notes: Lead free compliant version: Starting Serial # Y09616	Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass: Wilkins 975XLD 3/4 (H)
No.Orientation: HMeters: (O), MManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4 (H)Shutoffs: (qqq),ttt,www.yyy,uuu,vvvv,xxxx,yyyy,kkkkk,lllllNotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedNotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedwith NSF61 mark on meterType: RPDAManufacturer: WilkinsMdeters: (M), B;c,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoApproved: 02-Jun-2004Renewed: 02-Jun-2013Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuu,vvvv,xxxx,yyyy,kkkkk,lllllType: RPDAManufacturer: WilkinsManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkkk,lllllNotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meterType: RPDAManufacturer: WilkinsModel: 375ADASize: 6Orientation: HManufacturer: WilkinsModel: 375ADAManual: 90.25% Pb: NoSize: 6Orientation: HManufacturer: WilkinsModel: 375ADAMattin NSF61 mark on meterManufacturer: WilkinsSize: 6Orientation: HManufacturer: WilkinsModel: 375ADAManual: 9 <th>Shutoffs: (qqq),ttt,www,yyy,zzz,</th> <th>uuuu,vvvv,xxxx,yyyy,kkkkk,lllll</th> <th></th>	Shutoffs: (qqq),ttt,www,yyy,zzz,	uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4 (H)Shutoffs: (qqq),ttt,www,yyy,uuu,vvv,xxxx,yyyy,kkkkk,IIIIINotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedNotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedType: RPDAManufacturer: WilkinsSize: 4Orientation: HB:C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoApproved: 02-Jun-2004Renewed: 02-Jun-2013Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuu,vvvv,xxxx,yyyy,kkkkk,IIIIIType: RPDAManufacturer: WilkinsManual: 90.25% Pb: YesSpare Parts Only: NoSize: 4Orientation: HMeters: (O), MManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIIINotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedwith NSF61 mark on meterType: RPDAManufacturer: WilkinsManufacturer: WilkinsModel: 375ADASize: 6Orientation: HMeters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: No	Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Approved:18-Feb-2014Renewed:Bypass:Wilkins975XLD 3/4 (H)Shutoffs: (qqq),ttt,www,yyy,uuu,vvvv,xxxx,yyyy,kkkkk,lllllNotes: Lead free compliant version:Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedwith NSF61 mark on meterType: RPDAManufacturer:WilkinsModel: 375ADASize: 4Orientation: HB,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: NoApproved:02-Jun-2004Renewed: 02-Jun-2013Bypass:Wilkins975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuu,vvvv,xxxx,yyyy,kkkkk,lllllType: RPDAManufacturer:WilkinsManual: 90.25% Pb: YesSpare Parts Only: NoApproved:18-Feb-2014Renewed:Bypass:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved:18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllllNotes: Lead free compliant version:Starting Serial # 3863325 and identifiedNotes: Lead free compliant version:Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedwith NSF61 mark on meterType: RPDAManufacturer: WilkinsType: RPDAManufacturer: WilkinsModel: 375ADASize: 6Orientation: HMeters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: No	Size: 3	Orientation: H	Meters: (O), M
Shutoffs: (qqq),ttt,www,yyy,uuu,vvvv,xxxx,yyyy,kkkkk,lllll Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 4 Orientation: H B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 02-Jun-2004 Renewed: 02-Jun-2013 Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll Model: 375ADA Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 4 Orientation: H Meters: (O), M Size: 4 Orientation: H Meters: (O), M Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2014 Renewed: Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: RPDA Manufacturer: Wilkins Model: 375ADA Misce: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Model: 375ADA Type: RPDA	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 4 Orientation: H B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 02-Jun-2004 Renewed: 02-Jun-2013 Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII Model: 375ADA Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 4 Orientation: H Meters: (O), M Size: 4 Orientation: H Meters: (O), M Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2014 Renewed: Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIII Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 6 Orientation: H Meters: (M), C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No	Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
with NSF61 mark on meter Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 4 Orientation: H B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 02-Jun-2004 Renewed: 02-Jun-2013 Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuu,vvvv,xxxx,yyyy,kkkkk,IIIII Model: 375ADA Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 4 Orientation: H Meters: (O), M Size: 4 Orientation: H Meters: (O), M Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2014 Renewed: Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIII Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 6 Orientation: H Meters: (M), C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No	Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll	
Size: 4Orientation: HMeters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 02-Jun-2004Renewed: 02-Jun-2013Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIIIModel: 375ADAType: RPDAManufacturer: WilkinsModel: 375ADASize: 4Orientation: HMeters: (O), MManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIIINotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meterManufacturer: WilkinsType: RPDAManufacturer: WilkinsModel: 375ADASize: 6Orientation: HMeters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: No	Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # Y09616; By-pass A	ssembly Starting Serial # 3863325 and identified
Size: 4Orientation: HB,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 02-Jun-2004Renewed: 02-Jun-2013Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuu,vvvv,xxxx,yyyy,kkkkk,IIIIIBypass: Wilkins 975XLD 3/4" (H)Type: RPDAManufacturer: WilkinsModel: 375ADASize: 4Orientation: HMeters: (O), MManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIIIBypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIIIBypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIIIBypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIIIModel: 375ADANotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedwith NSF61 mark on meterManufacturer: WilkinsType: RPDAManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: NoSpare Parts Only: No	Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 02-Jun-2004Renewed: 02-Jun-2013Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuu,vvvv,xxxx,yyyy,kkkkk,IllilModel: 375ADAType: RPDAManufacturer: WilkinsModel: 375ADASize: 4Orientation: HMeters: (O), MManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IllilNotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meterType: RPDAManufacturer: WilkinsModel: 375ADASize: 6Orientation: HMeters: (M), C, D, E, F, G, H, I, J, K, L, N, O, P, QManual: 90.25% Pb: NoSpare Parts Only: No	Size: A	Orientation: H	Meters: (M),
Approved: 02-Jun-2004Renewed: 02-Jun-2013Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuu,vvvv,xxxx,yyyy,kkkkk,IIIIIModel: 375ADAType: RPDAManufacturer: WilkinsModel: 375ADASize: 4Orientation: HMeters: (O), MManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIIIBypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIIIBypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIIIBypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIIIModel: 375ADANotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedwith NSF61 mark on meterManufacturer: WilkinsType: RPDAManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: NoSpare Parts Only: No	0126. 4	Orientation: H	B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 4 Orientation: H Meters: (O), M Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2014 Renewed: Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIII Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 6 Orientation: H Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Type: RPDAManufacturer: WilkinsModel: 375ADASize: 4Orientation: HMeters: (O), MManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllllNotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedNotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedwith NSF61 mark on meterType: RPDAManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: NoSpare Parts Only: No	Approved: 02-Jun-2004	Renewed: 02-Jun-2013	Bypass: Wilkins 975XLD 3/4" (H)
Size: 4Orientation: HMeters: (O), MManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxx,yyyy,kkkkk,IIIIIBypass: Wilkins 975XLD 3/4" (H)Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedwith NSF61 mark on meterManufacturer: WilkinsType: RPDAManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: NoSpare Parts Only: No	Shutoffs: (qqq),ttt,www,yyy,zzz,	,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIIINotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedNotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identifiedwith NSF61 mark on meterManufacturer: WilkinsType: RPDAManufacturer: WilkinsSize: 6Orientation: HManual: 90.25% Pb: NoSpare Parts Only: No	Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Approved: 18-Feb-2014Renewed:Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIIINotes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meterStarting Serial # 3863325 and identified Model: 375ADAType: RPDAManufacturer: WilkinsModel: 375ADASize: 6Orientation: HMeters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: No	Size: 4	Orientation: H	Meters: (O), M
Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIII Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 6 Orientation: H (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 6 Orientation: H Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No	Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
With NSF61 mark on meter Manufacturer: Wilkins Model: 375ADA Type: RPDA Manufacturer: Wilkins Model: 375ADA Size: 6 Orientation: H Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No	Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
Size: 6 Orientation: H Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No	Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # Y09616; By-pass A	ssembly Starting Serial # 3863325 and identified
Size: 6 Orientation: H (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No	Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
	Size: 6	Orientation: H	
Approved: 25-Nov-2003 Renewed: 25-Nov-2015 Bypass: Wilkins 975XLD 3/4 (H)	Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Approved: 25-Nov-2003	Renewed: 25-Nov-2015	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq), ttt, www, yyy, zzz, eeee, uuuu, vvvv, xxxx, yyyy, kkkkk, lllll

Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # Y09616; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 8	Orientation: H	Meters: (N), G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jun-2004	Renewed: 15-Jun-2013	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x.vvvv.kkkkk.IIII	
with NSF61 mark on meter		
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size : 10	Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq), ttt, www, yyy, z	zz, eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # Y09616; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 2 1/2	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 1/4" and max. 47 1/8"

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 1/4" and max. 47 1/8" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 3	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII		
Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 3/4" and max. 48 1/8"		

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 3/4" and max. 48 1/8" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll		

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 35 3/4" and max. 62 1/4"

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 35 3/4" and max. 62 1/4" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
	- - - - - -	Meters:
Size: 6	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz	,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	
Notes: Integral grooved spool b	etween the #2 ck and #2 SOV - assembl	y length: min. 42 1/2" and max. 71 1/4"
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
free compliant version: Starting	Serial # T00466; By-pass Assembly Star	ting Serial # 3863325 and identified with NSF61
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz	,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	
Notes: Integral grooved spool b	etween the #2 ck and #2 SOV - assemble	y length: min. 57 7/8" and max. 86"
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
		y length: min. 57 7/8" and max. 86" and Lead free Serial # 3863325 and identified with NSF61 mark
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 10	Orientation: H	Meters:

Manual: 9 Approved: 25-Mar-2010 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8"

Renewed: 25-Mar-2016

0.25% Pb: No

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	
Size: 2 1/2	Orientation: H	
Manual: 10	0.25% Pb: No	
Approved: 14-Jun-2013	Renewed:	
Shutoffs: (yyy),qqq,ttt,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII		

Model: 375ASTDA Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)

Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvvv	/,xxxx,yyyy,kkkkk,lllll	

Notes: Lead free compliant version: By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 3	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll		

Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 3	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (yyy),qqq,ttt,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll

Notes: Lead free compliant version: By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	
Size: 4	Orientation: H	
Manual: 10	0.25% Pb: No	
Approved: 14-Jun-2013	Renewed:	
Shutoffs: (yyy),qqq,ttt,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll		

Model: 375ASTDA Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)

Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 4	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvv	v,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers meter	ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark or
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 6	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uut	uu,vvv,xxxx,kkkkk,lllll	
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 8	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uut	uu,vvvv,xxxx,kkkkk,lllll	
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 10	Orientation: H	Meters: (O)
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uut	uu,vvvv,xxxx,kkkkk,lllll	
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDAR
Size:	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uut	uu,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemb	ly length: min. 31" and max. 47 1/8"
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDAR
Size: 3	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 31 1/2" and max. 48 1/8"

Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDAR
Size: 4	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uu	uu,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemble	ly length: min. 32 5/8" and max. 62 1/4"
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDAR
Size: 6	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuu	uu,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemble	ly length: min. 39" and max. 71 1/4"
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDAR
Size: 8	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
	etween the #2 ck and #2 SOV - assemb Manufacturer: Wilkins	Model: 375ASTDAR
Type: RPDA Size: 10	Orientation: H	Meters: (O)
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uu		
		ly length: min. 52 5/8" and max. 100 5/8"
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 2 1/2	Orientation: H	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2014	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv	,wwww,yyyy,zzzz,kkkkk	
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz,kkkkk

Notes: Lead free compliant version: Starting Serial # M08452; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 3	Orientation: H	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2014	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk	
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 3	Orientation: H	Meters: (O), M

Manual: 9 Approved: 18-Feb-2014

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz

Notes: Lead free compliant version: Starting Serial # M08452; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Spare Parts Only: No

Bypass: Wilkins 975XLD 3/4 (H)

0.25% Pb: Yes

Renewed:

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 4	Orientation: H	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Dec-2000	Renewed: 13-Dec-2015	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,ww	w.zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkkk	

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz

Notes: Lead free compliant version: Starting Serial # M08452; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 6	Ordenstations, 11	Meters:
Size. 0	Orientation: H	(N),C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 31-May-2001	Renewed: 31-May-2013	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,www.zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkkk

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # M08452; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 8	Orientation: H	Meters: (N), G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jun-2004	Renewed: 15-Jun-2013	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,	vvv,www.zzz,eeee,vvvv,wwww,yyyy,zzz	z,kkkk
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Dan anns de	Bypass: Wilkins 975XLD 3/4" (H)
Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter	•	Assembly Starting Serial # 3863325 and identified
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter	y,zzzz ion: Starting Serial # M08452; By-pass A	Assembly Starting Serial # 3863325 and identified
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA	y,zzzz ion: Starting Serial # M08452; By-pass A Manufacturer: Wilkins	Assembly Starting Serial # 3863325 and identified Model: 375DA
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 10	y,zzzz ion: Starting Serial # M08452; By-pass A Manufacturer: Wilkins Orientation: H	Assembly Starting Serial # 3863325 and identified Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9	y,zzzz ion: Starting Serial # M08452; By-pass A Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Assembly Starting Serial # 3863325 and identified Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004	y,zzzz ion: Starting Serial # M08452; By-pass A Manufacturer: Wilkins Orientation: H	Assembly Starting Serial # 3863325 and identified Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004	y,zzzz ion: Starting Serial # M08452; By-pass A Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013	Assembly Starting Serial # 3863325 and identified Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v	y,zzzz ion: Starting Serial # M08452; By-pass / Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 /vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz:	Assembly Starting Serial # 3863325 and identified Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkkk
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v	y,zzzz ion: Starting Serial # M08452; By-pass A Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 /vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz: Manufacturer: Wilkins	Assembly Starting Serial # 3863325 and identified Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkkk Model: 375DA
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v Type: RPDA Size: 10	y,zzzz ion: Starting Serial # M08452; By-pass A Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 /vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz: Manufacturer: Wilkins Orientation: H	Assembly Starting Serial # 3863325 and identified Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkkk Model: 375DA Meters: (O), M
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v Type: RPDA Size: 10 Manual: 9	y,zzzz ion: Starting Serial # M08452; By-pass A Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 /vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz: Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:	Assembly Starting Serial # 3863325 and identified Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkkk Model: 375DA Meters: (O), M Spare Parts Only: No
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v Type: RPDA Size: 10 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz ion: Starting Serial # M08452; By-pass A Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 /vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz: Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: y,zzzz	Assembly Starting Serial # 3863325 and identified Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkkk Model: 375DA Meters: (O), M Spare Parts Only: No
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v Type: RPDA Size: 10 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers	y,zzzz ion: Starting Serial # M08452; By-pass A Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 /vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz: Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: y,zzzz	Assembly Starting Serial # 3863325 and identified Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkkk Model: 375DA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v Type: RPDA Size: 10 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter	y,zzzz ion: Starting Serial # M08452; By-pass A Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 /vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz: Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: y,zzzz ion: Starting Serial # M08452; By-pass A	Assembly Starting Serial # 3863325 and identified Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkk Model: 375DA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) Assembly Starting Serial # 3863325 and identified
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v Type: RPDA Size: 10 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA	y,zzzz ion: Starting Serial # M08452; By-pass A Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 /vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: y,zzzz ion: Starting Serial # M08452; By-pass A Manufacturer: Wilkins	Assembly Starting Serial # 3863325 and identified Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkk Model: 375DA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) Assembly Starting Serial # 3863325 and identified Model: 475DA

Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll

Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 4	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # R04847; By-pass A	ssembly Starting Serial # 3863325 and identifie
Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 6	Orientation: VUVD	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 31-May-2001	Renewed: 31-May-2013	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	
Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 6	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # R04847; By-pass A	ssembly Starting Serial # 3863325 and identifi
Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 8	Orientation: VUVD	Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Aug-2004	Renewed: 11-Aug-2013	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	
		Model: 475DA
Type: RPDA	Manufacturer: Wilkins	WOUEL 475DA
	Orientation: VUVD	Meters: (O), M
Size: 8		
Size: 8 Manual: 9	Orientation: VUVD	Meters: (O), M
Size: 8 Manual: 9 Approved: 18-Feb-2014	Orientation: VUVD 0.25% Pb: Yes Renewed:	Meters: (O), M Spare Parts Only: No
Type: RPDA Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter	Orientation: VUVD 0.25% Pb: Yes Renewed: y,zzzz	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)
Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers	Orientation: VUVD 0.25% Pb: Yes Renewed: y,zzzz	Meters: (O), M Spare Parts Only: No

Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 4	Orientation: VUVU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2001	Renewed: 20-Mar-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),mm,ttt,www,yyy,z	zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	

Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
	/,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,llll	
Approved: 24-Apr-2004	Renewed: 24-Apr-2013	Bypass: Wilkins 975XLD 3/4 (H)
Size: 8 Manual: 9	Orientation: VUVU 0.25% Pb: No	Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
with NSF61 mark on meter		
Shutoffs: (hh),qqq,vvv,www,yy		Assembly Starting Serial # 3863325 and identifie
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Size: 6	Orientation: VUVU	Meters: (O), M
Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Shutoffs: (qqq),mm,ttt,www,yyy	/,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,llll	I
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass: Wilkins 975XLD 3/4 (H)
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Size: 6	Orientation: VUVU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Notes: Lead free compliant vers with NSF61 mark on meter	sion: Starting Serial # R04847; By-pass A	Assembly Starting Serial # 3863325 and identifie
Shutoffs: (hh),qqq,vvv,www,yy	yy,zzz	
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Size: 4	Orientation: VUVU	Meters: (O), M
fype: RPDA	Manufacturer: Wilkins	Model: 475DAV

lanufacturer: Wilkins	Model: 475DAV
Prientation: VUVU	Meters: (O), M
.25% Pb: Yes	Spare Parts Only: No
enewed:	Bypass: Wilkins 975XLD 3/4 (H)
)	rientation: VUVU 25% Pb: Yes

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz

Notes: Lead free compliant version: Starting Serial # R04847; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA

Size: 2 1/2

Manual: 8 Approved: 01-Feb-1994

Shutoffs: (hh),ff,uu,zz,vvvv,wwww,yyyy,zzzz

Type: RPDA

Type: RPDA

Size: 8

Manual: 8

Type: RPDA

Approved: 05-Dec-1996

Size: 3

 Manual: 8
 0.25^o

 Approved: 01-Feb-1994
 Rene

 Shutoffs: (hh),ff,uu,zz,vvvv,www,yyyy,zzzz

Manufacturer: Wilkins Orientation: H

Manufacturer: Wilkins

Renewed: 01-Feb-2015

Orientation: H

0.25% Pb: No

0.25% Pb: No Renewed: 01-Feb-2015 Model: 975DA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975 3/4 (H)

Model: 975DA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975 3/4 (H)

Type: RPDA	Manufacturer: Wilkins	Model: 975DA
Size: 4	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1993	Renewed: 01-Nov-2014	Bypass: Wilkins 975 3/4 (H)
Shutoffs: hh,ff,mm,uu,zz,vvvv,w	www,yyyy,zzzz	

Type: RPDAManufacturer: WilkinsMaSize: 6Orientation: HMaManual: 80.25% Pb: NoSpApproved: 14-Mar-1994Renewed: 14-Mar-2015ByShutoffs: hh,ff,mm,uu,zz,vvvv,www,yyy,zzzzShutoffs: hh,ff,mm,uu,zz,vvvv,www,yyy,zzzz

Model: 975DA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 975 3/4 (H)

Model: 975DA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975 3/4 (H)

Size: 10 Manual: 8 Approved: 05-Dec-1996 Manufacturer: Wilkins Orientation: H

Renewed: 05-Dec-2014

Manufacturer: Wilkins

Orientation: H

0.25% Pb: No

0.25% Pb: No Renewed: 05-Dec-2014 Model: 975DA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975 3/4 (H)

Shutoffs: (hh),ff,uu,zz,vvvv,wwww,yyyy.zzzz

Shutoffs: (hh),ff,uu,zz,vvvv,wwww,yyyy.zzzz

Type: RPDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 6 Manual: 10 Approved: 13-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 10 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU) Type: RPDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 6 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 6 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed: Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886V Meters: (O),J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Type: RPDA-II	Manufacturer: Febco	Model: LF886V
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Jul-2015	Renewed:	Bypass: Watts 3/4" LF619 (HVU)
Shutoffs: (mm), ll		
Type: RPDA-II	Manufacturer: Febco	Model: LF886V
Size: 8	Orientation: VUVU	Meters: (O)
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Jul-2015	Renewed:	Bypass: Watts 3/4" LF619 (HVD)
Shutoffs: (mm), ll		
Type: SVB	Manufacturer: Watts	Model: 008PCQT
Size: 3/8	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Nov-1998	Renewed: 18-Nov-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: SVB	Manufacturer: Watts	Model: 008PCQT
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Nov-1998	Renewed: 18-Nov-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
Type: SVB	Manufacturer: Watts	Model: 008PCQT
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2000	Renewed: 19-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
Type: SVB	Manufacturer: Watts	Model: 008PCQT
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2000	Renewed: 19-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
Type: SVB	Manufacturer: Watts	Model: LF008PCQT
Size: 3/8	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Mar-2015	Renewed:	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: SVB	Manufacturer: Watts	Model: LF008PCQT
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Mar-2015	Renewed:	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrm	rr	
Type: SVB	Manufacturer: Watts	Model: LF008PCQT
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Mar-2015	Renewed:	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: SVB	Manufacturer: Watts	Model: LF008PCQT
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Mar-2015	Renewed:	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrm	rr	
Type: SVB	Manufacturer: Wilkins	Model: 460
Size: 3/8	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass:
Shutoffs: (000),ii		
Type: SVB	Manufacturer: Wilkins	Model: 460
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass:
Shutoffs: (000),ii		
Type: SVB	Manufacturer: Wilkins	Model: 460
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-2008	Renewed: 08-May-2014	Bypass:
Shutoffs: (000),ii		
Type: SVB	Manufacturer: Wilkins	Model: 460
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-2008	Renewed: 08-May-2014	Bypass:
Shutoffs: (000),ii		

Type: SVB Size: 3/8 Manual: 9 Approved: 21-Mar-2011 Shutoffs: (iiii)

Type: SVB Size: 1/2 Manual: 9 Approved: 21-Mar-2011 Shutoffs: (iiii)

Type: SVB Size: 3/4 Manual: 9 Approved: 21-Mar-2011 Shutoffs: (iiii)

Type: SVB Size: 1 Manual: 9 Approved: 21-Mar-2011 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: VUH 0.25% Pb: Yes Renewed: 21-Mar-2014

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: Yes Renewed: 21-Mar-2014

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: Yes Renewed: 21-Mar-2014

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: Yes Renewed: 21-Mar-2014 Model: 460XL Meters: Spare Parts Only: No Bypass:

Manufacturers of Approved Backflow Prevention Assemblies

Ames Fire & Waterworks - A Watts Water Technologies Company http://www.amesfirewater.com/ 1427 N. Market Blvd., Ste. 9 Sacramento, CA 95834 (916) 928-0123

Apollo/Conbraco Industries, Inc. http://www.apollovalves.com/ P. O. Box 247 Matthews, NC 28105 (704) 847-9191

A.R.I. FLOW CONTROL ACCESSORIES http://www.arivalves.com Kibbutz Kfar Charuv M.P. South Golan ISRAEL, 12932 972-4-6761800 or 972-4-6761988

Arrowhead Brass http://www.arrowheadbrass.com/ 5147 Alhambra Ave. Los Angeles, CA 90032 (323) 343-9790

Backflow Direct www.backflowdirect.com 3290 Monier Circle, Ste. 300 Rancho Cordova, CA 95742 (916) 760-4524

Cash Acme http://www.cashacme.com 2400 7th Avenue S.W. Cullman, Alabama 35055 (256) 775-8200

Cla-Val Company http://www.cla-val.com/ P. O. Box 1325 Newport Beach, CA 92659-0325 (949) 722-4800

FEBCO - A Watts Water Technologies Company http://www.febcoonline.com P. O. Box 8070 Fresno, CA 93747 (559) 252-0791

Flomatic http://www.flomatic.com/ 15 Pruyn's Island Dr. Glen Falls, NY 12801-4424 (800) 833-2040 Hersey Meters http://www.herseymeters.com/ 10210 Statesville Blvd. Cleveland, NC 27013 (800) 323-8584

Watts - A Watts Water Technologies Company http://www.wattsreg.com/ 815 Chestnut Street North Andover, MA 01845 (978) 688-1811

Wilkins Regulator Company http://www.zurn.com/operations/wilkins/pages/home.asp 1747 Commerce Way Paso Robles, CA 93446 (800) 817-8177