



NOTES:

1. DO NOT BACKFILL UNTIL ALL BRASS FITTINGS HAVE BEEN INSPECTED BY THE DISTRICT.
2. SERVICE SIZES ARE 1" UNLESS OTHERWISE DESCRIBED IN THE SPECIFICATIONS.
3. METER BOX SHALL BE:
 - A. IN AREAS WITH ROLLED CURB OR METER BOX IN DRIVEWAY, USE MIDSTATES BOX #MS-BCF-1521-12-B WITH READER LID #MS-BCF-1521-RLA
 - B. IN AREAS WITH VERTICAL CURB OR METER BOX BEHIND SIDEWALK, USE CARSON STANDARD PLASTIC METER BOX #1220-12L WITH READER LID.
4. INSTALL WATER SERVICE MARKER POST ABOVE END OF SERVICE TAIL-PIECE. THE POST SHALL BE 2"x 4" WITH THE 18" ABOVE GRADE PAINTED BLUE ON ALL SIDES. STENCIL "WATER" IN 2" LETTERS WITH BLACK PAINT.

ROTH HILL
 Roth Hill, LLC
 11130 NE 33rd Place,
 Suite 200
 Bellevue, WA 98004
 Tel. 425.869.9448

**TYPICAL SERVICE DETAIL
 SINGLE SERVICE**



PLOTTING DATE SEPT. 2010	DRAWN TVW	CHECKED LDS	APPROVED JFK	DISTRICT TNH
PLOTTING SCALE NTS: 1=1	FILE NAME F:\DETAILS\WD90\WATER\0003	DATE APPROVED 1/13/11		DWG. NO. 3

WATER DISTRICT NO. 90
 DWG. NO. 3